## WILEY FINANCE EDITIONS

FINANCIAL STATEMENT ANALYSIS

Martin S. Fridson

DYNAMIC ASSET ALLOCATION

David A. Hammer

INTERMARKET TECHNICAL ANALYSIS

John J. Murphy

INVESTING IN INTANGIBLE ASSETS

Russell L. Parr

FORECASTING FINANCIAL MARKETS

Tony Plummer

PORTFOLIO MANAGEMENT FORMULAS

Ralph Vince

TRADING AND INVESTING IN BOND OPTIONS

M. Anthony Wong

THE COMPLETE GUIDE TO CONVERTIBLE SECURITIES

WORLDWIDE

Laura A. Zubulake

CHAOS AND ORDER IN THE CAPITAL MARKETS: A NEW VIEW OF CYCLES, PRICES, AND MARKET VOLATILITY Edgar E. Peters

INSIDE THE FINANCIAL FUTURES MARKETS, THIRD EDITION Mark J. Powers and Mark G. Castelino

**ELLING SHORT** 

Joseph A. Walker

# CHAOS AND ORDER IN THE CAPITAL MARKETS

A New View of Cycles, Prices, and Market Volatility

**Edgar E. Peters** 



John Wiley & Sons, Inc.

New York • Chichester • Brisbane • Toronto • Singapore

#### :=

#### Preface

This book is a conceptual introduction to fractals and chaos theory as applied to investments and, to a lesser degree, economics. In recent years. research in the capital markets has been producing more questions than it has been answering; the need for a new paradigm, or a new way of looking at things, has become more and more apparent. The existing view, based on efficient market assumptions, has a distinguished history going back some 40 years, but it has not, for some time, significantly increased understanding of how markets work. This book attempts a shift away from the concept of efficient markets and toward a more general view of the forces underlying the capital market system. In this new paradigm, the existing paradigm still exists as a special case. Therefore, this shift is an evolution in capital market research and, I believe, a logical next step.

The book is not meant as a textbook. It is intended to communicate the concepts behind fractals and chaos theory, as they apply to the capital markets and economics. I have supplied no proofs of the theorems. Those interested in such full mathematical treatments are referred to the bibliography, where an abundance of mathematical and scientific texts and papers is offered. The book is addressed to investment professionals and interested academics, and assumes a firm grounding in capital market theory, elementary statistics, and elementary calculus. Anyone with a MBA should have little trouble understanding the text, and those with undergraduate degrees in business or economics should also benefit. The informal style is meant to provoke thought and present new ideas. Formal proofs are available elsewhere.

Ξ

Preface

I would like to acknowledge the help of the following people who, through the years, provided advice and information: Richard Crowell, Eugene Hawkins, Mark Zurak, Robert Wood, Jr., Eric Korngold, David Lawrence, Berry Cox, Warren Sproul, Maurice Larrain, Tonis Vaga, Bruce West, Hassan Ahmed, James Vertin, Charles D'Ambrosio, Frank Fabozzi, Bruce Clarke, Fred Meltzer, Ken Johnson, and Mike Jones. In addition, I would like to thank James Rullo, Chris Lino, Desiree Babbitt, Mimmy Cooper, and Kathleen Williams at PanAgora Asset Management, for their indulgence and help while this manuscript was being completed. Finally, I would like to thank my wife and children for their continued support during the time it took to complete this project.

EDGAR E. PETERS

Concord, Massachusetts September 1991

### **Contents**

# PART ONE THE NEW PARADIGM

m

1 Introduction: Life Can Be So Complicated

Structure of This Book, 10

2 Random Walks and Efficient Markets 13

Development of the EMH, 15

Modern Portfolio Theory, 20

Summary, 25

3 The Failure of the Linear Paradigm 27
Tests of Normality, 28
The Curious Behavior of Volatility, 31
The Risk/Return Tradcoff, 32
Are Markets Efficient?, 33
Why the Fat Tails?, 36
The Danger of Simplifying Assumptions, 37

4 Markets and Chaos: Chance and Necessity 39
Can Chance and Necessity Coexist?, 40

×.

#### FRACTAL STRUCTURE IN THE CAPITAL MARKETS PART TWO

# 5 Introduction to Fractals

Random Fractals, 51 The Chaos Game, 51 Fractal Shapes, 48

#### 55 6 The Fractal Dimension

Summary, 60

### 9 7 Fractal Time Series—Biased Random Walks

R/S Analysis of the Sunspot Cycle, 77 Estimating the Hurst Exponent, 70 Hurst's Simulation Technique, 65 How Valid Is the H Estimate?, 74 The Fractal Nature of H, 66 The Hurst Exponent, 62 Summary, 80

### 8 8 R/S Analysis of the Capital Markets

Economic Indicators, 96 The Stock Market, 84 The Bond Market, 91 Methodology, 81 Implications, 98 Currency, 92

#### 105 9 Fractal Statistics

Pareto (Fractal) Distributions, 105 Invariance under Addition, 112 How Stable Is Volatility?, 118 "Lost" Economics, 108 Tests of Stability, 110 Summary, 119

#### 121 10 Fractals and Chaos

The Logistic Equation, 121 The Route to Chaos, 123 Birth and Death, 125

Contents

. <del>×</del>

The Fractal Nature of the Logistic Equation, 126 Disorder at an Orderly Rate, 126 Summary, 130

# PART THREE NONLINEAR DYNAMICS

## 133 11 Introduction to Nonlinear Dynamic Systems

The Logistic Delay Equation, 144 Dynamical Systems Defined, 134 The Control Parameter, 145 Lyapunov Exponents, 146 The Henon Map, 141 Phase Space, 136

### 151 12 Dynamical Analysis of Time Series

Reconstructing a Phase Space, 152 The Fractal Dimension, 155 Lyapunov Exponents, 158

### 163 13 Dynamical Analysis of the Capital Markets

Lyapunov Exponents, 171 Fractal Dimensions, 168 Detrending Data, 163 Scrambling Test, 184 Implications, 180 Summary, 186

#### 187 14 Two New Approaches

Critique of the Coherent Market Hypothesis, 199 Larrain's K-Z Interest Rate Model, 187 Vaga's Nonlinear Statistical Model, 192 The Coherent Market Hypothesis, 195 The Theory of Social Imitation, 194 Vaga's Implementation, 198 Order Parameters, 198 Coherent Systems, 192

# 15 What Lies Ahead: Toward a More General Approach

201

Interdependence versus Independence, 204 Simplifying Assumptions, 202 The Passage of Time, 203

Contents

Ŧ

Equilibrium, Again, 205 Other Possibilities, 205 Summary, 207

#### Appendices

1 Creating a Bifurcation Diagram 209
2 Simulating a Biased Random Walk 211
3 Calculating the Correlation Dimension 215
4 Calculating the Largest Lyapunov Exponent

223 **Bibliography** 

231 Glossary

237 Index

# CHAOS AND ORDER IN THE CAPITAL MARKETS

# PART ONE THE NEW PARADIGM

Section 1995 and 1995

#### <del>--</del>

## Introduction: Life Can Be So Complicated

Throughout recorded time (and probably before), people have been trying to make life structured and organized. How else can we explain our legal system, bureaucracy, and organization charts? To order time, calendars and clocks were created, and they govern the proper organization and coordination of daily activities. We publish encyclopedias, dictionaries, books, and newspapers, to organize knowledge. Yet, no matter how finely detailed the laws or organization charts, we still have trouble understanding the process underlying a structure, whether it is a natural system, like the weather, or one of our own social creations. That is why we need a court system to interpret laws, we need consultants to help us understand the group dynamics of our corporations, and we need science to understand nature.

No matter how we try to make it so, the world is not orderly; nature is not orderly, nor are the human creations called institutions. Economies and the capital markets are particularly lacking in orderliness. The capital markets are our own creation; yet we do not understand how they work. Some of our best thinkers spend their lifetime trying to understand how capital flows from one investor to another, and why. To make the capital markets neater, models have been created in an effort to explain them. These models are, of necessity, simplifications of reality. By making a few simplifying assumptions about the way investors behave, an

Introduction: Life Can Be So Complicated

entire analytic framework has been created to help us understand the They explain some of the structure, but they leave much unanswered and often raise more questions than they answer. Economists find that their markets, which we have also created. The models have not worked well. forecasts, contrary to theory, have limited empirical validity.

Townsend-Greenspan, run by Fed Chairman Alan Greenspan. McNees forecasts by McNees (1983, 1985, 1987, 1988), who found that economists early 1970s, when the studies began. Included in the group studied was Forecasts, when correct, were relevant in only a short time frame. A small Dismal Science," written by W. L. Linden, quoted studies of economic have made serious forecasting errors at every major turning point since the found that forecasters tend to be off as a group at these turning points. change in one variable seemed to have a much bigger impact than theory As an example, a recent Forbes article entitled "Dreary Days in the

In addition, evidence continues to mount that the capital markets do not behave as the random walk theory, which is largely taught as fact, has predicted. For instance, the stock market has more large changes (or "outliers") than can be attributable to noise alone. Other anomalies to the existing paradigm of the capital markets will be discussed later, but they are too numerous to be dismissed.

forecasts are often the subject of derision. Wall Street and corporate Forty years ago, econometrics was supposed to give us the ability to forecast our economic future and prepare accordingly. Today, economic as Linden said, their forecasts "proved entertaining and interesting-but America have begun dismantling their economics departments because, not very useful." What went wrong?

out. Supply equals demand. By perturbing the system, exogenous factors reverting to equilibrium in a linear fashion. The system reacts immediately rest. This is an economist's definition of equilibrium. Everything balances take it away from equilibrium. The system reacts to the perturbation by because it wishes to be at equilibrium and abhors being out of balance. The First, there is the concept of equilibrium. Econometric analysis assumes that, if there are no outside, or exogenous, influences, then a system is at system wants tidiness, everything in its proper place.

tem is to survive, it must evolve; it must be, as Prigogine states, "far from However, if we look at the ecology of a living world—that of the Earth, for example—we see that nature abhors equilibrium. If a species or a sysequilibrium." The Moon is in equilibrium. The Moon is a dead planet.

irol an economy and make it more stable (or keep it at equilibrium) have failed. The recent collapse of Leninist Communism is but one example. Other "utopian" societies have also tried to create an equilibrium econ-A free-market economy is also an evolving structure. Attempts to conomy, but all of them have failed.

ife out of the system, including the far-from-equilibrium conditions Regulation of these human tendencies can be desirable, to keep their effects somewhat dampened, but to do away with them would take the that are necessary for development. Equilibrium in a system means the Equilibrium implies a lack of emotional forces, such as greed and fear, which cause the economy to evolve and to adapt to new conditions. system's death.

trading capability to individuals or institutions without using futures. This cept died because of lack of interest. Trading volume was too low to sustain the market. A healthy market is one with volatility, but not necessarily have low interest eventually die, even if they are fairly priced. A recent example is the Index Participation contracts, designed to give program was a fine idea, and the contracts were usually fairly priced, but the con-An "efficient market" is one in which assets are fairly priced according to the information available, and neither buyers nor sellers have an advantage. However, other considerations besides fair price are important to the volatility market is an unhealthy market. New financial instruments that functioning of markets. For instance, any trader will confirm that a lowfair price.

Should we then endorse the notion that a healthy economy and a healthy market do not tend to equilibrium but are, instead, far from equilibrium? Economists who are using equilibrium theories to model farfrom-equilibrium systems are likely to produce dubious results.

memory, of the past. If, ten years from now, all of the variables that affect interest rates were to be identical to their current values, then interest rates would also have their current values. The combination of events that might lead to those two separate points in time is irrelevant. At best, economet-A second problem with the econometric view of the world is its treatment of time. It ignores time or, at best, treats time as a variable like any other. The markets and the economy have no memory, or only limited rics deals with a short-term memory; the memory effects quickly dissipate. a fact that may explain why economists missed the turning points in the The idea that one event can change the future is foreign to econometrics— McNees studies mentioned earlier.

both rising or falling, or one is rising and the other is falling. History is In this oversimplistic case, if the coefficients a and b are fixed, then r depends on current levels of i and s. It does not matter whether i and s are irrelevant

except, perhaps, those of the near past. Real feedback systems involve long-term correlations and trends, because memories of long-past events In the next chapter, we shall examine a rational person built to justify econometric techniques. This rational person is unaffected by past events human decision making. We are influenced by what has happened. Our expectations of the future are shaped by our recent experiences. This feedback effect, the past influencing the present and the present influencing the future, is largely ignored, particularly in capital market theory. What is missing, of course, is the qualitative aspect that comes from can still affect the decisions made in the present.

optimal solutions do not apply. Instead, we have multiple possible time-dependent feedback mechanisms-are symptomatic of nonlinear solutions. These characteristics-far-from-equilibrium conditions and All of these considerations make capital markets messy. The neat, ¥.

When I was an undergraduate studying mathematics, the differential equations we studied were linear. We studied linear differential equations because they could be solved for one; unique solution. They had practical applications to engineering and physics. They were tidy. dynamic systems.

Nonlinear differential equations were viewed as not useful, because they had multiple, seemingly unrelated solutions. They were complex, messy,

ful for the very reasons that had made them something to be avoided. Life is messy. There are many possibilities. We need models with multiple 3. We have found that most complex, natural systems can be modeled by nonlinear differential, or difference, equations. These equations are useand to be avoided or fell for the self than to how it was

To illustrate, let's take a simple nonlinear system. Suppose we have a stock with a price (P.) and further define it as a penny stock selling for less

than \$1. Because enough buyers come into the market, their demand causes the price to rise at a particular rate (a). The future value of  $P_{\rm t}$  at time t + 1 would then increase in the following manner:

$$\mathbf{P}_{(t+1)} = \mathbf{a}^{\dagger} \mathbf{P}_{t} \tag{1.1}$$

more realistic, we should add an effect from sellers. Suppose that while prices increase at a\*Pt, sellers reduce the price at a\*Pt. Equation (1.1) The equation assumes that there are only buyers. To make the model becomes:

$$P_{t+1} = a^* P_t - a^* P_t^2$$

ö

$$P_{t+1} = a^* P_t^* (1 - P_t)$$
 (1.2)

This model is not realistic, but it explains that, as buying pressure raises prices by a rate of a, selling pressure decreases prices at a rate of a\*P<sub>1</sub>. At At a higher level of buying pressure (but not too high), the price will low levels of buying pressure, the price goes to zero and the system dies. converge to a steady state, or "fair value."

There is a lag as a\*P2 becomes a bigger drag than the growth rate, (a). However, once the price hits the lower possibility, the growth rate dominates, pulling the price back up to the higher price. There are two fair values: at one, the sellers sell; at the other, the buyers buy. It does not stop moderate volume, prices converge to a single value. However, if the growth rate is increased to a = 2.5, there are suddenly two possible fair prices and the system oscillates between them. Why is this happening? At  $P_0 = 0.3$ . By iterating equation (1.2), a fair price of 0.50 is eventually reached. (I suggest that the reader try this on a personal computer, using a spreadsheet. Simply copy equation (1.2) down for 100 cells or so. A calculator can also be used if the CALC button is repeatedly pressed.) Thus, at that critical level, buyers and sellers are not entering the market equally. Suppose the buying pressure results in a growth rate of a = 2, and here, however.

Because the system cannot agree on what the fair price is, it fluctuates in As the growth rate continues to rise, 4, 16, and 32 possible fair values appear. Finally, at a = 3.75, an infinite number of fair values is possible.

The model is unrealistic; it assumes, for instance, that selling pressure is directly related to the growth rate due to buying (a). However, it illustrates how complex results can originate in even a simple nonlinear system. We




FIGURE 1.1 Bifurcation diagram: The Logistic Equation.

can begin to imagine the complexities in a large nonlinear system such as the weather and the actively trading stock market. Equation (1.2) is the celebrated Logistic Equation, which has been extensively analyzed in the literature. Chapter 10 examines its behavior in more detail.

From this simple example, we can see a number of important characteristics of nonlinear dynamic systems. First, they are feedback systems. What happened yesterday influences what happens today;  $P_{1-1}$  is a product of  $P_1$ . Second, there are critical levels, where more than a single equilibrium exists. In the Logistic Equation, the first critical level is when a = 2.5. Third, the system is a fractal. This term will be elaborated on in Part II. but fractal characteristics are evident in Figure 1.1. At a = 3.75, there is a "band of stability." However, inside each figure is a smaller figure, identical to the larger figure. If the smaller figure were to be enlarged, that figure would contain another band of stability, where another even smaller version of the main figure resides. At smaller and smaller scales, the same repetition would be found. This self-similar property is a characteristic of nonlinear dynamic systems and is symptomatic of the nonlinear feedof nonlinear dynamic systems and is symptomatic of the nonlinear feedback process. This complexity occurs only when the system is far from equilibrium.

Finally, there is sensitive dependence on initial conditions. If equation (1.2) now becomes a forecasting model, then a slight change in P<sub>1</sub> will result in a very different price at time (t + n), even though they may have been close in the beginning.

These characteristics indicate that, if the capital markets are nonlinear dynamic systems, then we should expect:


- 1. Long-term correlations and trends (feedback effects);
- .. Erratic (critical levels) markets under certain conditions, and at certain times;
- A time series of returns that, at smaller increments of time, will still look the same and will have similar statistical characteristics (fractal structure);
- 4. Less reliable forecasts, the further out in time we look (sensitive dependence on initial conditions).

In general, these types of characteristics arise only when a system is far from equilibrium. The characteristics seem to describe the market that we know from experience, but they do not fit the Efficient Market Hypothesis (EMH), which has dominated quantitative investment finance.

or financial economics, for the past 30 years. The failure of the EMH as a paradigm is the subject of the next two chapters.

The EMH assumes that investors are rational, orderly, and tidy. It is a model of investment behavior that reduces the mathematics to simple linear differential equations, with one solution. However, the markets are not orderly or simple. They are messy and complex.

# STRUCTURE OF THIS BOOK



the current paradigm.

Part Two covers fractal analysis. Like the rest of the book, it is mostly a conceptual discussion. Fractals offer a new, broader statistical analysis that is a logical extension of current capital market theory. In Chapters 5 and 6, we cover crucial characteristics of fractals, and, in Chapter 7, the analysis of fractal time series through rescaled range analysis (R/S) analysis of fractal time series through rescaled range analysis (R/S) niques, and Chapter 9 covers the specifies of fractal statistics.

Part Three goes on to nonlinear dynamic analysis, or chaos theory. Chapters 11 and 12 define and analyze chaotic systems. Chapter 13 examines the capital markets for evidence of chaotic tendencies. Chapter 14 ines the capital markets for evidence of chaotic tendencies. Chapter 14 reviews the work of two practitioners who are applying current techniques.

Throughout, the text attempts to present new ways of looking at old problems. Some of these ways are radically different from those previously used—at least, at first glance, they appear to be different. However, when these approaches are examined more closely, I believe that the new paradigm will be seen as a more general form of the existing paradigm.

Structure of This Book

The new paradigm allows for investors who are not rational and for statistics that do not conform to the normal distribution. The existing paradigm remains a special case of the new nonlinear paradigm, but, as a special case, it does not appear often. This generalization makes the problem of understanding markets and economies much more complicated, but much more realistic. The implications are both exciting and frightening. They are exciting, in that we will have a deeper insight and understanding of the nature of markets, but they are frightening because they reveal how much work remains to be done.

#### 2 Random Walks and Efficient Markets

No concept in investment finance has been as widely tested and little believed as "efficient markets." Yet, the concept is the bedrock of quantitative capital market theory, and the past 30-plus years of research have depended on it. The Efficient Market Hypothesis (EMH) actually has roots dating back to the turn of the century. The EMH has one primary function: to justify the use of probability calculus in analyzing capital markets. If the markets are nonlinear dynamic systems, then the use of standard statistical analysis can give misleading results, particularly if a random walk model is used. Therefore, it is important to reevaluate the premises that underlie current capital market theory.

Efficient markets are priced so that all public information, both fundamental and price history, is already discounted. Prices, therefore, move only when new information is received. An efficient market cannot be gamed because not only do the prices reflect known information, but the large number of investors will ensure that the prices are fair. In this regard, investors are considered rational: they know, in a collective sense; what information is important and what is not. Then, after digesting the information and assessing the risks involved, the collective consciousness of the market finds an equilibrium price. Essentially, the EMH says that the market is made up of too many people to be wrong.

If the safety-in-numbers assumption is true, then today's change in price is caused only by today's unexpected news. Yesterday's news is no

tribution. This assumption regarding the normality of returns opens up a random variables and follow a random walk. If enough independent price changes are collected, in the limit (as the number of observations approaches infinity), the probability distribution becomes the normal dislarge battery of statistical tests and modeling techniques, which can crelonger important, and today's return is unrelated to yesterday's return; the returns are independent. If returns are independent, then they are ate optimal solutions for decision making.

istics, the random walk version of the EMH is the one generally referred to pendence, the techniques used for statistical testing have independence assumptions, as well as built-in finite variance. Because of these characterknown. This independence assumption between market moves lends itself first to a random walk theory, and then to more general martingale and submartingale models. Although not all versions of the EMH assume inde-This is the random walk version of the EMH; in many ways, it is the most restrictive version. Market efficiency does not necessarily imply a the assumption that returns are normally distributed is not necessarily implied by efficient markets. However, there is a very deeply rooted assumption of independence. Most tests of the EMH also test the random walk version. In addition, the EMH in any version says that past information does not affect market activity, once the information is generally random walk, but a random walk does imply market efficiency. Therefore, as the Efficient Market Hypothesis, although technically this is not true.

through both observation and the statistical analysis of returns. The rationalization for the use of statistical analysis, with its independence assumptions, came much later. The EMH was the culmination of this Actually, assuming that returns follow, a random walk came first, rationalization process.

Any scientist will complain that developing a theory to justify methods is putting the cart before the horse—it is bad science. If market returns had been shown to be normally distributed, then a hypothesis and its implications could have been developed. In capital market theory, the assumptions of normality and finite variance, as well as models based on those assumptions, were developed even as empirical evidence continued to contradict theory.

ment. Of necessity, the discussion is brief. The purpose here is to show In this chapter, we will review capital market theory and its developthat, if the random walk assumption of capital market prices is flawed, much of the current theory, empirical research, and research methodology

Development of the EMH

in the markets: an event can influence the markets for a long, perhaps the nonlinear paradigm must allow for the concept of a "long memory" indefinite time into the future. The current paradigm allows for a short utilized is seriously weakened. New methods must replace the old, and they must not depend on independence, normality, or finite variance. The new methods must include fractals and nonlinear dynamics whose characteristics appear to conform more closely to observed behavior. In addition, memory at best, in the submartingale form.

# DEVELOPMENT OF THE EMH

is the work of pioneering foresight, many years ahead of its time. Among its and options the methods created for analyzing gambling. Bachelier's paper accomplishments was the recognition that the Weiner process is brownian lished in 1900 by Louis Bachelier, who applied to stocks, bonds, futures, The original work using statistical methods to analyze returns was pubmotion. Einstein rediscovered this relationship a decade later.

related strategies. However, little empirical evidence is given to support his contention that market returns are independent, identically distributed Bachelier offered the first display of option payoffs, the now familiar kinked line graphs, as well as graphs for straddles and other option-(IID) random variables, the assumption that was crucial to his analysis.

portfolio theory. The work of Markowitz, Tobin, and Sharpe, which also appeared during this period, is therefore not included. The book does present the rationale for what was to be formalized as the EMH in the 1960s ception of work by Holbrook Working and Alfred Cowles in the 1930s) until the late 1940s. Progress then became rapid. A body of work that became the basis of the EMH was collected by Cootner in his classic volume (1964b) The Random Character of Stock Market Prices, first published in 1964. Cootner's anthology, the standard bearer of the first "golden age" of quantitative analysis, deals strictly with market characteristics, not Application of statistical analysis to the markets languished (with the ex-Bachelier's thesis was revolutionary, but largely ignored and forgotten.

Technicians (or technical analysts, followers of Magee). The 1950s added a During the decades of the 1920s through the 1940s, market analysis was dominated by Fundamentalists (followers of Graham and Dodd) and third group, the Quants (or quantitative analysts, followers of Bachelier). Development of the EMH

the Technicians did, because the Fundamentalists assumed investors to that the market was driven by emotion, or "animal spirits," as Lord By nature, the Quants had more sympathy for Fundamentalists than be rational, in order for value to reassert itself. The Technicians assumed Keynes said.

in Cootner's anthology. Roberts makes an appeal for widespread use of Bias against technical analysis is represented in Roberts's paper (1964) statistical analysis based on work by Kendall (1953), who had said: . changes in securities prices behaved nearly as if they had been generated independent of past history and for which relative frequencies were reasonably by a suitably designed roulette wheel for which each outcome was statistically stable through time.

them." Roberts offers this as a rationale without accepting it, however. His Roberts further states that the "change model insists on independence," and the probabilities "must be stable over time." The rationale for accepting "people would notice the imperfections and by acting on them, remove the chance model is that, if the market were an imperfect roulette wheel, paper makes a plea for further research.

borne (1964) in his very formally developed paper on brownian motion. Osborne offers a process in which changes in stock market prices can be equivalent to the movement of a particle in a fluid, commonly called brownian motion. He does so by stating a number of assumptions and drawing The claim that stock prices follow a random walk is formalized by Osconclusions from these results.

with the highest expected return. "Expected return" is the sum of the of assumptions regarding investor perception of value. His Assumption 3 states that "price and value are related" and that relationship is the prime ties with different expected returns, the logical decision is to pick the stock probabilities of a return times the associated return. The probabilities add to 1, so the expected return is the probability weighted return, or the of a dollar) and with the fact that the number of transactions per day is determinant of market returns. Assumption 4 says that, given two securi-The first two assumptions deal with minimum price moves (one-eighth finite and not important. However, Osborne goes from there to a number expected value of the random variable.

Assumption 5 states that buyers and sellers "are unlikely to trade unless there is equality of opportunity to profit." In other words, the buyer cannot have an advantage over the seller or vice versa, if a transaction is

to be accomplished. Osborne says that Assumption 5 is "a consequence"

7

of Assumptions 3 and 4.

because investors are able to rationally equate price and value, they will time. The sequence of price changes is independent, because price is the one with the highest expected return (Assumption 4); as a result, a trade at the equilibrium price based on the information available at that tion 3), and, given two variables with expected values, investors will pick buyer and seller find the price mutually advantageous. In other words, Thus, a general equilibrium price (Assumption 5) occurs because investors are most concerned with paying the right price for value (Assumpalready equated to available information.

Law of Large Numbers. The Central Limit Theorem states that a sample of changes are independent (i.e., they are a random walk), we would expect the This is a result of the Central Limit Theorem of probability calculus, or the IID random variables will be normally distributed as the sample gets larger. Assumption 7 (which is really a conclusion) states that, because price distribution of changes to be normal, with a stable mean and finite variance. Osborne's Assumption 7 is the culmination of Assumptions 3 through 6.

Paramount among these was: the subject under study must be an IID random variable. It was thus postulated that, because the stock market and other capital markets are large systems that have a large number of degrees of freedom (or investors), current prices must reflect the information everyone already has. Changes in price would come only from Despite the fact that we are about to question Osborne's logic, his accomplishment is in no way diminished. Osborne collected various concepts underlying random walk theory, which, in the end justifies the use of probability calculus. Essentially, this group of academics knew that statistical analysis offered a vast array of modeling and research tools. The tools, however, had limits regarding their underlying assumptions. unexpected new information.

The founding fathers of capital market theory were well aware of these simplifying assumptions and their implications. They were not trying to minimize the impact of these assumptions on the theory. They did, however, feel that the assumptions did not materially affect the usefulness of the model, especially if certain assumptions about investor behavior were accepted. The concept of the rational investor was crucial to what became the EMH.

borne said that investors value stocks based on their expected value (or Osborne had already touched on this concept, as we have seen. Os-

As a simple example, we will say that an investor sees three possible economic scenarios: positive growth, no growth, and negative growth. If the economy experiences positive growth, the investor feels that the market will be up 12 percent. With no growth, the market will be down 1 percent. If the economy slips into recession, the market will be down 8 percent. The investor also has done an economic analysis end has decided that the growth scenario has a 60 percent probability of occurring, the no-growth, 30 percent, and the recession, 10 percent. The expected return would be:

 $0.6^{+}12\% + 0.3^{*}(-1\%) + 0.1^{*}(-8\%) = 6.1\%$ 

Many investors do make decisions this way. Investors judge the probabilities and possible payoffs of different scenarios, but they do not necessarily base their final decision on probabilities. Later, we will discuss some research into human decision making; for now, state lotteries can be used as an example. The expected return of state lotteries is typically negative. It has to be, or the state would not make any money. Yet, millions of people play the lottery, even though it's not something a "rational investor" would do. Lottery players evidently feel that the possibility of a large return offsets the risk of a small loss, even if the probabilities are against them. This is not "rational," yet it is human nature.

Fama (1965a) finally formalized these observations into the Efficient Market Hypothesis (EMH), which states that the market is a martingale, or "fair game"; that is, information cannot be used to profit in the market place. The EMH is similar to Osborne's Assumption 5. In its pure form, the EMH does not require independence through time or accept only IID observations. However, the random walk model does require those assumptions. If returns are random, then markets are efficient. The converse may not be true, however.

The concept of efficient markets finally branched out to attack fundamental analysis as well as technical analysis. Up to this point, the focus had been that past price information was not related to future prices. By 1973, Lorie and Hamilton (1973), in their excellent survey, said:

The assertion that a market is efficient is vastly stronger than the assertion that successive changes in stock prices are independent of each other. The latter

Development of the EMH

19

current prices of stocks fully reflect all that is implied by the historical sequence of prices of stocks fully reflect all that is implied by the historical sequence of prices so that a knowledge of that sequence is of no value in forming expectations about future prices. The assertion that the market is efficient implies that current prices reflect and impound not only all of the implications of the historical sequence of prices, but also all that is knowable about the companies whose stocks are being traded . . . it suggests the fruitlessness of efforts to earn superior rates of return by the analysis of all public information.

the investment community, and it divided the EMH into "weak" and "strong" forms. The strong form suggested that fundamental analysis was a useless activity, because prices already reflected "all that is knowable." or all public and private (insider) information. As a compromise, the "semistrong" form was articulated.

In the semistrong version of the EMH, prices reflect all "public" information. Security analysts, using Graham-and-Dodd techniques, formulate value based on information that is available to all investors. A large number of independent estimates results in a "fair" value by the aggregate market. Analysts, thus, become the reason markets are efficient. Fundamental analysts form a fair price by consensus.

The semistrong form of the EMH was much more acceptable to the investment community because it said that markets were efficient because investment community because it said that markets were efficient because of security analysis, not in spite of it. In addition, the semistrong form implied that changes in stock prices were random because of influences outside the price series itself. That is, price changes were random, not because the market itself was a "crap shoot," but because of the evaluation of the changing fundamentals of a company, caused by both micro- and macro-economics. By the mid-1970s, the semistrong version of the EMH was the generally accepted theory. When one referred to the Efficient mainder of this book we will generally refer to the semistrong version of the EMH, which states that markets are efficient because prices reflect all public information. A weak-form efficient market is one in which the price changes are independent and may be a random walk.

The academic community had undergone a 30-year paradigm shift. from the "animal spirits" of Keynes to the "rational investor" of the EMH. By 1970, the academic community had generally accepted the EMH (the investment community took a few years longer), and what Kuhn (1962) called "normal science" had taken over financial economics. The

**Modern Portfolio Theory** 

7

major studies undertaken to prove the EMH to be true will be discussed in Chapter 3.

# MODERN PORTFOLIO THEORY

Meanwhile, Modern Portfolio Theory (MPT) was also being developed. Markowitz (1952) made the distribution of possible returns, as measured by its variance, the measure of riskiness of the portfolio. Formally, the population variance is defined by the following formula:

$$\mathbf{G}^2 = \sum_{i=1}^{n} (\mathbf{r}_i - \mathbf{r}_{\mu})^2 \tag{2.1}$$

where  $\sigma^2$  = variance

r, - mean return

r. - return observation

with the highest level of expected return for a given level of risk, or At the limit, the variance would measure the dispersion of possible returns around the average return. The square root of the variance, or standard deviation, measures the probability that the return deviates from the mean. If we use Osborne's concept of expected return, we can estimate the probability that actual return will deviate from average return. The wider the dispersion, the higher the standard deviation will be, and the riskier the stock would be. Using the variance requires that the returns be normally distributed. However, if stock returns follow a random walk and are IID random variables, then the Central Limit Theorem of calculus (or the Law of Large Numbers) states that the distribution would be normal, and variance would be finite. Investors would thus desire the portfolio with the highest expected return for a level of risk. investors were expected to be risk-averse. This approach became known as "mean/variance efficiency." The curve shown in Figure 2.1 was called the "efficient frontier" because the dark curve contained the portfolios standard deviation. Investors would prefer these optimal portfolios, based on the rational investor model.

These concepts were extended by Sharpe (1964), Litner (1965), and Mossin (1966) in what came to be known as the Capital Asset Pricing Model (CAPM), the name coined by Sharpe. The CAPM combined the EMH and Markowitz's mathematical model of portfolio theory into a

Expected Return [E(R)]

FIGURE 2.1 The efficient frontier.

model of investor behavior based on rational expectations in a general equilibrium framework. In particular, it assumed that investors had homogeneous return expectations—that is, they interpreted information in the same manner. The CAPM was a remarkable advance, arrived at independently by the three developers.

because the CAPM has been extensively discussed in the literature, the discussion here is limited mostly to aspects that are relevant to the premise that a new paradigm is needed. The CAPM begins by assuming that we live in a world free of transaction costs, commissions, and taxes. These simplifying assumptions were necessary to separate investor behavior from constraints imposed by society. Physicists often do the same thing when they assume friction's nonexistence. Next, CAPM assumes that everyone can borrow and lend at a risk-free rate of interest, which is usually interpreted as the 90-day T-Bill rate. Finally, it assumes that all investors desire Markowitz mean/variance efficiency—that they want the portfolio with the highest level of expected return for a given level of

compensated for assuming nonmarket risk, because the optimal portfolios Line (CML), dominate the portfolios on the efficient frontier, investors would prefer these portfolios to all others. In addition, investors are not capitalization weighted) and the riskless asset. This type of portfolio is portfolio (M) and the Y-intercept, which is the rate free rate (r). Levels of deviation of the portfolio, or by borrowing at that rate to lever the market portfolio. The portfolios that lie along this line, called the Capital Market are along the CML. The model also states that assets with higher risk Based on these assumptions, the CAPM goes on to draw a number of investors would be combinations of the market portfolio (all risky assets shown in Figure 2.2: a line is tangent to the afficient frontier at the market risk can be adjusted by adding to the riskless asset, to reduce the standard conclusions about investor behavior. First, the optimal portfolio for all




FIGURE 2.2 The capital market line.

23

the result would be a straight line that intercepts the Y-axis at the risk-free risk to the market risk is used. The linear measure is called beta. If all risky rate of interest and passes through the market portfolio. This result, called should be compensated for by higher returns. Because risk is now relative to the market portfolio, a linear measure of the sensitivity of the security assets were plotted on a graph of their betas versus their expected returns. the Security Market Line (SML), is shown in Figure 2.3.

This short and necessarily incomplete discussion of the CAPM is intended to show the substantial dependence on standard deviation as the measure of risk. By implication, the CAPM needs efficient markets and normally or log-normally distributed returns, because variances are assumed to be finite.

ory explained why diversification reduced risk. The CAPM explained how The CAPM, which made quantitative methods practical, remains the standard for any new model of investor behavior. Markowitz portfolio theinvestors would behave, if they were rational. Practitioners needed to be




FIGURE 2.3 The security market line.

same struggle for acceptance may have caused discussion of possible misspecification to be pushed to the background. was true. Their merger of the EMH with the CAPM and its modifications came to be known generally as Modern Portfolio Theory, or MPT. This ing assumptions, did not detract from the usefulness of the model. The EMH became extensively used as a rationale for the Gaussian assumption of log-normally distributed returns. This struggle for acceptance probably made the early champions of quantitative methods insist that the EMH convinced that the CAPM's underlying assumptions, which were simplify-

Two, when we deal with fractals.) The evidence that returns were nonnormally distributed was strong when Sharpe (1970), and Fama and Miller (1972) published their texts; both books included sections on needed modifications to standard portfolio theory, to account for Stable founders of capital market theory were well aware of these assumptions cal evidence continued, through the 1960s, to favor the Stable Paretian Hypothesis of Mandelbrot (1964), which said that, because returns are nonnormal, there was a need for possible revision of the EMH and MPT. (We will discuss the Stable Paretian Hypothesis in detail in Part and their limitations. Samuelson, Sharpe, and Fama (among others) all published work modifying MPT for nonnormal distributions. Empiri-The EMH reinforced MPT, and the investment community accepted variance and standard deviation as the measures of risk. Again, the early Paretian distributions.

and the Arbitrage Pricing Theory (APT) of Ross (1976). The APT, a more general pricing model than the CAPM, said that price changes came from unexpected changes in factors; the APT could therefore handle nonlinear relationships. However, in practice, standard econometrics (including finite variance assumptions) have been used, in attempts to implement By the 1970s, such discussion had ceased, except for a few isolated academic papers, notably by Roll (1977). Advances in financial economics continued, based on the weak-form EMH and its assumption that price changes were independent. In addition, the normal distribution, with its Gaussian assumptions to model independence, was convenient to use. Applications of econometrics to capital markets became more complex as the EMH gained wider acceptance and was questioned less and less. Major advances included the option pricing model of Black and Scholes (1973) the APT. The APT did present an alternative theoretical pricing model that did not depend on quadratic utility functions.

in the 1980s generally focused on empirical research and applications of In recent years, theoretical models have become less frequent. Research existing models.

#### SUMMARY

In its current form, capital market theory is based on a few key concepts:

- They assess potential returns by a probabilistic weighting method that generates expected returns. Risk is measured as the standard deviation of returns. Investors want assets that give the highest Rational investors. Investors require mean/variance efficiency. expected return for a level of risk. They are risk-averse.
- Efficient markets. Prices reflect all public information. Changes in prices are not related, except possibly for some very short-term dependence, which dissipates quickly. Value is determined by the consensus of a large number of fundamental analysts. તં
- proximately normal or log-normal. Approximately normal means that, at a minimum, the distribution of returns has a finite mean Random walks. Because of the two concepts above, returns follow a random walk. Therefore, the probability distribution is apand variance. ભં

on normally distributed returns. Empirical studies have attempted to This listing indicates that capital market theory is, in general, dependent prove this Gaussian assumption, but have often delivered contrary results. We will discuss some of these studies in the next chapter.

tion that the EMH is a proven truth has resulted. This general acceptance of the EMH may have come from the efforts of academics in the 1960s Through the 1950s and 1960s, the impact of the normality assumption was understood. A nonnormal return distribution was always considered a possibility, even if it was not desirable. However, during the 1970s, and Because of the large number of MBAs earned during the 1980s, a percepand the early 1970s to get their theories accepted. A healthy skepticism particularly during the 1980s, the EMH was generally taught as fact. was not maintained, as it should be at all times.

Two possibilities have been ignored: particularly that markets and securities are interdependent and that the rational investor model is not

by rational expectations theory. The view that investors may not know how to interpret all known information and may react to trends, thus incorporating past information into their current actions, was considered an unnecessary complication that should be assumed away, like transaction costs and taxes. However, understanding how people intereven if the mathematics get messy. In particular, current capital market theory is based on a linear view of society. In this view, people see nformation and adjust to it immediately, and securities do so through their betas, which are the slope of a linear regression between a stock and the market portfolios' excess returns. The linear paradigm is built into the normality assumption. However, we will see that people, and nature in general, are nonlinear. Unlike assuming away taxes, assuming that investors are rational changes the nature of the system. That is why the linear paradigm, despite its simplicity and conceptual elegance, is seriously flawed. In the next chapter, we will deal with tests of the linear realistic. As we will see, people do not behave in the manner described pret information may be more crucial than previously acknowledged, paradigm, and what they have found.

#### ~

### The Failure of the Linear Paradigm

tions, which are characterized by undefined, or infinite, variance. Cootner returns, and labeled the returns "approximately normal": there were extra observations in the tails of the distribution, a condition that statisticians lished (1964b), it was generally accepted that the distribution of price changes had fat tails, but the implications of this departure from normality were widely debated. Mandelbrot's (1964) chapter in the Cootner volume suggested that returns may belong to a family of "Stable Paretian" distribucontested the suggestion, which would have seriously weakened the Gaussian hypothesis, and offered an alternative in which sums of normal distributions may result in a distribution that looks fat-tailed but is still ions to the normality assumption were being found. One anomaly was apparent when Osborne (1964) plotted the density function of stock market but did not see their significance. By the time Cootner's classic was pub-Before the Efficient Market Hypothesis (EMH) was fully formed, excepcall "kurtosis." Osborne noted that the tails were fatter than they should be. Gaussian. This debate continued for almost ten years.

The linear paradigm says, basically, that investors react to information in a linear fashion. That is, they react as information is received; they do not react in a cumulative fashion to a series of events. The linear view is built into the rational investor concept, because past information has already been discounted in security prices. Thus, the linear paradigm implies that returns should have approximately normal distributions and

should be independent. The new paradigm generalizes investor reaction to accept the possibility of nonlinear reaction to information, and is therefore a natural extension of the current view.

### **TESTS OF NORMALITY**

When Sharpe compared annual returns to the normal distribution, he noted that "normal distributions assign little likelihood to the occurrence The first complete study on daily returns was done by Fama (1965a), who found that returns were negatively skewed: more observations were in the left-hand (negative) tail than in the right-hand tail. In addition, the tails were fatter, and the peak around the mean was higher than predicted by the normal distribution, a condition called "leptokurtosis." Sharpe also noted this in his 1970 textbook, Portfolio Theory and Capital Markets. of really extreme values. But such values occur quite often."

spersed with infrequent very large or very small returns as compared to a similar results. Table 3.1 summarizes their findings. They found that "daily return distributions for the Dow Jones and S&P 500 are negatively More recently, Turner and Weigel (1990) performed an extensive study of volatility, using daily S&P index returns from 1928 through 1990, with skewed and contain a larger frequency of returns around the mean internormal distribution."

Figure 3.1(a) is a frequency distribution of returns, which I compiled to illustrate this point. The graph shows a frequency distribution of the 5-day

Table 3.1 Volatility Study: Daily S&P 500 Returns, 1/28-12/89

	Moss	Standard	Skewness	Kurtosis
Decade	Meali			
2000	0.0322	1.6460	-1.4117	18.9700
19205	0.032	1 9150	0.1783	3.7710
19308	0.0100	0 8898	-0.9354	10.8001
1940s	0.000	0.2050	-0.8398	7.8594
1950s	0.0490	0.700	-0.4751	9.8719
1960s	0.0172	0.0231	0.2565	2.2935
1970s	0.0062	1.0989	-3.7752	79.6573
506.		1 1516	-0.6338	21.3122
Overall	2/10/0		0000	'

Adapted from Turner and Weigel (1990).

Tests of Normality

5




FIGURE 3.1a Frequency distribution of S&P 500 5-day returns, January 1928 December 1989; Normal vs. actual returns.

ogarithmic first difference in prices for the S&P 500 from January 1928 to December 1989. The changes have been normalized so that they have a zero mean and a standard deviation of one. A frequency distribution for an equal number of Gaussian random numbers is also shown. The high peak and fat tails noted quantitatively in Table 3.1 can be clearly seen. In addition, the return data have a number of four- and five-sigma events in both tails. Figure 3.1(b) illustrates the differences between the two curves in Figure 3.1(a). The negative skewness can be seen at the count three standard deviations below the mean. The stock market's probability of a threesigma event is roughly twice that of the Gaussian random numbers.

tively skewed and will have a fat negative tail. However, earlier studies showed the same phenomenon. In another recent study of quarterly S&P 500 returns, from 1946 through 1988, Friedman and Laibson (1989) point 1987, was unique, but from the perspective of a quarterly time frame the Any frequency distribution that includes October 1987 will be negaout that "the 22.6 percent one-day decline in stock prices on October 19, 1987;4 episode was one of several unusually large rallies or crashes." These =

DILLEGENCE IN LIGEOLENCY

FIGURE 3.1b Difference in frequency, S&P 500 5-day returns: normal.

authors note that, in addition to being leptokurtotic, "large movements have more often been crashes than rallies" and significant leptokurtosis "appears regardless of the period chosen."

These studies offer ample evidence that U.S. stock market returns are not normally distributed. If stock returns are not normally distributed, then much statistical analysis, particularly diagnostics such as correlation coefficients and t-statistics, is seriously weakened and may give misleading answers. The case for a random walk in stock prices is also seriously weakened.

Sterge (1989), in an additional study of financial futures prices of Treasury Bond, Treasury Note, and Eurodollar contracts, finds the same leptokurtotic distributions. Sterge notes that "very large (three or more standard deviations from the norm) price changes can be expected to occur two to three times as often as predicted by normality."

The failure of the linear paradigm and of the weak-form EMH to describe the probabilities of returns is therefore not confined to the U.S.

stock market, but can be extended to other markets as well. In particular, there is little basis to the assertion that the distribution of market returns is "approximately normal."

# THE CURIOUS BEHAVIOR OF VOLATILITY

Given that market returns are not normally distributed, it is not surprising that studies of "volatility" have found it to be disturbingly unstable. This stands to reason, because variance is stable and finite for the normal distribution alone, if the capital markets fall into the "Stable Paretian" family of distributions, as postulated by Mandelbrot.

Studies of volatility have tended to focus on stability over time. For instance, in the normal distribution, the variance of 5-day returns should be five times the variance of daily returns. Another method, using standard deviation rather than variance, is to multiply the daily standard deviation by the square root of 5. This scaling feature of the normal distribution is referred to as the T<sup>1/2</sup> Rule, where T is the increment of time.

The investment community often "annualizes" risk, using the T<sup>1/2</sup> Rule. Annual returns are usually reported, but volatility is calculated based on monthly returns. The monthly standard deviation is therefore converted to an annual number by multiplying it by the square root of 12—a perfectly acceptable method, if the distribution is normally distributed. However, we have seen that returns are not normally distributed. What are the implications?

Studies show that standard deviation does not scale according to the T<sup>1/2</sup> Rule. Turner and Weigel found that monthly and quarterly volatility were higher than they should be, compared to annual volatility, but daily volatility was lower than it should be. Chapter 9 presents further evidence of this, using numbers compiled by the author.

Finally, there is the work of Shiller, collected in his book Stock Market Volatility (1989). Shiller's approach to volatility is not based on looking at the distribution of returns. Instead, Shiller is concerned with the amount of volatility that should be expected in a rational market's framework. Shiller notes that rational investors' valuation of stocks would be based on expected dividends from owning the stock. Prices, however, are much too volatile to be due to changes in expected dividends, even when adjusted for inflation. He goes on to assert that there are two types of investors: "noise traders," who follow fashions and fads, and "smart money traders." who

invest according to value. Shiller feels that "smart money" does not necessarily describe investment professionals. Noise traders tend to overreact to news that may affect future dividends, to the profit of smart money.

The excessive market volatility observed by Shiller challenged (1) the idea of rational investors, and (2) the concept that, by having large numbers of investors, the achievement of market efficiency would be ensured.

# THE RISK/RETURN TRADEOFF



We have been focusing on empirical evidence of the distribution of market returns, and have seen that the evidence does not support the random walk assumption or a Gaussian normal distribution. In this section, we will look at investigations of investor behavior and will challenge the rational investor constructed to validate the concept of the EMH.

The studies of the CAPM are too numerous to describe here. Best known is the test by Black, Jensen, and Scholes (1972), which set a standard for tests of capital market theory. These authors constructed portfolios with different beta levels, to see whether the risk/return tradcoff specified by the CAPM could be supported empirically. In particular, they compared the shape of the realized Security Market Line (SML) to that predicted by theory. The SML (Figure 2.3) is the beta of a security plotted versus its expected return. Because, in the CAPM, investors are not compensated for bearing nonmarket risk, all securities should fall on the SML. The SML is a line that intercepts the risk-free rate of interest and is drawn through the market portfolio. Each security falls on the line because of its beta, or sensitivity to market returns (see Figure 2.3). In their study, Black, Jensen, and Scholes used actual returns rather than expected returns, to see whether the realized SML conformed to theory.

They found that the realized SML for the 35-year period from 1931 to 1965 aloped upward for the full period, as predicted by the CAPM. Risky stocks with higher betas did have higher returns than lower beta stocks; the relationship was approximately linear. However, the slope was flatter than predicted by theory. The intercept was higher than the risk-free rate of interest. Higher beta stocks gave less return than predicted by theory, and low-risk stocks gave more return.

In addition, four subperiods of 105 months were tested. The betas remained fairly stationary over time, but the risk/return tradeoff was decidedly unstable. The intercept was negative for the first subperiod, and

Are Markets Efficient?

, 33

positive for the last three. The slope of the SML was steep for the first subperiod, positive but flatter for the second, flat for the third, and negative for the fourth. The last two subperiods were contrary to the direction predicted by theory. In the third subperiod (July 1948–March 1957), return was virtually the same, regardless of risk. In the fourth period (April 1957–December 1965), higher risk meant less return, even over an interval of almost nine years.

Black, Jensen, and Scholes then recapped an earlier article by Black (1972), in which the traditional CAPM is adjusted, if riskless borrowing is not available. This adjustment patches up the theory by using a zero beta stock return as the intercept, instead of the traditional risk-free rate. because such a rate is unavailable to borrowers. The theory then becomes more realistic, because we must always borrow at a higher rate than the government. However, the instability of the slope was not explained.

The only real critique of the CAPM came from Roll (1977), and it caused a good deal of publicity. Roll showed that the empirical tests of the CAPM depended on the proxy used for the market portfolio. In the formal statement of the CAPM, the market portfolio was the portfolio of all risky assets, not just stocks. Yet, the tests of the CAPM centered on stocks, and a stock market index was used as a proxy for the market portfolio. Roll proved that the return on an asset is always a linear function of beta, if the proxy chosen is any efficient portfolio. Any "proof" of the CAPM will always support the CAPM, if the proxy chosen is efficient. Roll went on to state that we can never truly test the CAPM unless we use the true market portfolio. All we are testing is whether the proxy for the market portfolio is efficient.

Roll's work does not contradict the CAPM, or the assumptions underlying the EMH. He suggested that the CAPM can never truly be tested. I cover his work to show that the only substantial criticism of the CAPM still does not address the crucial issue of market efficiency. Roll criticized the techniques used to test the theory, not the theory itself. Even in this controversial work, the question of market efficiency does not arise.

## ARE MARKETS EFFICIENT?

This brief review indicates that serious questions have been raised about the EMH. In Chapter 2, we saw that the EMH was necessary to justify the assumption that price changes follow a random walk; that is, a random

walk model is not justified without the EMH, though the relationship is not necessarily reversible. A random walk was necessary for application of statistical analysis to a time series of price changes. Statistical analysis was necessary, if portfolio theory was to be applicable to the real world. Without normality, a large body of theory and empirical work becomes questionable. We also saw that the traditional risk/return tradeoff did not necessarily apply.

In addition, there have been numerous market anomalies in which excess nonmarket returns could be achieved, contrary to the "fair game" of the semistrong EMH. In the stock market, these include the small firm effect, the low P/E effect, and the January effect. Rudd and Clasing (1982) document excess returns realized from nonmarket-factor returns generated by the BARRA El six-factor risk model. This CAPM-based model found that four sources of nonmarket risk (market variability, low valuation and unsuccess, immaturity and smallness, and financial risk) all offered the opportunity for significant nonmarket returns. Rudd and Clasing say that these factor returns are "far from random," suggesting that the semistrong EMH is flawed. These anomalies have long suggested that the current paradigm requires an adjustment that takes these anomalies into account.

Perhaps the real question is related to how people make decisions. The EMH is heavily dependent on rational investors. Rationality is defined as the ability to value securities on the basis of all available information, and to price them accordingly. In particular, investors are risk-averse. However, are people rational (by this definition) even in aggregate? When faced with the potential for gains and losses, how do people react?

Conventional theory says that investors are risk-averse. If they are to accept more risk, investors must be compensated with more return. Recent research presented by Tversky (1990) suggests that, when losses are involved, people tend to be risk-seeking: they are more likely to gamble if gambling can minimize their losses.

Tversky gives the following example. Suppose an investor has a choice between (1) a sure gain of \$85,000, or (2) an 85 percent chance of receiving \$100,000 and a 15 percent chance of receiving nothing. Most people will prefer the sure thing, even though the expected return, as defined by Osborne in Chapter 2, is identical in both cases. People are risk-averse, as suggested by theory.

Tversky then switches the situation around. Suppose the investor now has a choice between (1) a sure loss of \$85,000, or (2) an 85 percent chance

of losing \$100,000 and a 15 percent chance of losing nothing. Again, the expected return is identical for both choices, but, in this situation, people will gamble. Evidently, the chance to minimize losses is preferable to a sure loss, even if there is a significant chance of further loss. People become risk-seeking, because the nature of the gamble is different.

Capital market theory also assumes that all investors have the same single-holding-period investment horizon. This is necessary for the expected returns to be comparable, but it is well known that this is not the case. When offered the opportunity of receiving \$5,000 today, or \$5,150 a month from now, most people will take \$5,000 today. However, if offered \$5,000 one year from now, or \$5,150 thirteen months from now, most will opt for the longer holding period. This, again, is inconsistent with the rational investor model.

overconfident. Recession will probably "not be a possibility at this time." higher probability than is warranted by the facts. In part, the forecaster investor was 60 percent sure of economic growth, 30 percent sure of no growth, and 10 percent sure of a recession. In reality, an investor who was fairly certain of the growth scenario would increase the probability to  $90\,$ House Council of Economic Advisors, when asked whether recession is a the forecaster is more likely to assign to a particular economic scenario a may be trying not to appear indecisive. In an example in Chapter 2, an percent, with a 10 percent probability of flat growth, so as not to appear This wording is notable for its similarity to pronouncements by the White tainty. The rational expectations hypothesis says that the beliefs and sub-However, people have a common tendency to make overconfident predictions. The brain is probably designed to make decisions with as much certainty as possible, after receiving little information. For survival purposes, confidence in the face of uncertainty is a desirable characteristic. However, tverconfidence can cause people to ignore information that is available to others. Therefore, in assigning subjective probabilities. Tversky also addresses how people act under conditions of uncerjective probabilities of rational investors are accurate and unbiased.

Alongside Tversky's view of how people make decisions is my own view, which needs empirical confirmation. I believe that people do not recognize, or react to, trends until they are well established. For instance, they will not begin to extrapolate a phenomenon like rising inflation, until inflation has been rising for some time. They will then

statement that people do not recognize relevant information if it does human nature, and this description is consistent with Tversky's view confirming information that the environmentalist changed. They are more likely to react to trends than to forecast changes in them. If investors do react to information in this way, the market cannot be effithat time. This behavior is quite different from that of the rational investor, who would immediately adjust to new information. However, the not fit in with the current forecast of the future more closely describes that people tend to be overconfident about their forecasts. They are, therefore, less likely to change their forecasts, unless they receive enough cient, because all information is not yet reflected in prices. Much is make a decision that incorporates information they have ignored until ignored, and reaction comes later.

When individual investors are unlikely to react in the defined rational way, there is no reason to believe that the aggregate is any better. Anyone who has read Mackay's (1841) Extraordinary Popular Delusions and the Madness of Crowds will acknowledge historical precedent for believing otherwise. More recent examples could include the gold bubble of 1980 and the U.S. stock market of 1987.

### WHY THE FAT TAILS?

that the distribution is leptokurtotic, but debate centers on whether the bution of returns has been widely debated. It is now generally accepted random walk theory is therefore in serious danger. The most common explanation of the fat tails is that information shows up in infrequent clumps, rather than in a smooth and continuous fashion. The market reaction to clumps of information results in the fat tails. Because the distribution of information is leptokurtotic, the distribution of price changes is The exact nature of the leptokurtosis (fat tails and high peak) of the distrialso leptokurtotic. 💅 👙 🐣

As noted earlier, Mandelbrot (1964) suggested that capital market returns follow a family of distributions he called Stable Peretian. Stable like the observed frequency distribution of stock market returns (see Table 3.1 and Figure 3.1). Stable Paretian distributions are characterized ous changes, and they can be adjusted for skewness. However, variance is Paretian distributions have high peaks at the mean, and fat tails, much by a tendency to have trends and cycles as well as abrupt and discontinu-

The Danger of Simplifying Assumptions

37

(1990), and Shiller (1989) all found the concept of infinite variances unacceptable, preferring instead to reformulate existing theory in terms of normal distributions rather than face the possibility that the past 40 Cootner (1964a), in his critique of Mandelbrot's paper, stated that we could not be sure that measuring the tails proved that the distribution was not merely a leptokurtotic Gaussian distribution. Cootner mentioned that, if Mandelbrot were right, "almost all of our statistical tools are obsolete. . . . " He felt that we needed more proof before "consigning centuries of work to the trash heap." Stable Paretian distributions can now be called fractal distributions and will be discussed in detail in Chapter 9. Using fractal analysis, we can now distinguish between a infinite, or undefined, in these distributions. Cootner (1964b), Miller years of economic and capital market research may be seriously flawed. fat-tailed Gaussian distribution and a fractal distribution.

implies that the present is influenced by the past, a clear violation of Once the level of information passes a critical level, people will react to all the information that they have ignored up to that point. This sequence the EMH. In the EMH, information is reacted to in a cause-and-effect manner. Like Newtonian physics, information is received and reacted to the infrequent arrival of information. Once the information arrives, it is still digested and immediately reflected in prices. But what if it is the mation until trends are well in place, and then react, in a cumulative fashion, to all the information previously ignored, we could well have fat Finally, we must once again examine how people react to information. We have discussed how the common explanation for fat tails comes from reaction to information that occurs in clumps? If investors ignore infortails. It would mean that people react to information in a nonlinear way. by changing the price to reflect new information.

# THE DANGER OF SIMPLIFYING ASSUMPTIONS

From this discussion, we can see that the simplifying assumption of a rational investor has led to an entire analytic framework that may be a castle built on sand. The rational investor concept and the Efficient Market Hypothesis were constructed to justify the use of probability calculus by giving an economic framework to the crucial assumption of independence of observations or returns. Capital market theory attempted to make the investment environment neater, or more orderly,

- People are not necessarily risk-averse at all times. They can often
  be risk-seeking, particularly if they are faced with what are perceived to be sure losses for not gambling.
- 2. People are not unbiased when they set subjective probabilities. They are likely to be more confident in their forecasts than is warranted by the information they have the properties.
- 3. People may not react to information as it is received. Instead, they may react to it after it is received, if it confirms a change in a recent trend. This is a nonlinear reaction, as opposed to the linear reaction predicted by the rational investor concept.
- There is no evidence to support the belief that people in aggregate are more rational than individuals. For proof, one only has to look at the social upheavals, fads, and fashions that have occurred throughout human history.

Once again, the attempt to simplify nature by making it tidy and solvable has led to misleading conclusions.

Econometric analysis was desirable because it could be solved for optimal solutions. However, if markets are nonlinear, there are many possible solutions. Trying to find a single optimal solution can be a misguided quest.

We must judge how seriously the current paradigms are affected if we release the simplifying assumptions. The founding fathers of capital market theory were well aware of the impact of these simplifying assumptions, but they felt that they did not seriously reduce the usefulness of the

Prior to Galileo, it was commonly assumed that heavy objects fell faster than lighter objects. Making this assumption changes the nature of the interaction of bodies.

The assumption that investors react to information in a linear way, as the information arrives, can profoundly change the nature of the markets if, instead, investors react in a nonlinear, or delayed, fashion. I contend that the assumption that investors are rational (and, therefore, price changes are independent) cannot be endorsed without substantial empirical evidence. The case for investor rationality has not been convincingly made.

#### 4

## Markets and Chaos: Chance and Necessity

Chapters 2 and 3 have indicated that the EMH has often failed to explain market behavior. Models based on the EMH, like the CAPM, have likewise exhibited serious shortcomings. Nevertheless, much market behavior does conform to the EMH. For instance, studies have shown that active managers have failed to consistently beat the "market" over time. Proponents of the EMH have pointed to this fact as proof that markets are efficient. Critics of the EMH say that the results merely prove the incompetence of investment managers, particularly nonquantitative active managers. Despite all the empirical studies, only a handful of which have been discussed here, debate continues over the efficiency of the market.

Fueling the debate is the fact that, although there is little conclusive evidence that markets are efficient, there is also little evidence that they are not; practitioners have shown mixed results regarding their investment performance. Fundamental analysis often works, but it often fails. Technical analysis often works, and then it does not work. Economists speak of economic cycles, but none can be found analytically. Traders speak of market cycles, they too cannot be proven. To top it off, the critics of the EMH have been unable to offer an alternative that takes all the discrepancies into account. In few other areas are theory and practical experience in such little agreement.

Animosity between the two camps is high. Quants say that reason proves the nonexistence of market cycles. Practitioners say that the Quants

astronomers, and alchemists were the first chemists. Quants should also trology, perhaps overlooking the fact that the astrologers were also the first are living in a dream world and have proven nothing. This split between practice and theory has been common throughout history in the physical sciences. Quants often refer to technical analysis as a form of market asremember that current scientific knowledge is not always correct.

as specified by Aristotle. Practitioners (in this case, soldiers) said that this like cannonballs fired toward an enemy, [91] straight down after they reached their apex, because gravity pulled them down in a linear fashion, theory was nonsense: cannonballs followed a curved path. They knew, because they were busy knocking down castles. Not until Descartes' work in the 17th century would mathematicians admit that they (and Aristotle) In the 16th century, it was widely believed by scientists that projectiles, had been wrong.

He was right about many things, but he was wrong about projectiles. Practitioners must be careful not to "mystify" what they do, because it is not fully understood. An example of mystification is the technical analysts' assertion: "The market speaks in its own language." What does that mean? That external information is useless? If so, why? No answer has been given. Quants must be careful to keep their assumptions from biasing their conclusions, if the assumptions themselves have not been proven. Regarding the cannonballs' path, it was assumed that Aristotle was always right.

There must be a melding of these two viewpoints. Only a combination of theory and practice can produce profitable technology.

in the markets, because findings, using analytical methods, have been inconclusive. Intuition tells us that something is there, but it cannot be isolated. Perhaps the problem goes back to our definition of order. What do we In a time series of market returns, we have a clear split between what reason tells us and what intuition advises. Reason says that there is no order mean by order?

# CAN CHANCE AND NECESSITY COEXIST?

人為不 等 经分割的 新人名 医外外 医二氯化 医氯磺酸钠

Noise can interfere with a system, but if order is there, it will dominate. If a television transmission is interfered with by random static, or "snow," the transmission itself will still be apparent. The noise remains independent of the transmission. With this view in mind, market studies typically in general, we assume that randomness and order are mutually exclusive.

Can Chance and Necessity Coexist?

4

Shiller's concept of noise traders and smart money. Technical analysts nism, with random noise superimposed. This approach is much like often make this same assumption when they say that 200-day moving averages have some predictive power—that a moving average smooths out the noise superimposed on the underlying trend. Typical studies, usually using spectral analysis, have looked for a periodic order beneath a random noise that is superimposed over the order. No studies have convincook for some variation on a periodic order underlying the market mechaingly either supported or rejected the EMH.

Many systems have now been found where randomness and determinism, or chance and necessity, integrate and coexist. In particular, they have been found in thermodynamics where "far from equilibrium" conditions prevail. Our answer may lie here.

will cause the system to seek a new equilibrium. This is an extension of the physics of motion, equilibrium has been tied to a body at rest. Motion is achieved by perturbing the system with an exterior force. In applying Newtonian dynamics to economics and capital markets, we have also modeled the system as being naturally at equilibrium unless perturbed by an exogenous shock. Thus, there is a natural balance between supply and demand, unless an exogenous shock changes the supply or demand, which In economics and capital market theory, we have long used the Newtonian assumption that a system left alone tends to equilibrium. In equilibrium theory in nature.

Nature maintains a natural balance in which organisms compete and coexist in an ecological system whose workings are stable over time—at least, that has long been the view. However, even in ecology, the "natural balance" theory is being replaced by acknowledgment that nature is actually in a continually fluctuating state.

nonlinear dynamic systems, chance and necessity coexist. Randomness order may be a dynamic process in which randomness and order are As we said in Chapter 1, static equilibrium is not a natural state, and it's time that economics and investment finance faced that possibility. In is combined with determinism to create a statistical order. Therefore, merged, not a periodic phenomenon with noise imposed.

The current capital market paradigm is based on efficient markets which is just beginning to emerge, treats the markets as complex, interand linear relationships between cause and effect. The new paradigm, dependent systems. Their complexity offers rich possibilities and interpretations, but no easy answers.

In Part Two, we will review the fundamentals of nonlinear dynamic systems by examining nonlinear systems statistically, using fractals, and then analytically, using nonlinear dynamic systems, or chaos theory. The two are closely related, as we will see. It is hoped that the methods and evidence presented here will spur the investment community to look beyond random walks and related theories, toward models of complexity.

# PART TWO FRACTAL STRUCTURE IN THE CAPITAL MARKETS

## 5 Introduction to Fractals

useful and fascinating discoveries in mathematics. With fractals, mathematicians have created a system that describes natural shapes in terms of a few simple rules. Complexity emerges from this simplicity. Fractals give structure to complexity, and beauty to chaos. The realization that nonlinear dynamic systems create fractals interests us. Most natural shapes, and time series, are best described by fractals. Nature is, therefore, nonlinear, and fractals are the geometry of chaos.

Fractal geometry's view of the world is very different from that of Euclidean geometry. Euclidean geometry, which we learned in high school, reflects the philosophy of the ancient Greeks who developed it.

The ancient Greeks were responsible for bringing reason to Western culture. While observing that life was full of seemingly chaotic random events, they searched for pure forms and order, hidden beneath the noise of daily life. They wished to reduce nature to these pure forms. Mathematics was their tool. Much has been written of the ancient Greeks mystical relationship with mathematics. In many ways, our need to find structure in nature is a legacy from those ancient times. There are strong parallels between the view that pure forms underlie the noise of daily life, and economists' search for cyclical order beneath the noise of daily transactions, which we discussed in Chapter 3. The ancient Greeks believed in the order of numbers and its relationship with the order of the universe. They worked to integrate numbers with nature through a system of natural laws.

Euclid was responsible for taking separate laws, developed by Pythagoras, Aristotle, and others, and making a system of them. His basic structure (axioms, theorems, and proofs), which was used to develop plane geometry, is still very much in use today. Engineering and land surveying rely heavily on these ancient laws.

Euclid reduced nature to pure and symmetric objects: the point, the one-dimensional line, the two-dimensional plane, and the three-dimensional solid. Solids have a number display symmetrical shapes, such as spheres, cones, cylinders, and blocks. Name of these objects has holes in it, and none is rough. Each is a pure, amont form. To the Greeks, symmetry and wholeness were signs of perfection. Only perfection would be created by nature.

In reality, nature abhors symmetry as much as it abhors equilibrium; the two are probably equivalent. Natural objects are not roughed-up versions of the pure euclidean structures. Consequently, creating a computer image of a mountain, using euclidean geometry, is a daunting task that requires many lines of code and substantial amounts of read only memory (ROM). With fractal geometry, a mountain can be created by using a few rules continuously repeated.

Benoit Mandelbrot can be considered the Euclid of fractal geometry. He has collected the observations of mathematicians concerned with "monsters," or objects not definable by euclidean geometry. By combining the work of these mathematicians with his own insight, he has created a geometry of nature that thrives on asymmetry and roughness. Mandelbrot has said that "mountains are not cones, and clouds are not spheres."

Perhaps the failure of euclidean geometry to describe natural objects is best exemplified by the following property. In euclidean geometry, the closer one looks at an object, the simpler it becomes. A three-dimensional block becomes a two-dimensional plane becomes a one-dimensional line until one finally arrives at the point. A natural object, on the other hand, shows more detail the closer one looks at it, all the way down to the subatomic level. Fractals have this property. The closer they are examined, the more detail can be seen.


So, what is a fractal? No all-encompassing, final definition of fractals exists. Mandelbrot (1982) originally defined fractals based on topological dimension. He has since rejected that definition. We will use the following as a working definition:

A fractal is an object in which the parts are in some way related to the whole.

ntroduction to Fractals

Fractals are self-referential, or self-similar. One of the most easily perceived natural fractals is a tree. Trees branch according to a fractal scale. Each branch, with its smaller branches, is similar to the whole tree in a qualitative sense.

series have statistical self-similarity with respect to space. Fractal time series have statistical self-similarity with respect to time. Fractal time scries are random fractals, which have more in common with natural objects than the pure mathematical fractals we will cover initially. We will be concerned primarily with fractal time series, but fractal shapes give a good intuitive base for what "self-similarity" actually means. Along the way, we will ease into fractal time series. However, to whet your appetite, think of a time series of stock returns. Figure 5.1 shows daily, weekly, and monthly S&P 500 returns for 40 consecutive observations. With no scale on the X and Y axes, can you determine which graph is which? Figure 5.1 illustrates self-similarity in a time series.






FIGURE 5.1 Self-similarity in S&P 500 returns: daily, weekly, and monthly returns. (Can you guess which is which?)

Introduction to Fractals

#### FRACTAL SHAPES

Fractal shapes can be generated in many ways. The simplest way is to take a generating rule and iterate it over and over again. Figure 5.2 shows an example. We start with a solid equilateral triangle (Figure 5.2(a)). We then remove a equilateral triangle from within that triangle. We are left with three smaller triangles and an empty triangular shape in the middle, as shown in Figure 5.2(b). We now remove a triangle from within each of the three triangles (Figure 5.2(c)). If we keep remissing this process we end up with the structure shown in Figure 5.2(c), a triangle that has an infinite number of smaller triangles within it. If we were to magnify a portion of this triangle, we would see even more, smaller triangles within the larger ones. An infinite number of triangles is trapped in the finite space of the original triangle. We have infinite complexity generated in a finite space




FIGURE 5.2 Generating the Sierpinski Triangle. (a) Start with a solid equilateral triangle from the center. (c) Remove a triangle from the remaining triangles. (d) Repeat for 10,000 iterations, triangles within triangles.

Fractal Shapes

49

by a simple rule. This particular fractal, called the Sierpinski triangle, is relevant to time series analysis, as we shall see later.

Now try applying euclidean geometry to the Sierpinski triangle. It is not one-dimensional, because it is not a line. It is not two-dimensional, like a solid triangle, because it has holes in it. Its dimension is between one and two. It is 1.58, a fractional or fractal dimension. Fractional dimensions are the chief identifying characteristics of fractals. Mandelbrot's insight, that fractional dimensions are natural and do exist, can be compared to the invention of the number zero by medieval Islamic mathematicians, or the invention of negative numbers by early Hindu mathematicians. Fractional dimensions are an obvious reality. Premathematics.

We tend to think that any object that is "flat" is two-dimensional. Mathematically speaking, this is not true. A euclidean plane is a flat surface with no gaps. Likewise, we tend to think that any object that has "depth" is three-dimensional. Again, in euclidean geometry, this is not true. A three-dimensional object is a pure solid form. In mathematical terms, it is differentiable across its entire surface. It has no holes or gaps in it. Therefore, an object with depth is not necessarily three-dimensional. As an example, a wiffle ball is a hollow ball with holes in it. In euclidean terms, a wiffle ball is not three-dimensional because it is not differentiable over its entire surface. It is not continuous.

Again, consider a time series of stock prices, which appears as a jagged line. The jagged line is not one-dimensional, because it is not straight. It is also not two-dimensional, because it does not fill a plane. Dimensionally speaking, it is more than a line and less than a plane. Its dimension is between one and two. (In Chapter 9, we will find that the S&P 500 has a dimensionality of 1.24.)

Another example of a fractal shape is the Koch snowflake. Unlike the Sierpinski triangle, the Koch snowflake is created by an additive rule. Figure 5.3 shows its creation. Start with an equilateral triangle (Figure 5.3). On the middle third of each side, place another equilateral triangle, to create the shape shown in Figure 5.3(b). Keep repeating step (b) and to create the shape shown in Figure 5.3(c). The snowflake, concepther result will be the snowflake in Figure 5.3(c). The snowflake, conceptually, has an infinite length, because triangles can be added indefinitely. Here, the circle that encloses the original triangle limits this space. We have an infinite length within a finite space. Also, the closer one looks at the snowflake, the more detail is seen. Smaller versions of the larger

Introduction to Fractals

S




FIGURE 5.3 Generating a Koch Snowflake. (a) Start with an equilateral triangle. (b) Add an equilateral triangle to the middle third of each side. (c) Continue to add an equilateral triangle to the middle third of each side.

snowflake are visible. Once again, we have created an object of infinite complexity, contained within a finite space, using a simple iterative rule.

These two examples, the Sierpinski triangle and the Koch snowflake, are symmetrical fractals. They are often called deterministic fractals because they are generated by deterministic rules. As we have stated, natural objects are never truly symmetric. These two fractal shapes, therefore, are not truly representative of nature or of the capital markets, but they do illustrate some of the important characteristics of fractals.

• ;

The Chaos Game

7

They are objects created by iterating a simple rule to create a self-similar object with a fractal dimension. Random fractals are more realistic.

### RANDOM FRACTALS

Coastlines are a good example of random fractals. From an airplane, at a high altitude, a coastline looks like a smooth, irregular line. The lower the airplane flies, the more jagged the coastline appears, until, at a close distance, each rock is visible. Stock prices are comparable to coastlines. The jagged line of stock prices, or returns, initially looks like a coastline. The closer we look at the time series (e.g., the smaller the time increment in Figure 5.1), the more detail we see.

Random fractals are combinations of generating rules chosen at random at different scales. We can use the structure of the mammalian lung as an example. Our lung has a main stem, the trachea, which has two primary branches. The two branches have more branches. The diameter of the branches decreases according to an exponential power law, on average. This scaling is fractal. However, the lung is not a symmetrical fractal like the Koch snowflake. Each generation has a decreasing diameter, on average, but individual branches can vary in size as well. The scaling of each generation does not occur by a characteristic scale. The natural "rule" that generation does not occur by a characteristic scale. The natural "rule" that causes this multiple scaling appears to be tied to the adaptability of the system. If one diameter fails at a particular branch generation, there are other sizes to compensate. Natural selection appears to favor random fractal scaling, even though it is random. This combination of randomness fractals useful in capital market analysis.

### THE CHAOS GAME

Michael Barnsley, of Iterated Systems, Inc., has developed a useful system called Iterated Function Systems (IFS) for generating fractal shapes. In one subset of IFS are fractals that are created by a deterministic rule implemented in a random fashion. The results are not what you might think. Barnsley calls this algorithm the Chaos Game.

One form of the Chaos Game is shown in Figure 5.4. Start with three points equidistant from each other, as in Figure 5.4(a). Label point A as




FIGURE 5.4 The Chaos Game. (a) Start with three points, an equal distance (b) Assuming you roll a fair die that comes up number 6, you go halfway to the point marked C(5, 6). (c) Repeat step (b) 10,000 times and you have the Sierpinski apart, and randomly draw a point within the boundaries defined by the points.

(1, 2), point B as (3, 4), and point C as (5, 6). This is the playing board. Choose any point within the triangle defined by points A, B, and C.

To play the game, roll a die (make sure it is a fair one). Move halfway to the point that has the rolled number, and plot a new point. For instance, if you roll a 5, move halfway from the initial point to point C (5,6) and plot (Hint: It's easier using a computer.) After about 10,000 iterations, you end up with the result shown in Figure 5.4(c), which should look familiar because it is the Sierpinski triangle. The actual starting point does not change the result, which is always the Sierpinski triangle, even though the points are plotted in a different order each time. The order depends on all a new point, as shown in Figure 5.4(b). Continue this about 10,000 times.

The Chaos Game

53

the points plotted before it. Even so, the Sierpinski triangle is the end result. How can this be?

Barnsley says that the triangle is the limit of this IFS. All the points are attracted to this shape.

Let's examine what is going on in the Chaos Game. Information from the die is rolled. Forecasting the direction of the system is impossible. Yet, once the system receives information, it is processed according to internal, deterministic rules. The result is a limited range of possibilities, but the number of possibilities is infinite. The structure—infinite possibilities the roll of the die is random. The system has no idea where it is going, until within a finite range—is the attractor, or limiting set, of the IFS.

likely to occur. The spaces within the triangles have a zero probability of Note that the attractor is not random, although it has an infinite number of possible solutions. Each point within the triangle is not equally occurring, even though there is an infinite number of spaces.

Each point is dependent on the point that was plotted before it. Actu-This combination of random events and dependence characterizes ally, each point is dependent on all of the points that were plotted before it. even though the information used to plot the IFS was randomly generated.

fractal time series, as we shall see in Chapter 7.

Finally, it has a fractal dimension. This is a more complete definition than the working version stated earlier. Still, it is not a precise definition. Perhaps, someday, a precise definition will be developed, but it is possible that a precise definition will never be developed, because fractal geometry is the What, then, is a fractal? A fractal is the attractor (limiting set) of a generating rule (information processor), when the information is generated randomly. It is self-similar in that smaller pieces of it are related to the whole. geometry of nature. Defining nature in one line is a daunting task.

they may be qualitatively related. In the case of time series, we will find that fractal time series are qualitatively self-similar in that, at different scales, the series have similar statistical characteristics. If this sounds like the normal distribution, it is. However, fractal time series can have frac-We have seen that there are two types of fractals: deterministic and random. Deterministic fractals are generally symmetric. Random fractals tional dimensions; the normal distribution has an integer dimension of 2. do not necessarily have pieces that look like pieces of the whole. Instead. which changes many of the characteristics of the time series.

We have, so far, skimmed over the concept of the fractal dimension. This concept is important enough to warrant a chapter of its own.

# 6 The Fractal Dimension

The page you are reading is a three-dimensional piece of paper. Suppose the page had no thickness, but was, instead, a true two-dimensional piece of paper, or a euclidean plane. If you were to detach the two-dimensional sheet from the book and crumble it into a ball, the ball of paper would no longer be two-dimensional, but it would not exactly be three-no longer be two-dimensional, but it would not exactly be three-than three. The tighter the ball got crumpled, the closer it would get to becoming three-dimensional, or solid. Only if the original page were made of a sticky substance, like clay, could the crumpled ball become truly three-dimensional. Paper will always have creases.

The crumpled ball has a fractional, or "fractal" dimension. It is noniteger. Euclidean geometry, with its pure, smooth forms, cannot describe the dimensionality of the crumpled paper ball. The paper ball
cannot be reproduced using euclidean geometry, except through a large
number of linear interpolations. Using calculus, its surface is not differ-

We tend to think of any object that has depth as "three-dimensional."

We tend to think of any object that has depth as "three-dimensional Mathematically, this is not true. A line plotted in a three-dimensional space has depth, but the line is still one-dimensional. A true three-dimensional object is a solid; that is, the object has no holes or gaps in its surface. This explains why reproducing natural-looking objects using surface. This explains why reproducing natural-looking objects using euclidean geometry is so difficult. Most real objects are not solid in the classical, euclidean sense; they have gaps and spaces. They merely reside in three-dimensional space.

The failure of euclidean geometry to describe most natural objects severely limits its ability to help us understand how the object is formed. For time series, classical geometry offers little help in understanding the underlying causality of the structure, unless it is a random walk—a system so complex that prediction becomes impossible. In statistical terms, the number of degrees of freedom or factors influencing the system is very large.

The fractal dimension, which describes how an object (or time series) fills its space, is the product of all the factor in pencing the system that produces the object (or time series).

If a rock is randomly bombarded equally on all sides by rushing water, it will, after a millennium or two, become perfectly round. Each part of the rock will have experienced equal erosion. The number of streams of water (or the number of degrees of freedom) would have to be infinite.

If a small number of streams of water were eroding it, the rock would not be a smooth ball. Only the parts of the rock hit by the streams would erode, so the rock could not be round. If there were three streams, then there would be three depressions in the rock. If one of the three streams is likely to have a more forceful flow than the others, then one depression would be deeper than the others.

As a result, a rock eroded by a large number of equally likely streams will be smooth, symmetrical, and euclidean. The rock with few unequal biases will be rough and nonsymmetric.

A time series is only random when it is influenced by a large number of events that are equally likely to occur. In statistical terms, it has a high number of degrees of freedom. A nonrandom time series will reflect the nonrandom nature of its influences. The data will clump together, to reflect the correlations inherent in its influences. In other words, the time series will be fractal.

Typically, we embed an object in a space that is larger than its fractal dimension. We tend to think of the crumpled ball of paper as three-dimensional, even though it does not fill the three-dimensional space. The space we place the object in is called the embedding dimension, or topological dimension. When objects have dimensions between two and three, we tend to think of them as three-dimensional. Examples are mountains and clouds.

We tend to think of coastlines as two-dimensional, when they are actually less than that. Time series fit into the same category. Only a random time series would fill a plane and be truly two-dimensional.

One of the characteristics of fractal objects is that they retain their dimensionality when they are placed in an embedding dimension that is

greater than their fractal dimension. Random distributions (white noise) do not have this characteristic. White noise fills its space much the same way a gas fills a volume. If a fixed amount of gas is put into a larger volume container, the gas will simply spread out in the larger space, because there is nothing to bind the molecules of the gas together. A solid, on the other hand, has molecules that are bound together. In a parallel way, correlation holds points together in a fractal time series, but there are no correlations to hold the points together in a random series. In a fractal, like the Sierpinski triangle, each point is correlated with the point plotted before it. If we increase the dimension used to plot the triangle in, the correlations will still exist, and will pull the points together into clumps. These clumps retain the dimensionality of the original series.

A random series would have no correlation with previous points. Nothing would keep the points in the same vicinity, to preserve their dimensionality. Instead, they will fill up whatever space they are placed in.

The fractal dimension is determined by how the object, or time scries, fills its space. A fractal object will fill its space unevenly because its parts are related, or correlated. To determine the fractal dimension, we must measure how the object clumps together in its space.

There are many ways of calculating dimension, but all of them involve figuring out the volume or area of the fractal shape, and how it scales as the volume or area is increased.

coastlines are a good example, especially considering the geometric similarity between coastlines and time series. Mandelbrot (1982) has postulated that we can never actually measure the length of a coastline, because the length we calculate depends on the length of the ruler we use to measure it.

Suppose, for example, we wish to measure the coast of Maine. We begin at the northernmost point and measure by placing a six-foot-long ruler on the ground. We measure in six-foot increments, end-to-end down the coast, and arrive at a number. Next, we repeat the exercise using a three-foot ruler, again measuring from end to end. This time, because we have measured with a smaller ruler, we are able to capture more detail. Because we can account for more of the crevices and inlets, we end up with a longer length for the coast of Maine. If we decrease the ruler length to one foot, we get even more detail and a longer length. The smaller the ruler, the longer the coastline. The length of the coastline is dependent on the size of the ruler!

Because this is true for all coastlines, length is not a valid way to compare coastlines. Instead, Mandelbrot proposes using the fractal

to cover the coastline. We increase the dispectational again count the find that the number of circles has an exponential relationship to the radius of the circle. The The fractal dimension is calculated by measuring this jagged property. We count the number of circles, with a certain diameter, that are needed number of circles scales according to the fallowing relationship number of circles. If we continue to do this, reserve

$$N^{(2^{-1})^D-1}$$

where N = number of circles r = radius

D = fractal dimension

Equation (6.1) can be transformed using logarithms:

$$D = \frac{\log N}{\log(1/2^{\bullet}r)}$$
 (6.2)

We can use a piece of the Koch snowflake as a simple coastline; the end length of this curve is one unit, then we need four circles of diameter 0.3 to cover the curve. (See Figure 6.1.) The Koch curve has a fractal dimension of middle third of a line is replaced by an equilateral triangle. If the end-to-

than the coastline of Britain, because its fractal dimension is closer to For real coastlines, we find a similar property. The coastline of Norway, for instance, has a fractal dimension of 1.52, while the coastline of Britain is 1:30. This means that the coastline of Norway is more jagged 2.00. In a similar way, we could compare different stocks by noting their fractal dimensions. Typically, we compare the riskiness of different securities by looking at their volatilities. The concept, which had its first wide exposure in Markowitz (1952), is that the more volatile a stock is,

The Fractal Dimension




FIGURE 6.1 Calculating the fractal dimension.

the riskier it is perceived to be. Volatility, or risk, is stated as the statistical measure of standard deviation of returns—or its square, variance. Volatility is supposed to measure the dispersion of returns. Does it?

sion is only valid if the underlying system is random. If the observations cause numerous studies (see Chapter 3) have consistently shown that the distribution of stock returns is not normally distributed, standard devia-Standard deviation measures the probability that an observation will be a certain distance from the average observation. The larger this number is, the wider the dispersion. Wide dispersion would mean that there is a high probability of large swings in returns. The security is risky. However, it is often overlooked that standard deviation as a measure of disperare correlated (or exhibit serial correlation), then the usefulness of standard deviation as a measure of dispersion is considerably weakened. Betion as a measure of comparative risk is of questionable usefulness.

is in comparing coastlines. The fractal dimension of S1 is 1.42, versus 1.13 for \$2. S1 is clearly a more jagged series than \$2, and fractal dimension is distributed, which makes this comparison invalid. That is exactly the point. Because stock returns are clearly not normally distributed, using standard deviation as a measure of comparative risk is as invalid as length shows a clear trend. SI has a cumulative return of 1.93 percent, compared to S2's 22.83 percent. However, S1 has a standard deviation of 1.70, while S2 has a virtually identical standard deviation of 1.71. In this hypothetical example, two stocks with virtually identical volatilities have quite differont return characteristics. Purists will say that both series are not normally As an example, let's take two possible return series, labeled S1 and S2 in Table 6.1. S2 is not normally distributed. S1 is a trendless series, and S2 one way of differentiating the two in a qualitative way.

Table 6.1 Standard Deviation versus Fractal Dimension

Observation	S1	\$2
-	+2	7
2	<b>-</b>	+5
e	-2	+3
4	+2	<del>†</del>
Ŋ	7	+5
9	+2	9+
Cumulative return	# # # T	+22.83
Standard deviation	1.70	1.71
Frac.al dimension	17.	1.13

Two stocks with similar volatilities, therefore, can have very different patterns of returns. One can have "choppy" (near random) behavior; the other can have a persistent trend. Volatility is not a proper measure of risk in comparing two securities. Their fractal dimensions can tell another story, as we shall see in the next chapters.

#### SUMMARY

The fractal dimension shows us how the shape or time series fills its space. The way an object fills its space is determined by the forces involved in its formation. For a coastline, the relevant forces are the geological phenomena involved in its formation, such as water pressure and volcanic activity. For a time series of stock returns, the micro- and macroeconomic data influence investors' perceptions of what is good value. Different stocks can react differently to the same macroeconomic news because of differences in a company's industry, balance sheet, and prospects. However, the circle-counting method of determining fractal dimension is not practical.

We have not yet explored the impact of the fractal dimension on probability distributions. We have seen that fractal shapes and time series are characterized by long-term correlations. They do not necessarily follow a random walk. Their probability distribution is not a normal distribution (the well-known bell-shaped curve), but a different shape.

In the next chapters, we will examine the impact, on time series, of the long-term correlations that produce fractals. We will see that our statistical notion of risk—the standard deviation of returns—is in serious need of

#### 7 Fractal Time Series— Biased Random Walks

which basically states that, because current prices reflect all available or public information, future price changes can be determined only by new information. With all prior information already reflected in prices, the markets follow a random walk. Each day's price movement is unrelated to the previous day's activity. EMH implicitly assumes that all investors immediately react to new information, so that the future is unrelated to the past or the present. This assumption was necessary for the Central Limit Theorem to apply to capital market analysis. The Central Limit Theorem was necessary to justify the use of probability calculus and linear models.

Do people really make decisions in this manner? Typically, some people do react to information as it is received. However, most people wait for confirming information and do not react until a trend is clearly established. The amount of confirming information necessary to validate a trend varies, but the uneven assimilation of information may cause a biased random walk. Biased random walks were extensively studied by Hurst in the 1940s and again by Mandelbrot in the 1960s and 1970s. Mandelbrot called them fractional brownian motions. We can now call them fractal time series.

### THE HURST EXPONENT

An ideal reservoir would never overflow; a policy would be put in place to Hurst was a hydrologist who began working on the Nile River Dam project in about 1907 and remained in the Nile region for the next 40 or discharge a certain amount of water each year. However, if the influx so years. While there, he struggled with the problem of reservoir control. from the river were too low, then the reserved would become dangerously low. The problem was: What policy of discharges could be set, such that the reservoir never overflowed or comptied?

followed a random walk. This is a common assumption, when dealing with a large system that has many degrees of freedom. The ecology of the In constructing a model, it was common to assume that the uncontrolable part of the system—in this case, the influx of water from rainfall— Nile River area was involved. Surely, there were many degrees of freedom in this system!

time series analysis, because it is remarkably robust. It has few underlying assumptions about the system being studied, and it can classify time When Hurst decided to test the assumption, he gave us a new statistic: the Hurst exponent (H). H, we will find, has broad applicability to all series. It can distinguish a random series from a nonrandom series, even if the random series is non-Gaussian (i.e., not normally distributed). Hurst found that most natural systems do not follow a random walk, Gaussian or otherwise.

would change, depending on the length of time used for measurement. If Hurst measured how the reservoir level fluctuated around its average level over time. As could be expected, the range of this fluctuation ure over time, Hurst decided to create a dimensionless ratio by dividing by how the rescaled range scales with time, that is, by how high H is the series were random, the range would increase with the square root of time. This is the T<sup>1/2</sup> Rule, mentioned earlier. To standardize the measthe range by the standard deviation of the observations. Hence, the analysis is called rescaled range analysis (R/S analysis). Hurst found that most natural phenomena, including river discharges, temperatures, rainfall, and sunspots, follow a "biased random walk" -- a trend with noise. The strength of the trend and the level of noise could be measured above 0.50.

Our intention is to extend Hurst's study of time series of natural phenomena into economic and capital market time series, to see whether these

The Hurst Exponent

63

general time series, we must first define a range that would be comparable series are also biased random walks. To reformulate Hurst's work for a to the fluctuations of the reservoir height levels. We begin with an existing time series, t, with u observations:

$$X_{i,N} = \sum_{u=1}^{L} (e_u - M_N)$$
 (7.1)

where  $X_{t,N}$  = cumulative deviation over N periods M<sub>N</sub> = average e<sub>u</sub> over N periods e<sub>u</sub> = influx in year u

The range then becomes the difference between the maximum and minimum levels attained in (7.1):

this range by the standard deviation of the original observations. This In order to compare different types of time series, Hurst divided "rescaled range" should increase with time. Hurst formulated the following relationship:

$$R/S = (a^*N)^H \tag{7.3}$$

N = number of observations H - Hurst exponent where R/S = rescaled range a = a constant

increase with the square root of time, N. When Hurst applied his statistic rivers. H was usually greater than 0.50. He tried different natural phe-According to statistical mechanics, H should equal 0.5 if the series is a random walk. In other words, the range of cumulative deviations should to the Nile River discharge record, he found H = 0.90! He tried other nomena. In all cases, he found H greater than 0.50. What did it mean?

happens today influences the future. Wham we are now is a result of where we have been in the past. Time is immanded like a pebble dropped in water, today's events ripple forward in time. The size of the ripple This was not a short-term memory, which is often called "Markovian." More recent events had a greater impact that distant events, but there was still residual influence. On a broader scale, a system that exhibits Hurst statistics is the result of a long stream of interconnected events. What This memory is different: it is long-term; theoretically, it lasts forever. When H differed from 0.50, the observations were not independent. Each observation carried a "memory" of all the events that preceded it. diminishes until, for all intents and purposes, the ripple vanishes.

which assumes series are invariant with respect to time. Instead, we find that time is an iterative process, like the Chaos Game in Chapter 5. The Inclusion of a "time arrow" is not possible in standard econometrics, impact of the present on the future can be expressed as a correlation:

(7.4)

where C - correlation measure H - Hurst exponent

R/S analysis can classify an independent series, no matter what the shape (1) H=0.50, (2) 0 SH < 0.50, and (3) 0.50 < H < 1.00. H equal to 0.5 ity density function can be the normal curve, but it does not have to be. of the underlying distribution. In statistics courses, we are taught that nature follows the normal distribution. Hurst's findings refute that teach-There are three distinct classifications for the Hurst exponent (H): denotes a random series. Events are random and uncorrelated. Equation (7.4) equals zero. The present does not influence the future. Its probabiling. H is typically greater than 0.5. Its probability distribution is not 

Before we examine that class, a brief discussion of  $0 \le H < 0.5$  is in order. This type of system is an antipersistent, or ergodic, series. It is often referred to as "mean reverting." If the system has been up in the previous period, it is more likely to be down in the next period. Con-The strength of this antipersistent behavior depends on how close H is to zero. The closer it is to zero, the closer C in equation (7.4) moves toward versely, if it was down before, it is more likely to be up in the next period. -0.50, or negative correlation. This kind of series would be choppier, or A 10年間の日本

Hurst's Simulation Technique

**e**2

nomic and financial literature, few antipersistent series have yet been more volatile, than a random series, because it would consist of frequent reversals. Despite the prevalence of the mean reversal concept in eco-

tion (7.4). The closer H is to 0.5, the noisier it will be, and the less defined its trends will be. Persistent series are fractional brownian motion, or biased random walks. The strength of the bias depends on how far H is that it will continue to be positive (negative) in the next period. Trends tence, increases as H approaches 1.0, or 100 percent correlation in equa-If the series has been up (down) in the last period, then the chances are are apparent. The strength of the trend-reinforcing behavior, or persis-When 0.5 < H < 1.0, we have a persistent, or trend-reinforcing, series. above 0.50.

Persistent time series are the more interesting class because, as Hurst found, they are plentiful in nature, as are the capital markets. However, what causes persistence? Why does it involve a memory effect?

# HURST'S SIMULATION TECHNIQUE

what they mean, is to examine Hurst's own method for simulating a Perhaps the best way to understand how Hurst's statistics can arise, and random walk.

cal possibility and were certainly not available in Egypt. Hurst tried to simulate random walks by flipping coins, but found the process slow and tedious. Instead, he constructed a "probability pack of cards." The cards in this pack were numbered -1, +1, -3, +3, -5, +5, -7, and +7. The pack had 52 cards, and the numbers were distributed so that they approximated the normal curve. By shuffling and cutting the deck, and then noting the cut cards, Hurst could simulate a random series much faster Hurst was working in the 1940s, when computers were only a theoretithan by flipping coins.

Then he would remove the three lowest cards out of hand A. Finally, a which we will call hands A and B. Because he had previously cut a +3, he joker would be placed in hand A, and hand A would be reshuffled. Hand A then cut it, and note the number. Assume the number was +3. Hurst would then replace the card, reshuffle the deck, and deal two hands of 26 cards. would take the three highest cards from hand B and place them in hand A. To simulate a biased random walk, Hurst would first shuffle the deck,

now had a bias to the order of +3. Hurst would use hand A as his random number generator by cutting hand A and noting the number. When the joker was cut, the entire 52-card deck would be reshuffled (minus the joker), and a new biased hand would be created.

Hurst did six experiments, each consisting of 1,000 cuts of the deck. He found H = .714 ± .091, much as he had observed in nature. Again, what did it mean? Hurst's bias was randomly generated by cutting the deck. In the above example, the cut produced a +3. The change in the bias also occurred by a random cut of the deck, which yielded the joker. Yet, no matter how (This result is very similar to the Chaos Game of Chapter 5, where a many times the experiment is repeated, H = .714 continues to appear. generating rule randomly applied produces the same fractal. Once again, randomness creates order.)

joker) determines the length of the biased run. However, these two random deck, because there are 27 cards in the biased deck. Again, a combination scrutiny: if the capital markets exhibit Hurst statistics (and they do), then In the Hurst simulator, a random event (the initial cut of the deck) determines the degree of the bias. Another random event (the arrival of the events have limits. The degree of the bias is limited to the extremes of +7 or -7. The bias in this system changes, on the average, after 27 cuts of the of random events with generating order creates a structure. Unlike the Chaos Game, however, this is a statistical structure, and it requires close their probability distribution is not normal. If the random walk does not apply, much of quantitative analysis collapses, especially the Capital Asset Pricing Model and the concept of risk as standard deviation or volatility.

economic conditions. This bias continues until the random arrival of new market framework. The bias is generated by investors who react to current It is easy to conjecture how Hurst statistics could arise in a capital information (an economic equivalent of the joker) changes the bias in magnitude, direction, or both

## THE FRACTAL NATURE OF H

Persistent time series, defined as 0.5<H < 1.0, are fractal because they can also be described as fractional brownian motion. In fractional brownian motion, there is correlation between events across time scales. Because of this relationship, the probability of two events following one


The Fractal Nature of H

67

that two consecutive events are likely to occur. If H = 0.6, there is, in essence, a 60 percent probability that, if the last move was positive, the another is not 50/50. The Hurst exponent (H) describes the likelihood next move will also be positive.

between 1 and 2. Mandelbrot (1972) has shown that the inverse of H is the dimension of 2. If H = 0.7, the fractal dimension is 1/0.7 or 1.43. Note fractal dimension of the probability distribution is not 2; it is a number fractal dimension. A random walk, with H = 0.5, would have a fractal Because each point is not equally likely (as it is in a random walk), the that a random walk is truly two-dimensional and would fill up a plane.

Figure 7.1 shows simulated series for H = 0.50, 0.72, and 0.90. As H draws closer to 1, the series becomes less noisy and has more consecutive observations with the same signs. In Figure 7.2, the data in Figure 7.1 are plotted as cumulative time series. Again, as H increases, the cumulative line becomes smoother and less jagged. There is less noise in the system and



FICURE 7.1a Fractal noise: Observations. H = 0.52. As H increases, there are more positive increments followed by positive increments, and negative increments followed by negative increments. The correlation of the signs in the series is increasing.

The Fractal Nature of H




FIGURE 7.1b Fractal noise: Observations. H = 0.72.





FIGURE 7.1c Fractal noise: Observations. H = 0.90.



**FIGURE 7.2a** Fractal noise: Cumulative observations. H = 0.50. The graphs become smoother and less jagged as H increases, and the range of cumulative values increases with H.

the "trends," or deviations from the average, become more pronounced. The Hurst exponent (H) measures how jagged the time series is. A perfectly deterministic system would produce a smooth curve. A fractal time series separates a pure random series from a deterministic system perturbed by random events.

Appendix 2 reproduces a BASIC program for simulating a fractional brownian motion series from a Gaussian series. The methodology offers insight into what a fractional brownian motion series is. Each percentage change in a fractional brownian motion time series is made up of an exponential average of n independent random numbers. Added to this average is a decaying weight of the last M observations. M represents the long memory effect in the system; theoretically, it is infinite. For the purposes of the simulation, we must limit it to an arbitrary large number. In the above examples, a series of 8,000 pseudo-random numbers is converted into 1,400 biased random numbers by this method. Each biased increment consists of 5 random numbers and a memory of the last 200 biased random numbers. A brief review of the BASIC code indicates that the program is data-intensive. For each biased increment (which consists




FIGURE 7.2b Fractal noise: Cumulative observations. H = 0.72.

of 5 Gaussian numbers), we must evaluate the last 200 biased numbers (5\*200 = 1,000 Gaussian numbers). The memory effect is caused by the If the market includes this memory effect, then each return is related to inclusion of the previous numbers in calculations of the current number. the last M returns. Measuring H turns out to be a straightforward, though data-intensive, exercise.

# ESTIMATING THE HURST EXPONENT

By taking the log of equation (7.3), we obtain:

Finding the slope of the log/log graph of R/S versus N will therefore give us an estimate of H. This estimate of H makes no assumptions about the shape of the underlying distribution.

Estimating the Hurst Exponent

7




FIGURE 7.2c Fractal noise: Cumulative observations. H = 0.90.

For very long N, we would expect the series to converge to the value comes unmeasurable. In other words, observations with long N can be expected to exhibit properties similar to regular brownian motion, or a pure random walk, as the memory effect dissipates. The regression referred to above would thus be performed on the data prior to the convergence of H to 0.50. The correlation measure in equation (7.4) does not H = 0.50, because the memory effect diminishes to a point where it beapply to all increments.

It is important to remember that the correlation measure in equation (7.4) is not related to the Auto Correlation Function (ACF) of Gaussian random variables. The ACF assumes Gaussian, or near-Gaussian, properties in the underlying distribution; the distribution is the familiar bellshaped curve. The ACF works well in determining short-run dependence, but tends to understate long-run correlation for non-Gaussian series. Readers interested in a full mathematical explanation of why the ACF does not work well for long-memory processes are encouraged to read Mandelbrot

Figure 7.3 shows the log/log plot of R/S versus N for the H = 0.5 data generated for Figure 7.1. These data were generated using a pseudorandom number generator in the Gauss language system, and shows H = 0.55  $\pm$ 0.1. This estimate is a little higher than expected, but these are pseudo-random numbers generated by a deterministic algorithm. In this case, rescaled range analysis seems to have captured this bias. It is important to note that R/S analysis is an extremely robust tool. It does not assume that the underlying distribution is Gaussian. Finding H = 0.50 does not prove a Gaussian random with it only proves that there is no long memory process. In other words, any independent system, Gaussian or otherwise, would produce H = 0.5.

Figure 7.4 shows a similar plot for H = 0.72, a level that often shows up in nature. The data (which were used in Figure 7.1) were generated using the fractional brownian motion approximation described in more detail in Appendix 2. This series was generated, as stated earlier, with a finite memory term of 200 observations. In the Hurst simulator, using a biased





FIGURE 7.3 R/S analysis: Random Gaussian numbers. Actual H=0.50; estimated H=0.55.

Estimating the Hurst Exponent

73



**FIGURE 7.4** R/S Analysis: Fractional Brownian motion. Actual H = 0.72; estimated H = 0.73.

would arrive, on average, after 27 cuts of the deck, following a large number of simulations. The Hurst simulator had a finite memory term of 27 observations. Long-term correlations beyond 27 observations would drop to zero, and the system would begin to follow a random walk for increments of 27 observations or longer. Thus we could describe 27 observations as the average cycle, or period, of the system. The data used to servations as the average cycle, or period, of the system. The data used to generate Figures 7.1 and 7.2 simulate a natural cycle of 200 observations. When we cross N = 200 (log(200) = 2.3), the R/S observations begin to become erratic and random. This characteristic of R/S analysis allows us to determine the average cycle length of the system. In terms of nonlinear to determine the average cycle length is the length of time after which knowledge of initial conditions is lost. Figure 7.5 shows a similar log/log plot for the H = 0.90 data. The effective H estimate was a little low at H = 0.86, but well within reasonable bounds.

FIGURE 7.5 R/S analysis: fractional Brownian motion. Actual H = 0.90; estimated H = 0.86.

# HOW VALID IS THE H ESTIMATE?

The was the same of the

Even if a significantly anomalous value of H is found, there may still be a question as to whether the estimate itself is valid. Perhaps there were not enough data, or there may even be a question as to whether R/S analysis works at all. I suggest the following simple test, which is based on a test developed by Scheinkman and LaBaron (1986) for correlation dimension (which we shall study in Chapter 12) and the secondarion dimension "Eassestially, as estimate of H that is significantly different from 0.50 has two possible explanations: "The strategy of the state of the st

- 1. There is long memory compenent in the time scries being studied. Each observation is correlated to some degree with the observations that follow:
- The analysis itself is flawed, and an anomalous value of H does not mean that there is a long memory effect at work.

How Valid Is the H Estimate?

Perhaps we do not have enough data for a valid test, given that guidelines as to the correct amount of data are somewhat fuzzy. Still, the series being studied is an independent series of random variables, which happens to (1) scale according to a value different from 0.50, or (2) be an independent process with fat tails, as suggested by Cootner (1964).

We can test the validity of our results by randomly scrambling the data so that the order of the observations is completely different from that of the original time series. Because the actual observations are all still there, the frequency distribution of the observations remains unchanged. Now we repeat the calculation of the Hurst exponent on the scrambled data. If the series is truly an independent series, then the Hurst exponent calculation should remain virtually unchanged, because there were no long memory effects, or correlations, between the observations. Therefore, scrambling the data would have no effect on the qualitative aspect of the data.

If there was a long memory effect in place, the order of the data is important. By scrambling the data, we should have destroyed the structure of the system. The H estimate we calculate should be much lower, and




FIGURE 7.6 -- Scrambling test for R/S analysis: random Gaussian numbers. Unscrambled H = 0.55; scrambled H = 0.58.

closer to 0.50, even though the frequency distribution of the observations remains unchanged.

I have done such a scrambling test for the simulated series discussed above. First, I scrambled the random series, which had an effective H value of 0.55. Figure 7.6 shows the log/log plot for the scrambled and unscrambled series. There is virtually no qualitative difference between the two. The scrambled series gives H = 0.58 as its estimate. Scrambling actually increased the Hurst exponent, showing that the actional series did not truly have a long memory process in place.

Figure 7.7 shows the log/log plot for Herotop of the scrambled and unscrambled series. Here, a qualitative difference appears. The original series gave an H estimate of 0.87. The scrambled series gives H = 0.52. This drop in the value of H shows that the long memory process in the original time series was destroyed by the scrambling process. The scrambled series still has a nonnormal frequency distribution, but the scrambling process determined that the observations were independent. This




FIGURE 7.7 Scrambling test for R/S analysis: fractional Brownian motion. Unscrambled H = 0.86; scrambled H = 0.52.

proves Mandelbrot's assertion that R/S analysis is robust with respect to the distribution of the underlying series.

# R/S ANALYSIS OF THE SUNSPOT CYCLE

Before we analyze the capital markets in the next chapter, it would be useful to apply R/S analysis to a time series of real data from a natural system.

Perhaps the most widely known natural system with a nonperiodic cycle is the sunspot cycle. Sunspot numbers have been recorded since the mid-18th century, when Wolf began a daily routine of examining the sun's face through his telescope and counting the number of black spots on its surface. When he died, the Zurich Observatory continued this practice, as it does to this very day. In one procedure inherited from Wolf, a cluster of closely spaced sunspots is counted as one large spot. Thus, five sunspots yesterday could become one large spot today. Combined with errors common in a




FIGURE 7.8 Wolf's monthly sunspot numbers, January 1749-December 1937.

tion: it can be as low as zero (which it has been at numerous times), but the maximum number can reach any level. In addition, the sunspot cycle is manual procedure, this process lends itself to a certain degree of measurement error. Also, the number of sunspots is a highly asymmetric distribuconsidered nonperiodic, with an average duration estimated at 11 years.

Sunspots offer a highly appropriate time series for R/S analysis, given their long recorded history. My local library carries an old book by Harlan True Stetson, Sunspots and Their Effects, which was published in 1938. It contains a table of monthly sunspot numbers faring January 1749 through December 1937. Mandelbrot and Wallis (1969) and Hurst analyzed sunspot data as well. However, it is useful to redo an analysis, incorporating making a connection between the sunspot cycle and capital market or the advances in technology since the last study. Please note that I am not economic cycles. I am analyzing sunspots as a cycle in their own right.

Figure 7.8 shows the monthly sunspot numbers as a time series. Note that, although its "cycles" are clearly apparent, the time series is very




FIGURE 7.9 R/S Analysis: Wolf's monthly sunspot numbers, January 1749–December 1937.

jagged. R/S analysis was applied to the logarithmic first difference in the

monthly sunspot numbers.

point, showing that the long memory effect has dissipated by 10 to 13 years. This is roughly equivalent to the estimated 11-year cycle accepted periods shorter than 12 to 13 years have a Hurst exponent of 0.55. While not highly anomalous, it shows that sunspots do exhibit persistent behavior. Interestingly, the slope of the log/log plot drops drastically after this Figure 7.9 shows the log/log plot of R/S versus time. We can see that by scientists.

spot numbers. The Hurst exponent is now measured at 0.50, and all trace Figure 7.10 shows the result of the scramble test on the monthly sunof the memory length has been destroyed by the scrambling process.

to the relationship between natural and mathematical fractals. As we From this, we can see that natural systems may have long memories as postulated by the model of fractional brownian motion. However, the memory length is not infinite; it is long and finite. This result is similar have seen, mathematical fractals scale forever, both infinitely small and




FIGURE 7.10 R/S analysis: scrambled sunspot numbers, 1749-1937.

large. However, natural fractals stop scaling after a point. Branches of our lungs, for instance, do not become infinitely small. In a similar manner, fractal time series have long, but finite memories. As we study the capital markets and economic time series, we will find similar characteristics. Economic and capital market time series are characterized by long but finite memories. We will also find that the length of these memory cycles varies from market to market, as well as from security to security.

#### SUMMARY

From R/S analysis, two important items of information can be determined: the Hurst exponent (H) and the average cycle length. The existence of a cycle length has important implications for momentum analysis. A value of H different from 0.5 means that the probability distribution is not normally distributed. If 0.5 < H < 1, then the series is fractal. Fractal time series behave differently than random walks. We have already discussed persistence and long-term correlations, but there are other differences as well. These differences will be more closely examined in Chapter 9. First, we will do some capital market analysis.

#### $\infty$

# R/S Analysis of the Capital Markets

Applying R/S analysis is simple and straightforward, but it requires a fair amount of data and number crunching. In this chapter, we will describe and show the results of applying R/S analysis to various capital markets. In all cases, we find fractal structure and nonperiodic cycles—conclusive evidence that the capital markets are nonlinear systems and that the EMH is questionable. The analysis presented in this chapter is an extension of Peters (1989, 1991b).

#### **METHODOLOGY**

When analyzing markets, we use logarithmic returns, defined as follows:

$$S_t = \ln(P_t/P_{(t-1)})$$

where  $S_t$  = logarithmic return at time t  $P_t$  = price at time t

For R/S analysis, logarithmic returns are more appropriate than the more commonly used percentage change in prices. The range used in R/S analysis is the cumulative deviation from the average, and logarithmic returns sum to cumulative return, while percentage changes do not.

· 医一种 · 医二种 · End · End


they should be independent observations. (They may not be independent observations if there is short-term Markovana symbole dependence that lasts longer than six months. This situation is injurised later.) We can now The first step is to convert the price or yield series into logarithmic various increments of time, N. We do this by starting with a reasonable month increments, we can divide the series into 80 independent sixreturns. The second step is to apply equations (7.1) and (7.2) (page 63) for increment of time—say, a monthly time series covering 40 years of data, which is converted into 480 logarithmic returns. If we begin with sixmonth increments. Because these are nonoverlapping six-month periods, apply equations (7.1) and (7.2) and calculate the range of each six-month period. We rescale each range by the standard deviation of the observations in each six-month period, to obtain 80 separate R/S observations. By averaging the 80 observations, we obtain the R/S estimate for the series with N = 6 months.

We continue this process for N-7, 8, 9, . . ., 240. The stability of the estimate can be expected to decrease as N increases, because we have fewer observations to average. At this point, a number of studies run a regression of log(N) versus log(R/S) for the full range of N, taking the slope as the estimate of H, according to equation (7.3). However, doing so would be incorrect, if the series has a finite memory and begins to follow a random walk. In theory, long memory processes are supposed to last forever. However, as we will see in Chaos theory, there is a point in any nonlinear system where memory of initial conditions is lost. This point of loss corresponds to the end of the natural period of the system. It is important to visually inspect the data, to see whether such a transition is occurring. A regression can then be run over the range of the data, to show any evidence of a long memory process. Another way to view this problem corresponds to the discovery of fractal scaling in other natural systems. In theory, all fractals scale forever, like the Sierpinski triangle. However, natural fractals, like the human vascular system, do not scale forever. Physiologists have found that the change in the diameter of arteries and veins declines according to a because the vascular system does not become infinitely small. In a similar way, I conjecture that the long memory process underlying most systems is not infinite, but finite. The length of the memory depends on the composi-For this reason, visual inspection of the data in the log/log plot, before fractal scale, as the arteries branch out. This fractal system has a limit, tion of the nonlinear dynamic system that produces the fractal time series. measuring H, is important.

83 Methodology A question now arises regarding data: How much is enough? Feder says gives no indication of how many experimental data points are adequate. In the physical sciences, researchers can generate thousands of experimental data points under controlled conditions. In economics, because we are limited to relatively short data series that contain various market environthat simulated data with less than 2,500 observations is questionable, but ments, we must be careful in our analysis.

can be easily discerned; we then have several cycles of data available for analysis, and that amount should be sufficient. In addition, Chaos theory suggests that data from 10 cycles are enough. If we can estimate the cycle I suggest that we have enough data when the natural period of the system length, we can use the 10-cycle guideline in collecting adequate data.

In this chapter, we will primarily be analyzing monthly data that are ter, we will examine the behavior of H over different time increments, from available from various sources dating back to the 1920s. In the next chapdaily to 90-day returns.



Estimated H = 0.78. (Reproduced with permission of Financial Analysts Journal.) FIGURE 8:1\*\*\*R/S analysis: S&P 500 monthly returns January 1950-July 1988.

### THE STOCK MARKET

We begin by applying R/S analysis to the S&P 500, for monthly data over a 38-year period, from January 1950 to July 1988. Figure 8.1 shows the log/log plot using the method described above. A long memory process is at work for N, for less than approximately 48 months. After that point, the graph begins to follow the random walk line of H = 0.50. Returns that are average. Figure 8.2 shows H values calculated by running the regressions stock market is clearly fractal, and not a random walk. It is, instead, a more than 48 months apart have little measurable correlation left, on the for N less than or equal to 3, 3.5, 4, 4.5, and 5 years. The peak clearly occurs at N = 4 years, with H = 0.78, which we can say is the estimate for the Hurst exponent for the S&P 500. This high value for H shows that the sion, using N less than or equal to 48 months. Regression results, using biased random walk, with an anomalous value of H = 0.78. Figure 8.1 graphs H = 0.78 and H = 0.50. Table 8.1 shows the results of the regres-




FIGURE 8.2 R/S analysis: Estimating the cycle length; S&P 500 monthly returns, January 1950-July 1988.

Table 8.1 R/S Analysis of Stock Returns, January 1950-July 1988

	Unscrambled	Scrambled
Constant	-0.32471	-0.04544
Standard error of Y (estimated)	0.01290	0.02005
R <sup>2</sup>	0.99559	0.98564
X coefficient (H)	0.778	0.508
Standard error of X	0.008	0.004

N≥48 months, are H=0.52±0.02, confirming that the average cycle length, or period, of the S&P 500 is 48 months.

ries. The scrambled series, clearly different, gives H = 0.51. Scrambling destroyed the long memory structure of the original series and turned it We can now apply the scrambling test to the series of monthly returns. Figure 8.3 shows the log/log plot of the scrambled and unscrambled seinto an independent series. There is also no drop in slope after 48 months, as there is in the original; the series continues to scale as a random walk.




FIGURE 8.3 Scrambling test: S&P 500 monthly returns, January 1950-July 1988. Unscrambled H = 0.78; scrambled H = 0.51.

The sequence of price changes is important in preserving the scaling feature of the series. Changing the sequence of returns by scrambling has changed the character of the time series.

Roberts (1964/1959) (as discussed in Chapter 2) described the market mechanism as a roulette wheel and asserted that "this roulette wheel has no memory." R/S analysis shows that the independence assumption, par-These results are inconsistent with the Efficient Market Hypothesis. and is seriously flawed. an underlying fractal probability distribution, and they follow a based random walk, as described by Hurst. The market exhibits trend-reinforcing behavior, not meanreverting behavior. Because the system is persistent, it has cycles and trends with an average cycle length of 48 months. This length is average because the system is nonperiodic and fractal. Market returns are persistent time series, with ticularly regarding long memory effection

Mobil, Coca-Cola, and Niagara Mohawk: Values of H are persistent, and Figure 8.4 shows the log/log graphs of four representative stocks: IBM,




FIGURE 8.4a R/S analysis of individual stocks: Monthly returns, January 1963-December 1989. IBM: Estimated H = 0.72.

The Stock Market

87




FIGURE 8.4b R/S analysis of individual stocks: Monthly returns, January 1963-December 1989. Mobil Oil: Estimated H = 0.72.

high levels of H and short cycle lengths. In contrast, utilities, which have a try tend to have similar values of H and similar cycle lengths. Industries with high levels of innovation, such as the technology industry, tend to have low level of innovation, have lower levels of H and very long periods. The cycles are of various lengths. Table 8.2 shows the results for the S&P  $500\,$ and some individual stocks. In this limited study, stocks grouped by indusjoker shows up less often for utilities than it does for technology stocks.

These results raise an interesting question about accepted definitions of risk. According to the Capital Asset Pricing Model (CAPM), a higher-beta cause the volatility as measured by the standard deviation of returns is higher for high values of beta. Apple Computer, with its beta of 1.2 relative stock, relative to the market index, is riskier than a lower-beta stock, beto the S&P 500, is riskier than Consolidated Edison (ConEd) with its beta of 0.60

The Hurst exponent (H) measures how jagged the time series is. The lower the value of H, the more noise there is in the system and the more The Stock Market




FIGURE 8.4c R/S analysis of individual stocks: Monthly returns, January 1963-December 1989. Coca-Cola: Estimated H = 0.70.

Table 8.2 R/S Analysis of Individual Stocks

	Hurst Exponent (H)	Cycle (Months)
S&P 500	0.78	48
IBM	0.72	18
Xerox	0.73	18
Apple Computer	0.75	18
Coca-Cola	0.70	42
Anheuser-Busch	<b>79</b> :0	48
McDonald's	0.65	42
Niagara Mohawk	69:0	72
<b>Texas State Utilities</b>	0.54	06
Consolidated Edison	0.68	06




FIGURE 8.4d R/S analysis of individual stocks: Monthly returns, January 1963–December 1989. Niagara Mohawk: Estimated H = 0.69.

random-like the series is. (Figure 7.1 and, particularly, Figure 7.2, the cumulative graph, illustrate the difference.) Apple Computer has an H value of 0.68; for ConEd, H = 0.58. ConEd's time series is less persistent and more jagged than Apple's time series. Which stock is riskier?

Because both stocks have H values greater than 0.5, they are both fractal, and application of standard statistical analysis becomes of questionable value. Variances are undefined, or infinite, which makes volatility a useless and possibly misleading estimate of risk. A high H value shows less noise, more persistence, and clearer trends than do lower values. I suggest that higher values of H mean less risk, because there is less noise in the data. This means that Apple Computer is less risky than ConEd, despite their betas. High H stocks do have a higher risk of abrupt changes, however.

A final observation is that the S&P 500 has a higher value of H than any of the individual stocks in Table 8.2. This higher value shows that

FIGURE 8.5a R/S analysis of international stocks: Monthly returns, January 1959-February 1990. MSCI U.K. index: Estimated H = 0.69.

diversification in a portfolio reduces risk, by decreasing the noise factor and increasing the value of H.

International markets also exhibit Hurst statistics. Figure 8.5 shows log/log plots for the U.K., Japan, and Germany, as represented by each stock market's Morgan Stanley Capital International (MSCI) index. The MSCI data used were from January 1959 to February 1990. Table 8.3 lists the results.

Table 8.5 "R/S Analysis of International Stock Indices

Water the second of the second

10			
2	·~ ·	1**	
1 5			2.
1 5			
1 5	- 57		
1 3	<b>60</b> ⋅ 0	<b>0</b> 60	0
15	<b>₹</b> ;	2 <del>4</del>	್ಗ
	1.	-	2
1 🛪 1	200		
Cycle (Months)	1		
10	- A		100
	**		
F1			
1	3	'	
40			· .
	2		14
<b>G</b>	***	N.	14
	Mark .	*	2
T.	344		<u>,                                    </u>
		- 54	i.
		. 16	e e
1 0	400		\$ . · .
	· -	4 00	-
1 2 T	R i	こる	3
1.91	~ ·	99.0	$\bar{a}$
	, y ,		J
	200		
2	1.5		
1 S	308		ž.
1 T.	1	**	6
	CALL.	- 1	£ .
		- 1	3
-	1		
	*		
	W.	, , ,	٠.
		<b>&gt;</b> 1	Ć
	200	MSCI Japan	9
	: ·	<b>.</b>	
B	S&P 500	: ⊊	
	: <u> </u>	5 <b>7</b> 8	X.
	9	5 7	$\vec{\neg}$
	2		_
		3 77	77
	٠ <u>٠</u>	( X	×
	٠ <b>٠</b> ٠ ٢	3 4	¥
Co not	S	2 ≥	2
Sec. Co.	Sac.	MSCI Japan	
way to	17	~	
3	560		
2.4	24		

The Bond Market

91




FIGURE 8.5b R/S analysis of international stocks: Monthly returns, January 1959-February 1990. MSCI Japan index: Estimated H = 0.68.

If we include the S&P 500 as representative of the United States, all four countries have different H values and cycle lengths. The U.K. has the longest cycle (eight years). Germany has a six-year cycle, and the United States and Japan have four-year cycles. These cycle lengths are probably tied to economy cycles. We will examine this possibility later, for the U.S. market.

Market efficiency can be judged by the amount of noise in the data. Because the United States has the highest H value, it is the most "efficient" market: it has less noise than the others. It is followed by Germany, the U.K., and Japan.

### THE BOND MARKET

R/S analysis of changes in 30-year Treasury Bond (T-Bond) yields also exhibits Hurst statistics. Bond yields were examined monthly from January




FIGURE 8.5c R/S analysis of international stocks: Monthly returns, January 1959-February 1990. MSCI German index: Estimated H = 0.72.

1950 through December 1989. The regult was H = 0.68 with a cycle length of five years, which coincides with the cycle length of U.S. industrial production, as we shall see later. Figure 8:6 shows this relationship.

Again, Hurst statistics result, with H = 0.65, alightly more noisy than the A similar study was done for an everage of 3-, 6-, and 12-month Treasthe log/log piot. Either there are not enough data, be; perhaps, there is ury Bill (T-Bill) yields, as a proxy for the short end of the yield curve. long bond. (See Figure 8.7.) Interestingly, no cycle length is apparent in no cycle length and T-Bills do scale forever. Because T-Bill yields are an exception (the other series have cycles of four to five years), it is difficult to draw any conclusions.

#### CURRENCY

TANAM GADE SH

R/S analysis of selected currency rates also yields Hurst statistics. For this study, I have used currency exchange rates between the U.S. dollar and

Currency

93




FIGURE 8.6 R/S analysis of 30-year Treasury Bond yields: Monthly, January 1950-December 1989. Estimated H = 0.68.

The first three exchange rates exhibit high levels of persistence. With the the Japanese yen, British pound, German mark, and Singapore dollar. U.S. dollar/Singapore dollar exchange rate, we encounter our first truly random series.

three exchange rates have Hurst exponents at approximately 0.60. The currency markets are not random walks, either. Table 8.4 summarizes Figure 8.8 shows the log/log plots for the three primary currencies. All the results.

respective currency, contrary to natural market forces. Currencies have a reputation as "momentum trading" vehicles in which technical analysis currencies have trends, but the levels of the Hurst exponent for these currencies show that they are not exceptionally persistent, when com-These results will come as no surprise to currency traders. Currency markets are characterized by abrupt changes traceable to central bank interventions—attempts by the governments to control the value of each has more validity than usual. R/S analysis bears out the market lore that pared to equity markets. Currency




FIGURE 8.7 R/S analysis of Treasury Bill yields: Average of 3-, 6-, and 12-month T-Bill yields, January 1950–December 1989. Estimated H=0.65.

This study was done on daily data from January 1973 through October 1990, almost 18 years' worth of daily observations. However, the natural cycle length is not apparent from the examination of any of the log/log plots. A flattening of the slope at the extreme end (about N = 100 months) could come from the sparseness of the data at that end. Apparently, 18 years' data do not cover enough cycles to make the cycle length visible. As

Table 8.4 R/S Analysis of U.S. Dollar Exchange Rates:
Daily Changes, January 1973-December 1989

	_	,		
Hurst Exponent (H) Cycle	D.64 Unknown	~s	~s	ē
ζ	ĬŽ	6 yrs	6 yrs	None
!	」う	,	_	_
		*		
=		: **		
÷	3	- 3		
<u>Je</u>			_	_
Š	9.0	3	9	0.20
ᅜ	- 375 - 38	* 79.0	0.61	_
∄	\$ 1	3.		
	0	72		
	1.919%			
	1882 1882	÷	Y	
X <sub>0</sub>	4		-	Ē
	£	편.	<u>۔</u> ح	8
	2	5	֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓	
	apanese yen 🖖 🖟	German mark	O.K. pound	Singapore dollar
S,	ğ	ა :	ن ز	5




FIGURE 8.8a R/S analysis of currency exchange rates. Yen/dollar exchange rate: Daily rate, January 1973–December 1989. Estimated H = 0.64.

we shall soon see, 30 years' stock market data are necessary for a well-defined period. Unfortunately, the United States did not go off the gold standard until 1973, so exchange rates prior to 1973 reflect an environment different from the current one. We may need another ten years' experience, to gather enough data to do a thorough analysis of the currency markets. As we shall see at the end of the chapter, more data points are not needed; tick-by-tick data will not yield more information. We need a longer time period. For that, we will have to wait.

The Singapore dollar is offered as an example of a capital market time series that does not exhibit Hurst statistics. The Singapore dollar/U.S. dollar exchange rate is a true random variable. This will be good news to the Singapore government, because the Singapore dollar is managed purposefully to track the U.S. dollar. Because of this conscious effort, any fluctuation in the exchange rate is due to random fluctuations in the timing of trades to fix the exchange rate.




FIGURE 8.8b R/S analysis of currency exchange rates. U.K. pound/dollar exchange rate: Daily rate, January 1973-December 1989. Estimated H = 0.61.

Singapore bank appears to be doing its job. In other currencies, where the free market determines the exchange rate, persistent values of H continue Figure 8.9 is the log/log plot that shows H = 0.50 for this time series. The to be found. Their presence confirms that currency markets also have a fractal structure.

## ECONOMIC INDICATORS

the Index of New Business Formation, the Index of Housing Starts, and the R/S analysis also shows highly persistent values of H on the Index of Industrial Production, the Department of Commerce Leading Economic Index. Columbia University Leading Economic Index. These H levels finally prove that the economy follows a nonperiodic cycle.

Figure 8.10 shows R/S analysis for three economic indicators: Industrial Production, New Business Formation, and Housing Starts.

**Economic Indicators** 

4




FIGURE 8.8c R/S analysis of currency exchange rates. German mark/dollar exchange rate: Daily rate, January 1973-December 1989. Estimated H = 0.64.

the more typical value of 0.73. Figure 8.11 plots the three time series together. The five-year cycle is evident for all three series. It has been suggested to me that seasonal adjustments might account for the high ries dropped down into the random walk range, with H approximately years. Five years is a little longer than expected; most economists feel that the average economic cycle is about four years, to coincide with presidential elections. However, the log/log plot in Figure 8.10(a) clearly New Business Formation has a high H value of 0.81; Housing Starts is at level of persistence in these series. When scrambled, however, each seequal to 0.50. Seasonal adjustment is not responsible for the persistence Industrial Production has H = 0.91 and a cycle length of about five shows that the economic "joker" arrives every five years, on average. The other two indicators are also shown in Figure 8.10(b) and 8.10(c). of these series.

markably similar. Their cycle lengths (about 4.5 years) are shorter than The two leading economic indictors, shown in Figure 8.12, are re-

FIGURE 8.9 R/S analysis of Singapore/U.S. dollar exchange rate: Daily rate, January 1981-October 1990. Estimated H = 0.50.


that of Industrial Production. This relationship confirms the "leading" nature of these indicators.

effects severely inhibit the validity of econometric models, which explains The existence of Hurst statistics for economic data should be especially troubling to economists who rely on econometric methods. Long memory the poor record economists have had in forecasting. Too much "subjective" art is still left in a discipline that is striving to be analytical

# WPICATIONS CONTRACTOR

on investors' perceptions of fair value. In the past, we have always judged "fair value" to be a particular price. I postulate that investors actually Why do Hurst statistics arise in the capital markets? Prices change based value securities within a range of prices. This range is determined partly by fundamental information, such as earnings, management, new prodacts, and the current economic environment. The information is often .

Implications



R/S analysis of economic indicators, January 1950-January 1990. Industrial Production: Estimated H = 0.91. FIGURE 8.10a

ment of a stock's value. If the fundamentals are good, the price will rise positive outlook on the security, they will begin to buy as well. Yesterday's activity influences today; the market retains a memory of its recent second component of the price range is what investors feel other investors will be willing to pay. This "sentiment component" is usually analyzed using technical analysis and sets a range around the "fair value." The combination of information and sentiment results in a bias in the assesstoward "fair value." As other investors see the trend confirming their used to determine a single fair price by using fundamental analysis. The trend. The bias will change when the price hits the upper range of is fair value. At that point, the bias will shift.

This model assumes that the "range" stays constant. In reality, it does not. New information about the specific security or the market as a whole can shift the range and cause dramatic reversals in either the broad market or an individual security.





FIGURE 8.10b R/S analysis of economic indicators, January 1950-January 1990. New Business Formation: Estimated H = 0.81.

Because broad market advances and declines are related to biases caused by economic factors, the S&P 500 and 30-year T-Bond yields have cycles similar to the economic cycle.

The Hurst exponent (H) measures the impact of information on the series. H = 0.50 implies a random walk, confirming the EMH. Yesterday's events do not impact today. Today's events do not impact tomorrow. The events are uncorrelated. Old news has already been absorbed and discounted by the market.

On the other hand, H greater than 0.50 implies that today's events do impact tomorrow. That is, information received today continues to be discounted by the market after it has been received. This is not simply serial correlation, where the impact of information quickly decays. It is a longer memory function; the information can impact the future for very long periods, and it goes across time scales. All six-month periods influence all following six-month periods. All 12-month periods influence all subsequent 12-month periods. The impact does decay with time, but at a

101 Implications



FICURE 8.10c R/S analysis of economic indicators, January 1950-January 1990. Housing Starts: Estimated H = 0.73.

measurable amounts. In statistical terms, it is the decorrelation time of the series. For monthly S&P 500 data, this period, or cycle length, averaged 48 memory of initial conditions is lost after approximately 48 months. The slower rate than short-term dependence. The cycle length, therefore, measures how long it takes for a single period's influence to reduce to unmonths. In terms of nonlinear dynamics (to be discussed in Part Three), impact is still felt, however.

series is nonperiodic. Nonperiodic cycles are characteristic of nonlinear dynamic systems. It is also a statistical cycle, not a "price" cycle that The 48-month cycle for the S&P 500 is an average cycle, because the would interest technical analysts. Because the cycle is nonperiodic, spectral analysis would tend to miss this type of cycle as well.

all the quantitative models that derive from it. These models include Theory (APT), and the Black-Scholes option pricing model, as well as The fractal nature of the capital markets contradicts the EMH and the Capital Asset Pricing Model (CAPM), the Arbitrage Pricing




FIGURE 8.11 R/S analysis: Apparent five-year economic cycle.




FIGURE 8.12 R/S analysis of leading economic indicators, January 1955–January 1990, Department of Commerce and Columbia University Index of Leading Indicators. Estimated H = 0.83.

Implications

numerous other models that depend on the normal distribution and/or finite variance.

Why do these models fail? They simplify reality by assuming random behavior, and they ignore the influence of time on decision making. By assuming randomness, the problem is simplified and made "neat"; the models can be optimized for a single optimal solution. Using random walk, we can find "optimal portfolios," "intrinsic value," and "fair price."

Fractal analysis makes the mathematics more complicated for the modeler, but it brings the results closer to those experienced by practitioners. Fractal structure in the capital markets gives us cycles, trends, and many possible "fair values." It returns the qualities that make the capital markets interesting, by returning the qualitative aspects that come from human decision making, and giving them measurable, quantitative attributes. Fractal statistics recognizes that life is messy and complex. There are many possibilities.

2

#### 105

9 Fractal Statistics

This chapter deals with the difference between fractal and normal probability distributions. In particular, it generalizes the mathematics that underlies both, and shows that the normal form is a special case of fractal distributions. The technical nature of this chapter may not make it interesting to all readers. However, the implications of fractal distributions for modern capital market theory are profound. At a minimum, the chapter's final three expository sections and the conclusions should be examined.

# PARETO (FRACTAL) DISTRIBUTIONS

Fractal distributions have actually been around for some time. In the economic literature, they have been called "Pareto," or "Pareto-Levy," or "Stable Paretian" distributions. The properties of these distributions were originally derived by Levy and published in 1925. His work was based on that of Pareto (1897), regarding the distribution of income. Pareto found distribution of income was well approximated by a log-normal distribution, except for approximately the upper 3 percent of wealthy individuals. For that segment, income began following an inverse-power law, which resulted in a fatter tail. Essentially, the probability of finding one person who is ten times taller than another person is relatively finite (and therefore follows a normal distribution), but the probability of finding a person with 100 times another's wealth is much higher than the normal probability would predict. Pareto speculated that this fatter tail probably

Pareto (Fractal) Distributions

107

occurs because the wealthy can more efficiently lever their wealth than the average individual, to create more wealth and achieve even higher levels of income. A similar inverse-power law was found by G. K. Zipf for the frequency with which words are used. Zipf found that long words are less frequently used than short words. A. J. Lotka found sociological examples of inverse-power laws; the publication of scientific papers in academia is one example. The more papers an academic has produced, the more he or she is likely to produce. Because the paperation of scientific papers can be leveraged through graduate students, the more well-trieved, and senior, members of the academic community can counthor more medical in this way, they lever their production of research. In all three cases, when the tails are investigated, a feedback mechanism enhances the production of whatever is being measured. This feedback effect levers the event and makes the tails even longer. Levy took these fat-tailed distributions and generalized all probability distributions to account for them.

Before we get to fractal distributions, let's review some of the characteristics of normal distributions. Most of us have encountered the normal distribution in some form. The familiar bell-shaped curve is used extensively; if nothing else, we were graded "on the curve" at some point in school. This curve has a formula, and the following is the log of the characteristic function of the normal distribution of a random variable, t:

$$\log f(t) = i^{\phi} \mu^{\phi} t - (\sigma^{2}/2)^{\phi} t^{2}$$
 (9.1)

THE STATE OF THE S

where µ - mean

of - variance

For the "standard normal" distribution, the mean is zero and the standard deviation (the square root of the variance) is equal to one. Because the normal distribution applies when this an independent, identically distributed (IID) random variable, it applies to be wrain motion and random walks. "We because the convenient motion and random walks."

As stated in Chapter 2, Bachelier first advanced the idea that speculative market follow a random walk and can be incideded like a game of chance. The Gaussian Hypothesis of Bechelier continues to be embraced, despite the fact that empirical evidence shows distinct anomalies from the random walk, as we discussed in Chapter 3. In particular, frequency distributions of returns have consistently found more large changes of outliers than there should be, as well as more observations around the mean

(see Figure 3.1). The distribution has fatter tails and a higher peak than the normal distribution. Despite these characteristics, the distribution is often described as "approximately normal."

This fat-tailed, high-peak distribution is the characteristic shape of a Pareto distribution. Levy generalized the characteristic function of probability distributions to the following, somewhat complicated formula:

$$\log(f(t)) = i * \delta * t - \gamma^* |t|^{\alpha *} (1 + i * \beta^* (t/|t|) * \tan(\alpha^* \pi/2))$$
(9.2)

main difference between the two market hypotheses. However, changing tic function of the normal distribution. The Efficient Market Hypothesis Hypothesis (FMH) says that a can range between 1 and 2. That is the of the distribution as well as the fatness of the tails.  $\alpha$  can take a range of setting  $\alpha = 2$ ,  $\beta = 0$ ,  $\gamma = 1$ , and  $\delta = 1$ , yields equation (9.1), the characteris-(EMH) essentially says that a must always equal 2. The Fractal Market proaches +1. The converse occurs with  $\beta < 0$ .  $\alpha$  measures the peakedness values from 0 to 2 inclusive. Only when  $\alpha = 2$  does the distribution become equivalent to the normal distribution. Taking equation (9.2), and the value of a changes the characteristics of the time series dramatically. example, the difference between daily and weekly data.  $\beta$  is a measure of skewness and can range from -1 to +1. When  $\beta$  = 0, the distribution is symmetric. When  $\beta = +1$ , the distribution is fat-tailed to the right, or skewed to the right. The degree of right skewness increases as  $\beta$  aplocation parameter of the mean.  $\gamma$  is a scale parameter to adjust, for This formula has four characteristic parameters:  $\alpha$ ,  $\beta$ ,  $\delta$ , and  $\gamma$ .  $\delta$  is the

We consider Pareto distributions fractal because they are statistically self-similar with respect to time. If a distribution of daily prices has a mean(m) and  $\alpha$ -a, the distribution of five-day returns would have a mean of 5°m and still have  $\alpha$ -a. Once the adjustment for time scale is made, the series' probability distribution still has the same shape. The series is said to be scale invariant. The same description applies if  $\alpha$ =2, series is said to be scale invariant. The same description applies if  $\alpha$ =2, and the distribution is the normal distribution, because the normal distribution is a special case of the family of fractal distributions. However, tribution is a special case of the family of fractal distribution change.

First, when  $1 \le \alpha < 2$ , variance becomes undefined, or infinite. Variance is finite and stable only if  $\alpha = 2$ . Therefore, sample variance is important information only if the system is a random walk. Otherwise, infinite variances are possible and, perhaps, typical. If  $\alpha$  does not equal 2, sample variances are little better than meaningless as measures of dispersions or risk.

If  $0 < \alpha \le 1$ , then there is also no stable mean. Alphas in this range are rare, but we will see an example of one later. However, if  $1 < \alpha \le 2$ , then we do have a stable mean. Noninteger alphas in this range correspond to fractional brownian motions characterized by long-term correlations and statistical self-similarity. They are fractal. In addition, alpha is the fractal dimension of the time series, and:

$$\alpha = \frac{1}{H} \tag{9.3}$$

where H - Hurst exponent

brot called the first one the "Joseph effect." As discussed earlier, the name Fractal distributions have two other interesting characteristics. Mandelrefers to the tendency of fractal distributions to have trends and cycles. In the biblical story, Joseph interpreted Pharach's dream to mean seven years of plenty followed by seven years of famine.

Mandelbrot named the second characteristic the "Noah effect," after the biblical story of the Deluge. These systems tend to have abrupt and dramatic reversals. In the normal distribution, a large change occurs because This assumption of continuous pricing which made Portfolio Insurance a using the Black-Scholes option pricing model (or some variant thereof), an investor could synthetically replicate an option like a put by continuously rebalancing between the risky asset and cash. This method was plausible as of a large number of small changes. Pricing is considered to be continuous. possibility as a practical money management strategy. The idea was that, ong as pricing stayed continuous, or at least nearly so, which is usually the case. However, in a fractal distribution, large changes occur through a small number of large changes. Large price changes can be discontinuous the October events of 1987, or 1978, or 1929 could happen. In those marand abrupt. A fractal distribution for the stock market would explain why kets, lack of liquidity caused abrupt and discontinuous pricing, as predicted by the fractal model. We saw evidence in Chapter 8 that the capital markota hava fractal distributions. AND THE PARTY OF T

## "LOST" ECONOMICS The second secon

Mandelbrot conjectured that speculative markets were fractal, long before he developed fractal geometry. Mandelbrot had spent his life · 安全一方 · 医神经性神经 · 大大大學 · 一大人工人 斯里斯特特斯

**109** "Lost" Economics

turn, offered the possibility of "optimal solutions," or one right answer. erful and plentiful, armies of graduate students and academics tested the but lost the first round to the EMH. The Efficient Market Hypothesis walk model opened up an entire battery of analytical tools, which, in As data bases became more extensive, and computers became more powwas neater, and easier for academics to grasp intellectually. Risk defined as volatility was a cleaner concept. If two stocks have different volatiliies, then the one with the higher volatility is the riskier one. The random found examples of scaling. To Mandelbrot, Pareto distributions were yet another example of scaling, this time in economics rather than in nature. n the early 1960s, he argued in favor of infinite variance distributions, examining long-forgotten mathematical byways, and he continually EMH, the very bedrock of Capital Market Theory.

nated in his rediscovery of R/S analysis in the late 1960s. At the end of one entirely theoretical paper with no empirical proof to back up its arguments, Mandelbrot (1972) promised to publish statistical results, but tions meant discarding a large body of work based on linear relationships In pure mathematics, advances continued, and entire classifications of was less popular in economics. Pareto distributions became largely forgotten, particularly in financial economics. Accepting Pareto distribuhe never did. Mandelbrot largely left economics to go on to broader work, Pareto distributions were developed. The "infinite variance syndrome" and finite variances. Mandelbrot continued to publish. His work culmideveloping fractal geometry.

distribution. In addition, numerous anomalies to the EMH were fect, among others. All of these strategies have been shown to give excess tions were, mathematically, too messy. Quantitative analysts continued to keep the faith of the EMH because not enough anomalies had been found to point out the necessity for a new paradigm. The anomalies soon arrived, as discussed in Chapter 3. Prominent among them was the continued evidence that the distribution of stock market returns was non-normal. Consistently, it had a higher peak at the mean and fatter tails than the normal distribution, and it resembled a classical Pareto found—the January effect, the small stock effect, and the low P/E efreturns without an increase in volatility at a statistically significant Interest in infinite variance distributions died because their implica-

bases made R/S analysis of capital market data possible. In the previous chapter, we saw evidence that the capital markets were non-Gaussian. In Einally, the arrival of powerful personal computers and extensive data

this chapter, we will test the Fractal Market Hypothesis (FMH), which says that the markets follow a "Stable Paretian" distribution.

### TESTS OF STABILITY

In Chapter 8, monthly data were used to calculate the Hurst exponent (H), so that economic data could be compared to international and domestic capital markets. Monthly data regarded to international series, only most economic time series. For many laternational series, only monthly data are available. However, to test the stability of H, independent segments of time must be used. Because forty years monthly data may not provide an adequate number of observations for a stability test, we turn to daily S&P 500 prices from January 2, 1928 to July 5, 1990, or 15,504 observations. In addition to the number of data items, we must also test how H scales over different frequencies of time. For that test, we




FIGURE 9.1 R/S analysis: S&P 500 daily returns, January 2, 1928-December 31, 1989. Estimated H=0.60. Note the cycle length of 1,000 trading days, or about four years, which we also saw in the monthly analysis in Figure 8.3.

一个人的情况.

Tests of Stability

need a long time series at the highest resolution that can be found. This long daily S&P 500 data series will fill the bill.

The first step is a Hurst analysis for the entire time period of daily data. If the stock market followed a classical Paretian distribution, we should obtain an H value of approximately 0.78, as we did for the monthly data. The results, shown in Figure 9.1, indicate that H came in at a much lower value (0.598) than predicted by the Fractal Hypothesis. The cycle length was, surprisingly, about 1,000 days, or roughly four years' daily trading days. This cycle corresponds to the 48-month cycle using the monthly data. R/S analysis is then performed on six independent contiguous increments of 2,600 days, to test the stability of H over different time periods and different economic conditions. Each 2,600-day incretime tis equal to roughly 10 years' daily data. As graphed in Figure 9.2, the Hurst exponent showed remarkable stability through 20-year periods that had radically different environments: three wars, the Great Depression, the social upheaval of the 1960s, the oil shocks of the 1970s, the leverage boom of the 1980s, and the stock market crashes of 1929, 1978,




FIGURE 9.2 R/S analysis: S&P 500 daily returns by decade. Note that the slopes do not change much from decade to decade.

113

and 1987. The Hurst exponent varied from 0.57 to 0.62 for each of the decades. Interestingly, the four-year cycle is not easily discernible, which suggests that 10 years' data, even if gathered daily, are not enough for a full R/S analysis.

Still, H is lower than it should be, suggesting that there is more mean reversion in daily data than in monthly data. We shall investigate this further below. Regarding stability, however, the Hurst exponent is clearly one of the most stable statistics that can be calculated for the stock market. Mean and standard deviations of returns and element. Fapecially when with the Hurst exponent for each 2,600-day stable statistic. The intervals for this study are not the same as the Turner and Weigel study used in Chapter 3. These are even 2,600-day intervals starting on January 2, 1928. The Turner and Weigel numbers were calculated for calendar decades.

# INVARIANCE UNDER ADDITION CONTROL

一方のではない。 またがあるまないのはなっている

Another property of stable distributions is that, after their adjustment for scale, they should retain their statistical properties if they are added together. For instance, if the series of daily price changes were normally distributed, with a mean (m) and a variance (s<sup>2</sup>), then 10-day price changes should also be normally distributed, with mean 10\*m and variance 10\*s<sup>2</sup>.

If the daily distribution were fractally distributed, then 10-day price changes would have a mean of 10\*m, but the variance would be unstable. The value of H for 10-day returns would be the same as for daily returns. To test this possibility, I created a series of one-day through 80-day

ogarithmic returns, using the daily S&P 500 price series. These are true

Table 9.1 Stability of Statistics

Ţ	0.61	0.57	0.58	0.62	0.59
			s		
tion tion	7	0.1758	; /80	. ee	72
Standard	0.3241	0.17	0.1187	0.1383	0.1772
<i>,</i>		• 1	e P LNA LNA	814	31
	•	<b>4</b>	<b>20</b> -	- •	~ ~
Mean	-0.0598	0.0474	7.72	8	0.1157
\$ T.	T		*	, 0	ु
•			*		×
Approximate  Dates	928-1939	1939-1948	950-1959	968-1979	979-1989
Dag	928-	939	0.0	8	979-
₹	-	7			7
		) } **			호 호
	8	2,601-5,200	3 2	10,401-13,000	3,001-15,600
ncrement	1-2,600	2,5	1-1	-	1-1
5	45	3	, S	₹   <del>\$</del>	ã

Invariance under Addition

and even increments of return. Calendar months are always treated as though they are 1/12 of a year, even though the months have three different lengths of days, among other inconsistencies. For the test, trading-day increments were used. "Holes" from weekends and holidays were ignored and did not count as trading days. First, I checked how mean and variance scaled. The results for mean are in Figure 9.3, and those for variance are in Figure 9.4. Mean scaled almost exactly as predicted by theory; variance was usually higher. Variance was also more erratic than it should have been, which meant that there were some problems with the Gaussian Hypothesis.

Figure 9.5 shows the values of the above analysis for the Hurst exponent (H). Theoretically, H should be the same for all increments. Reality, once again, does not conform to theory. The value of H steadily rises from 0.59 for one-day increments to 0.78 for 30-day increments. Once there, it varies from 0.78 to 0.81 for each increment. This means that the noise in the system is present for periods shorter than 20 days. Somewhere between 20 and 30 days (or roughly one month), the noise is no longer a problem, and




FIGURE 9.3. Stability of the mean return: S&P 500, January 1928-December 1989. Increments from daily to 110-day returns.




FIGURE 9.4 Stability of variance: S&P 500, January 1928–December 1989. Increments from daily to 110-day returns.

H converges to about 0.78, the measure for the calendar month data in Chapter 8. For less than 0.78, there is some noise, which we will attempt to explain later.

The cycle length is surprisingly consistent. It appears to be from 900 to 1100 days, or roughly four years. Figure 9.6 illustrates this for 20-day returns. This four-year cycle is not dependent on the resolution of the data. The "joker" shows up, on average, every four years, whether we are looking at daily or longer-interval data. In other words, what matters is not how many data points we have, but how many cycles the data encompass. This is quite different from a standard statistical analysis, where the number of data points is more important than the length of time being analyzed. Here, four years' daily data, or 1,040 observations, will not give as significant a result as 40 years' monthly data, or 480 observations.

The reason is that the daily data yield only one cycle; the monthly data yield 10 cycles. It is apparent that we must be very careful about the standards that we apply to nonlinear analysis. The standard method of finding many data points only helps the analysis when the observations

Invariance under Addition




FIGURE 9.5 Stability of H: S&P 500, January 1928–December 1989. Increments from daily to 110-day returns.

Are IID. Then, time does not matter; the number of observations does. However, nonlinear systems have a time arrow. Time cannot be reversed, and the length of the time is more important than the resolution of the data. In fact, increasing the resolution often makes the analysis more difficult, without improving the validity of the results.

ifficult, without improving the validity of the results.

We have found two facts to support the Fractal Market Hypothesis:

- sion, is stable for independent periods of time. The four 10-year sion, is stable for independent periods of time. The four 10-year periods produced consistent values of H, an impressive result, considering how much the world has changed in the past 60 years.
- 2. For increments greater than or equal to 30 days, the FMH produced roughly equal values of H, varying between 0.78 and 0.81.

There were some surprises, however. At higher resolution than 30 days, we had lower values of H. The larger the increment, the higher the value, until we reached 30-day increments. Also, memory was found to be finite




FIGURE 9.6 R/S analysis: S&P 500 20-day returns, January 1928–December 1989. Note that the apparent cycle length is 48 20-day increments, or 960 trading days. The cycle length of approximately four years is independent of the resolution of the data.

(four years), regardless of the resolution of the data. I would like to address these two inconsistencies.

A lower value of H would occur if there were more random noise in the data, or if there were more "mean reverting" behavior. That is, daily movements in stock prices are more likely to reverse than price movements in longer time periods. A third explanation is that price changes are not short-term independent, as the fractal model suggests, but contain some Markovian short-term dependence.

Mandelbrot, in a 1963 study of cotton prices, favored the third explanation. He noted that the cotton prices he was studying did not behave exactly as his theory predicted. In particular:

tend to be the result of several fluctuations which "overshoot" the final change. Similarly, the movement of prices in periods of tranquility [seems] to be smoother than predicted by . . . [the fractal] process.

In other words, large price changes tended to be followed by large changes of either sign, but small changes were followed by small changes. Mandelbrot suggested that the individual price changes were not independent, as his original model suggested, but contained a Markovian short-term dependence. The occasional sharp changes predicted by the original model would be replaced by an oscillatory period. Likewise, periods without sharp changes would be smoother. This process might result in a level of H lower than the H level in a less Markovian process. Because Markovian dependence, being short-term, becomes weaker as the increments of time are increased, we would expect H to increase and stabilize. In roughly one month, the Markovian process seems to have dissipated, resulting in a stable H = 0.78.

This Markovian dependence should not be confused with the long-range dependence, or Joseph effect. The Joseph effect lasts forever, though it may not be measurable after a cycle, when initial conditions have become forgotten. Hurst dependence means that today's events change the future forever and cannot be undone. Markovian dependence decays rapidly and may be due to noise.

The second surprise, that the four-year "cycle" is independent of the resolution of the data, has exciting implications for quantitative analysis. First, it means that long-range dependence can and should be measured using monthly data. Some mathematical studies have determined the bias using monthly data. Some mathematical studies have determined the bias that would result from the use of small samples, or short time series. However, in applying this view to time-series analysis, we must remember that fractal distributions are additive. Each increment of time has all the individual transactions embedded in it. Thus, we should never need more observations. What we need are longer time series. That is why a clear cycle length was not apparent for the currency data used in Chapter 8. Seventeen years' data do not contain enough cycles for us to begin to measure cycle length. Because we cannot validly measure U.S. exchange rates prior to 1973, when we went off the gold standard, it may be another decade or two before the cycle length is clearly visible.

The implications for Chaos research are exciting. We will be able to use this information—the four-year cycle and the reduction in noise at 30-day increments—to help with nonlinear dynamic analysis.

Finally, these findings emphasize that we must let go of many of the statistical diagnostics that we have used in the past. Very few of them are valid in a nonlinear framework, where independence is rare and not to be expected.

## HOW STABLE IS VOLATILITY?

We saw that variance does not scale as it should. But that does not mean that volatility itself is unstable. According to the Fractal Market Hypothesis, variance, or its square root, standard deviation, is undefined and therefore does not have a stable mean, or dispersion, of its own. Volatility should be antipersistent.

To check for antipersistence, I performate Artificially is on volatility. For a time series, I used a monthly series of the standard deviation of daily returns, from January 1945 to July 1990, or roughly 45 years. Figure 9.7 shows the log/log plot of the changes in this series. It is highly antipersistent, with H = 0.39. This is one of the few antipersistent series that have been found in economics. If volatility has been up in the last month, it is more likely that it will be down in the next month. Since H is less than 0.50, there is no population mean for this distribution, or the distribution of variance is undefined, with no mean value. There is no population variance, as predicted by the Fractal Market Hypothesis.




FIGURE 9.7 R/S analysis of S&P 500 daily volatility. Estimated H = 0.39. The only antipersistent economic time series yet found.

Summary

119

#### SUMMARY

This chapter has brought together the elements of fractals covered thus far. We have found that most of the capital markets are, indeed, fractal. Fractal time series are characterized as long memory processes. They possess cycles and trends, and are the result of a nonlinear dynamic system, or deterministic chaos. Information is not immediately reflected in prices, as the EMH states, but is instead manifest as a bias in returns. This bias goes forward indefinitely, although the system can lose memory of initial conditions. In the U.S. equity market, the cycle lasts for four years; in the economy, five years. Each increment of time is correlated with all increments that follow it. All six-month periods are correlated with all subsequent six-month periods. All two-year periods are correlated with all subsubsequent two-year periods. Information biases the system, until the economic equivalent of "the joker" arrives to change the bias. This biased random walk seems to be descriptive of many capital markets.

Fractals describe, but do not explain. In Part Three, we will examine nonlinear dynamic theory, to explain why this fractal structure is present.

#### 121

(10.1)

### 10 Fractals and Chaos

universal constant embedded in the system. In addition, a map of its cal model rather than with investment finance and economics. In keeping with the rest of the book, the treatment will be intuitive. Those interested May (1976) studies this equation, and Feigenbaum (1983) found a new possible solutions produces a statistical structure that is easily seen as fractal. For this reason, this chapter will deal mostly with the mathematiin a more mathematical treatment are encouraged to read the papers by May and Feigenbaum, as well as a complete treatment given in the textbut we have not discussed what this means. In this chapter, we will make an intuitive link between the two concepts, which will lead into Part matical model that we discussed in Chapter 1. The Logistic Equation is a simple, one-dimensional model that exhibits a wealth of chaotic behavior, including a transition from orderly to chaotic behavior at an orderly rate. Three. This chapter will deal mostly with the Logistic Equation, a mathe-We have stated that fractals are generated by nonlinear dynamic systems, book by Devaney (1989).

## THE LOGISTIC EQUATION

As seen in Chapter 1, the following equation is the general form of the Logistic Equation:

$$X_{(t+1)} = 4^*a^*x_t^*(1-x_t)$$

where  $0 < x \le 1, 0 < a \le 1$ .

123

The Logistic Equation is a one-dimensional nonlinear feedback system. It is also a difference equation, as opposed to a continuous system, such as is obtained from partial differential equations. It is therefore a discrete system as well. As a difference equation, it lends itself to computer experiments with spreadsheets. One need only copy a formula down, in order to study its behavior.

We can create such a spreadsheet easily, using the following procedure:

- In cell A1, place an initial value for the constant, a, between 0 and 1. Start with 0.50.
- In cell B1, place an initial value for x of 0.10.
  - 3. In cell B2, place the following formula:

4\*\$A\$1\*B1\*(1 - B1).

Note that the value of a in cell A1 is treated as a constant.

4. Copy cell B2 down for at least 100 cells.




FIGURE 10.1 The Logistic Equation: convergence of x(t); a = 0.50.

The Route to Chaos

By plotting column B as a time series, we can study the transition of the system from stability to chaos.

## THE ROUTE TO CHAOS

Viewing the time series with a = 0.50, we can see that, after an initial waviness the system settles down to one stable value (see Figure 10.1). Increasing the value of a to 0.60 results in convergence again, but to a slightly higher value.

Increasing the value of a does not seem that interesting, until we reach a = 0.75. Suddenly, the system does not settle down to one value, but oscillates between two values (see Figure 10.2). This split from one answer to two potential solutions is called a bifurcation.

If we again increase a, to about 0.87 (the actual value is 0.86237...), the system once again loses stability, and four possible solutions appear,





FIGURE 10.2 The Logistic Equation: 0.75 Period 2.

as shown in Figure 10.3. As we continue to increase the value of a, the system continues to lose stability. Critical values of a come closer and closer together. At a = 0.886, we obtain eight solutions. At a = 0.8911, there are 16 solutions; at a = 0.8922, 32 solutions; at 0.892405, 64 solutions. This increase continues until a is approximately equal to 0.90 (actually 0.892486418). At that point, something amazing happens.

At a = 0.90, the system loses all stability. The number of solutions is infinite. Looking at the resulting time series in Figure 10.4, we see chaos. The series looks random, and if a statistical analysis were run on the system, it would qualify as random. In fact, the Logistic Equation has been used as a random number generator.

An example of a physical system that behaves like the Logistic Equation is a public address system. If a microphone is placed next to a speaker system set at low volume, we can hear a low hum. If the speaker volume is turned up, the system will suddenly alternate between two



**FIGURE 10.3** The Logistic Equation: convergence of x(t); a = 0.87. This graph has Period 4 behavior, or four possible final values.

**FIGURE 10.4** The Logistic Equation: convergence of x(t); a=0.90. This graph illustrates chaotic behavior, or an infinite number of possible values.

tones. Continuing to increase the volume results in more bifurcations, until, at a critical level, we have uncontrolled feedback, the audio equivalent of chaos.

This simple equation has given us very complicated behavior. What is more, from a simple deterministic equation, we now have chaos. Let's examine the equation more closely.

#### **BIRTH AND DEATH**

The Logistic Equation was originally developed to model population dynamics in ecology. In the system, there will be a birth rate and a death rate. A nonlinear growth rate model would be a simple nonlinear equation:

$$\mathbf{x_{t+1}} = \mathbf{a^*x_t} \tag{10.2}$$

In this system, the population grows indefinitely, and in an uncontrolled fashion, at the rate of a\*x. The more the population grows, the fewer resources are available to sustain it. The system needs a death rate. The Logistic Equation adds a death rate tied to a\*x². By subtracting this value from equation (10.2), we obtain the Logistic Equation (10.1). The Logistic Equation expands at a\*x but contracts or folds into itself at a\*x². As the constant (a) expands, the nonlinear feedback mechanism causes the population to have more than one possible methanism causes the population to have more than one possible methanism causes the population approaches the lower population with resources become available to increase the population up to the larger potential population size. This interaction becomes more complex as the value of a is increased.

## DISORDER AT AN ORDERLY RATE

We noted above that the critical points where the bifurcations occur come closer and closer together as the value of a is increased. Feigenbaum (1982) has shown that this occurs at a predetermined rate. Therefore, the system proceeds from order to disorder at an orderly rate. Feigenbaum conjectured, and Lanford (1982) proved, that this rate is a constant and is universal for all parabolic nonlinear systems. Its constancy allows us to predict when the next critical level of a is going to arrive. We can then classify different chaotic functions.

Feigenbaum found the following, as b, the values of a that cause bifurcation, get larger.

$$(\mathbf{b_a + b_a + 1}) = 4.669201609$$

The value 4.6692 . . . is usually called Feigenbaum's number and is labeled F. F is a new universal constant, like x and every

ARROTATION OF THE

# THE PRACTAL NATURE OF THE LOGISTIC EQUATION

The state of the state of

THE THE PARTY AND THE PARTY OF THE PARTY OF


Formally, there has been no mathematical link between chaotic systems and fractals. However, we can easily observe the link by plotting the

possible solutions to chaotic systems. Even a one-dimensional system

possible solutions to chaotic systems. Even a constitution like the Logistic Equation can be observed to be fractal.

Figure 10.5 is a bifurcation diagram for the Logistic Equation. It plots potential values of x versus the associated values of the constant (a).

(A BASIC program for producing this diagram is given in Appendix 1.) In Figure 10.5, we can see that, although the system is considered chaotic, there is order in its possible solutions. At low levels of a are the



**FIGURE 10.5** The Logistic Equation: bifurcation diagram; 0.75 < a < 1.00.

Figure 10.6 is a higher resolution graph that begins at a = 0.895. At this level of detail, we can see that the chaotic region is not just an area filled with points. There are "mountain ridges" that hang down like veils. At




FIGURE 10.6 The Logistic Equation: bifurcation diagram, chaotic region; 0.895 x a x 1.000.

these ridges, there are more points, so the probabilities increase at those areas. There are also white bands, where order seems to come once again to the system. These bands show that, at certain areas of the chaotic region (a < 0.90), order reasserts itself.

These bands are of interest because they are illustrations of the fractal nature of the system. Figure 10.7 is a blow-up of the wide band region




FIGURE 10.7 The Logistic Equation: bifurcation diagram, semistable window: 0.955 ≤ a ≤ 0.965.

130 Fractals and Chaos

where 0.955 < a < 0.966. In the orderly region, we can see miniature versions of the larger bifurcation diagram. If we were to blow these up, we would again find smaller versions, and so on indefinitely. The small pieces are related to the whole, which ties in with our definition of fractals in Chapter 5.

The bifurcation diagram is the set of possible solutions in the equation. Statistically, in the chaotic region, all of the points are not equally likely to occur. The dark streaks, and the steadily widening potential solutions, show how the nature of the probabilities changes as the values of a are increased. Once again, at each value of a in the chaotic region, we have infinite solutions contained in a finite space, as in the Chaos Game. We can now conjecture that the fractal statistical structure for the capital markets that we have examined in Part Two is caused by nonlinear dynamic systems. We turn now to the study of those types of systems.

#### SUMMARY

I have attempted to draw an intuitive link between the world of fractals and the area of nonlinear dynamic systems. Higher-dimensional chaotic systems, which we will discuss in Part Three, share many similarities with the Logistic Equation; like the Logistic Equation, they are also related to fractals.

# PART THREE NONLINEAR DYNAMICS

#### ~

## Introduction to Nonlinear Dynamic Systems

they do not explain. In Part Two, we examined the results of fractal statistics and postulated reasons for their existence. In Part Three, we will search for clues to the true nature of the capital markets and what determines price changes. To do this, we will use the mathematics of nonlinear dynamic systems, commonly called chaos theory. This research has a much shorter history than fractal analysis, particularly when applied to economics. It is hoped that the methods shown here, combined with research already completed, will lead to new models of the capital markets.

The statement that chaos theory has a short history is not completely true. Chaos theory dates from the work of Henri Poincaré, in the late 19th true. Chaos theory dates from the work of Henri Poincaré, in the late 19th century. Economics and investment analysis have only recently begun to pay attention to chaos theory. The implications of chaos make the techniques controversial. In essence, a chaotic system can produce randomlooking results that are not truly random. Long-term forecasting is looking results that markets are not efficient, but they are not right. Chaos theory says that markets are not efficient, but they are not forecastable. Their status is similar to the "tromboon" of Peter Schickele, for his alter ego, P.D.Q. Bach. The tromboon is a trombone with a bassoon mouthpiece. As a composite of the bassoon and trombone, it manages to combine all the disadvantages of both instruments.

On closer examination, the picture is not that bleak. For one thing, knowing the truth, even if it makes life complicated, is better than hiding behind a convenient, but untrue, story. In addition, people are clever. Throughout history, we have been able to simplify complex problems enough to make them useful. Eventually, that resolution will come to chaos and the capital markets. As we said in Chapter 1, chaos theory recognizes that life is complicated and that there are many possibilities. We should not give up in the face of complexity, and chaos and complexity go hand in hand.

In this chapter, we will discuss the basics of nonlinear dynamic systems as they apply to systems with known equations. This is a necessary preliminary to introducing the analysis of real systems in Chapter 12. In real life, we end up knowing very little. In this chapter, we will learn the concepts necessary to understand dynamic systems. In Chapter 12, we will apply these concepts to time series, and, in Chapter 13, discuss actual analysis of capital market time series.

## DYNAMICAL SYSTEMS DEFINED

The study of nonlinear dynamic systems and of theories of complexity is the study of turbulence. More precisely, it is the study of the transition from stability to turbulence. This transition is all around us. We see it in a stream of cigarette smoke that breaks up in whirls of smoke and dissipates. It occurs when we put cream in our coffee. It happens when we boil water to make spaghetti. Yet, this common event of transition from a stable state to a turbulent state cannot be modeled by standard Newtonian physics. Newtonian physics can predict where Mars will be three centuries from now, but cannot predict the weather the day after tomorrow. How can this be?

Newtonian physics is based on linear relationships between variables.

- For every cause, there is a direct effect.
- All systems seek an equilibrium where the system is at rest.
- Nature is orderly.

The clock is the supreme symbol of Newtonian physics. The parts integrate precisely and in perfect harmony toward a predictable outcome. Newtonian physics was the ultimate achievement of the 18th-century "Age

of Reason," the "classical" period in the arts, the era of Mozart and Haydn. Symmetry and balance defined the art, music, architecture, and science of the Age of Reason.

Newton gave us enormous knowledge. His physics and the calculus he developed to prove it remain one of humankind's ultimate achievements. Through mathematics, we were finally able to understand how nature acted on bodies in motion, and how these bodies interacted.

There were limits, however. Newtonian physics could explain how two bodies interacted, but it could not predict the interaction of three bodies. A vestige of this shortcoming is revealed when we send space probes to other planets. When the probe is launched, scientists set a trajectory for the probe to intercept its destination. If the target is the planet Mars, for example, they do not send the probe to where Mars is, but to where Mars will be, as predicted by astronomers using Newtonian physics. Along the way, a series of "midcourse corrections" is made. Why? If Newtonian physics worked perfectly, there would be no need for corrections, except to adjust for human error in the original calculations. But corrections are necessary, because Newtonian physics cannot predict with complete accuracy for more than two bodies, and the solar system is a many-bodied place.

The three-body problem occupied scientists for much of the 19th century. Finally, Poincaré said that the problem could not be solved for a single solution, because of the nonlinearities inherent in the system. Poincaré explained why these nonlinearities were important:

A very small cause which escapes our notice determines a considerable effect that we cannot fail to see, and then we say that the effect is due to chance it may happen that small differences in the initial conditions produce very great ones in the final phenomena. A small error in the former will produce an enormous error in the latter. Prediction becomes impossible

This effect is now referred to as "sensitive dependence on initial conditions" and has become the important characteristic of dynamical systems.

A dynamical system is inherently unpredictable in the long term.

The unpredictability occurs for two reasons. Dynamical systems are feedback systems. What comes out goes back in again, is transformed, and comes back out, endlessly. Feedback systems are much like compounding interest, except the transformation is exponential; it has a power higher than 1. Any differences in initial values will grow exponentially as well. We will see some examples later.

A second characteristic of complex systems involves the concept of critical levels. A classic example is "the straw that breaks the camel's back." When weight is added to the burden a camel is to carry, eventually a point is reached where the camel cannot handle any more weight. A straw placed on the camel's back will cause the camel to collapse. The camel's sudden collapse is a nonlinear reaction because there is no direct relationship between the camel's collapse and that particular straw. The cumulative effect of all the weight finally menessed the camel's ability to stand (the camel's critical level) and caused the collapse.

In a draftless room, a column of smoke will rise from a cigarette and suddenly break into swirls and dissipate. What happens? The smoke rises and accelerates. Once its velocity passes a critical level, the smoke column The stream of cigarette smoke described earlier also has a critical level. can no longer overcome the density of air, and the column breaks up.

A dynamical system is a nonlinear feedback system. Crucial elements of chaotic dynamical systems include sensitive dependence on initial conditions, critical levels, and an old friend from Part Two, fractal dimensions. An important part of understanding nonlinear dynamic systems comes from looking at them. In chaos research, visual inspection becomes important, as we have already found in fractal analysis.

#### PHASE SPACE

are many possibilities. This characteristic has made nonlinear systems tems, because, typically, these problems have no single solution. There are usually multiple—and perhaps infinite—solutions. As in real life, there bilities available through personal computers, we can look at the numerous tions contained in a finite space. The system is attracted to a region of Visual inspection of data becomes important in nonlinear dynamic syssomething to be avoided in the past. Now, with the extensive graphics capapossible solutions. Many chaotic systems have an infinite number of soluspace, and the set of possible solutions often has a fractal dimension. (The similarity to Barnsley's Chaos Game, in Chapter 5, is entirely intentional.)

We simply plot them together on a coordinate system. If there are two cartesian graph. We plot the value of each variable versus the other at the same instant in time. This is called the phase portrait of the system, and it Looking at the data is easy, if we know all the variables in the system. variables, we plot one variable as x, and the other as y, on a standard s plotted in phase space. The dimensionality of the phase space depends

Phase Space

137

involved, we can visually inspect the data. If more than three dimensions are present, we inspect the data mathematically. The latter method is on the number of variables in the system. If two or three variables are harder to relate to, but possible nonetheless.

Three basic classes of nonlinear systems are important to us. Each has its own type of "attractor" (a region where its solutions lie) in phase space.

pendulum has stopped. This is shown in Figure 11.1(b). If the phase space of the system is plotted as position versus velocity, we get a spiraling line that ends at the origin, where the pendulum has stopped (see Figure 11.1(a)). If we give the pendulum more initial energy, the times series and the phase space will show larger initial amplitude, but will again end at tion is plotted as a time series, the wavy line that results gradually drops in amplitude until it reaches zero and becomes a horizontal line. The variables for the pendulum are velocity and position. If velocity or posi-The simplest type is a point attractor. A pendulum damped by gravity is an example of a point attractor. When a pendulum is given initial energy, it swings back and forth, but each swing becomes shorter and slower, from the effects of gravity, until the pendulum stops. The relevant




FIGURE 11.1a Point attractor. Phase portrait.




FIGURE 11.1b Point attractor. Time series.

zero for the time series and at the origin for the phase space. In the phase space, we can say that the system is "attracted" to the origin. No matter where one initializes the system, it ends up at the origin. The origin is the equilibrium state of the system.

Suppose the pendulum is not damped by gravity. Instead, we give it a kick of energy of exactly the same magnitude at exactly the same point in its swing. In Newtonian physics, this attractor is signified by a penduum undamped by friction or gravity. The time series of velocity or position would now be a sine wave, as shown in Figure 11.2(a). The phase portrait would be a closed circle, as shown in Figure 11.2(b). The radius of the circle would depend on the size of the "kick" we give the penduum, but it would still be a closed circle. This type of attractor, called a imit cycle, is a system of regular periodicity, as would be expected from a pendulum powered from the outside.

systems (point attractors), or as varying around equilibrium in a periodic Classic econometrics tends to view economic systems as equilibrium Economic time series appear to be characterized by nonperiodic cycles fashion (a limit cycle). Empirical evidence has not supported either view.

139 Phase Space




FIGURE 11.2a Limit cycle attractor. Time series

cycles that have no characteristic length or time scale). Nonperiodic cycles tend to appear in nonlinear dynamic systems.

at regular intervals, its phase portrait will be different for each cycle. The ergy will now vary, based on the magnitude of the previous kick, even though the magnitude of each kick is itself unrelated. Because we give the kick of random magnitude at the same time interval, the position and velocity of the pendulum will be different each time. If the pendulum is given a large kick the first time, it may already be headed downward when the second kick comes. If the second kick is small, the pendulum Even though we are still dealing with a pendulum given kicks of energy cycle, from peak to peak of the swing, is an orbit. Because the pendulum will not be able to complete a cycle, its phase portrait will consist of orbits that are never the same and never periodic. The phase portrait will look random and chaotic, but it will be limited to a certain range (the but the time between "kicks" remains the same. The impact of the enmay be headed up when the third kick comes, which may slow it further. This brings us to the final type of attractor, a chaotic or "strange" attractor. Suppose we randomly vary the energy we give the pendulum.

FIGURE 11.2b Limit cycle attractor. Phase portrait.

ter description than "strange," but the name has not caught on. The wise, though the size and time of the orbits will vary. This is a chaotic or "strange" attractor. Because chaotic attractors also have a fractal dimension (as we will see), Mandelbrot calls them "fractal attractors"—a betstrange attractor encompasses all possibilities. Equilibrium becomes a region of phase space, a confined region with an infinite number of solutions. As with the Sierpinski triangle and the Koch snowflake, we maximum amplitude of the pendulum), and it will always rotate clockhave an infinite number of solutions in a finite space.

systems where the equations are known, constructing a phase space is simple. For systems where the underlying system is not known but the The phase space gives us a picture of the possibilities in the system. For effects can be observed, a phase space can be reconstructed. (We reserve that discussion for Chapter 12.) In the next section, we will study lowdimensional systems with known equations. They will allow us to examine the characteristics of these types of equations before tackling time-serics analysis.

The Henon Map

### THE HENON MAP

The attractor of Henon (1976) is a good example of a two-dimensional iterative map. The equation itself is simple:

$$x_{(t+1)} = 1 + y_t - a^* x_t^2$$

$$y_{(t+1)} = b^* x_t$$
(11.

structure is definitely not random. As in the Chaos Game, the points are plotted in a seemingly random way. The order is different, depending on When a = +1.40 and b = 0.30, we achieve chaotic motion. Figure 11.3 apparent in both series. The phase space is shown in Figure 11.4. The shows the values of x and y as time series. Note the erratic movement the initial point, but the result is always the same: the Henon attractor.

This system has two degrees of freedom: x and y. Each value of x is tied Thus, each value is dependent on the previous value. The time series of to the previous values of x and y, and y is related to the previous value of x.




FIGURE 11.3 Henon attractor; time series of X and Y.




FIGURE 11.4 Henon attractor: phase portrait; a = -1.4, b = 0.3.

ally. With any spreadsheet package, difference equations are easy to study in one or two dimensions. Here's how to do it: initial value is used (or what time series is generated), the phase space values is dependent on the initial value used. However, no matter what always looks the same. The reader is encouraged to examine this person-

- In cells A1 and B1, place initial values of x and y between 0 and 1.
  - In cell A2, place the following equation:
- 1+B1+1,4\*A12

THEFT

- In cell B2, place this equation: 0.3\*A1;
- Copy A2 and B2 down 300 rows or more (the more the better).
- Do an xy plot, using symbols only (no lines), with column A as x and column B as y.

You will now see the Henon map. Change the initial values of x and y in cells A1 and B1. Note that all the values have changed. View the graph again. It looks exactly the same. No matter what initial values (or

The Henon Map

143

tem is attracted to this shape. The shape is the strange attractor of the "initial conditions") you choose, the graph is always the same. The syssystem

column D through time, as a "line"-type graph. Figure 11.5 shows how they start out close to one another but rapidly diverge. This is sensitive although they differ by only 0.01, will diverge in time as the 0.01 is squared with each iteration and fed back directly into the next value of x, and Create a second Henon system in columns D and E, using initial values 0.01 different from the first set (columns A and B). Plot column A and dependence on initial conditions. The values diverge because x, is squared in the x equation. Thus, the initial values of x used in cells A1 and D1, indirectly into the value of y two iterations further down.

detail; increased enlargements reveal greater detail. The map is fractal, as dimension is 1.26. It is more than a line, and less than a plane, like a time If we blow up a portion of the Henon map (or attractor), we see more most chaotic attractors are. Using the box-counting method, its fractal series of stock returns.




FIGURE 11.5 Henon attractor: sensitive dependence on initial conditions.

When the equations are known, we can do numerical experiments like wish to forecast x, 30 iterations into the future. Our estimate of current conditions is off by 0.01, because our display terminal only prints to one decimal place. Figure 11.5 shows how wrong a forecast can be, if an estimate of current conditions is slightly wrong. The effect on the accuracy of the forecast could be substantial. In Figure 11.5, the initial values tion, as a result of this 10 percent error in specifying x, our forecast is the one just completed with the second column of numbers. Suppose we of x and y are really 0.11, 0.10, instead of 0.10, 0.10. By the 30th itera--0.17 when the actual value is 0.45. A small error in measuring current conditions becomes a large forecasting error. (Save this spreadsheet for

the motion in a nonlinear system, by empirically testing the system. To a matical experiment is not something a pure mathematician would even Numerical experiments, like the ones we have been doing with the Henon equation, are very enlightening. They give us an intuitive feel for pure mathematician, however, they prove nothing. This type of matheapprove of. Only when a problem is proven for the general case is it truly solved, to a mathematician.

require a mathematical proof, numerical experiments offer a "hands-on" Many nonlinear systems have been proven in the classical sense (like the existence of Feigenbaum's number in Chapter 10), but many others have not. Henon's map is still "awaiting proof." For practitioners who do not way of understanding nonlinear systems and achieving the intuitive feel necessary to make chaos useful. I encourage experimentation. For chaos, the computer becomes a laboratory. Experiment with different attractors. Change parameters and examine the results. Devise your own attractors. Computers offer the ability to see what Poincaré could only imagine.

## THE LOGISTIC DELAY EQUATION

Henon's map offers a two-dimensional system that lends itself to spreadsheets. Another map that exhibits a different behavior is the Logistic Delay Equation:

$$x_{t} = a^{+}x_{(t-1)}^{+}(1-x_{(t-2)}) \tag{11}.$$

where x, - a variable

a - a constant

The Control Parameter

145

In the Logistic Delay Equation, the current value of x depends on the two The Logistic Delay Equation is interesting because it exhibits a behavior previous values of x; in the Logistic Equation, it depends only on x in the called a Hopf bifurcation, a change from a point attractor to a limit cycle. previous period.

Create a spreadsheet similar to the one used for the Henon attractor:

- In cell A1, place the value of the constant, a. Start with 1.50.
  - In cells B1 and B2, place the initial value of x, 0.10.
    - In cell B3, place the following equation:

\$A\$1\*B2\*(1-B1).

- Copy cell B3 down 300 or more times.
- In cell C1, insert "+B2" (the value in B2) so that the C column is the B column lagged one observation. Copy this down so that it is the same length as B.
  - Do an xy plot, with column B as x and column C as y. Use a line plot this time, rather than symbols. Ġ

When you observe the graph, you will see the value spiral into a final value. This is a classic point attractor. If you increase the constant (a) in cell A1, the spiral becomes wider and wider. When it passes the critical value 2.58, the plot becomes the shape of a closed egg. The attractor is now a limit cycle. This transition is the Hopf bifurcation

## THE CONTROL PARAMETER

physical sciences, researchers can perform such controlled experiments. If laboratory. In economics and investment finance, we are unable to hold a The Logistic Delay Equation is important because it shows how the behavor of a nonlinear dynamic system varies because of its control parameter. the constant a. In our computer experiments, we held the value of the control parameter constant while we examined the system's behavior. In the the control parameter is the equivalent of temperature, then the temperature is held constant while the behavior of the system is observed in the control parameter constant and perform a controlled experiment. If the ratio of advancing to declining value is the "heat" that drives the stock market, we are unable to run an experiment and observe behavior at different levels. We can only examine historical data where the control parameter

can vary from moment to moment. Therefore, in examining time-series data in economics and investments, we must realize that the data may contain all possible states jumbled together: point attractors, limit cycles, and strange attractors.

## LYAPUNOV EXPONENTS

tive dependence on initial conditions." There are two ways of viewing this concept. In the first view, the concept describes difficulty in specifying the problem. The model builder knows the proper equations of motion, but the of the inputs. The further out in time we go, the less accurate our forecasts We have said that an important characteristic of chaotic systems is "sensiaccuracy of the predictions generated by the model depends on the quality become. This classic modelers' problem is made real by the nature of nonlinear systems, which amplify errors. This is a "forward looking" interpretation of sensitive dependence on initial conditions.

The second view is that the system itself generates randomness through a mixing process, and, after a certain point, all knowledge of initial conditions becomes lost. This interpretation is "backward looking." Where we are is dependent on where we have been. The evolutionary process may be so complex, however, as amplified by the nonlinearities, that we cannot retrace out steps and "unmix" the system. A common metaphor for this type of behavior is a taffy-pulling machine, which consists of two mechanical arms that work in a circular motion in a bowl, pulling the taffy and folding it back on itself. Suppose the machine is working, pulling taffy, and a drop of dye is dropped at a random spot in the taffy. The dye would be stretched and folded until elaborate striations appeared in the taffy. However, because of the sensitive dependence on initial conditions, we could never unmix the taffy so that we could return to the initial drop of dye.

We can never unwind a system with enough precision to find out where we This is a historian's view of sensitive dependence on initial conditions. have come from. These two views can be combined into a continuum. Where we are is dependent on where we have been, and how accurately we forecast the future depends on how much we understand about where we are. One event can influence the future indefinitely, even though the system may remember the event for only a finite length of time.

147 Lyapunov Exponents The susceptibility of a system to sensitive dependence on initial conditions can be measured by numbers called Lyapunov exponents, which measure how quickly nearby orbits diverge in phase space. There is one Lyapunov exponent for each dimension in phase space.

to a steady rhythm with a new amplitude. In phase space, the pendulum's The negative Lyapunov exponent measures the number of orbits, or the amount of time, it takes for the phase plot to return to its attractor, which orbit is characterized by a closed circle, or limit cycle. If we were to plot the action when the table is bumped, we would see some orbits swing wildly away from the limit cycle, before, settling into a new limit cycle. negative Lyapunov exponent measures contraction-how long it takes for a system to reestablish itself after it has been perturbed. Imagine an undamped pendulum placed on a table and swinging in regular motion. Someone bumps the table and causes the pendulum to lose its rhythm. However, if there is no other disturbance, the pendulum will settle back A positive Lyapunov exponent measures stretching in phase space; that is, it measures how rapidly nearby points diverge from one another. A in this case is a limit cycle.

Lyapunov exponents offer a way to classify attractors. Point attractors always converge to a fixed point. Therefore, a three-dimensional point attractor is characterized by three negative Lyapunov exponents (-, -, -). All three dimensions contract into the fixed point.

Three-dimensional limit cycles have two negative exponents and one exponent equal to zero (0, -, -). Limit cycles have two dimensions that converge into one another and one in which no change in the relative position of the points occurs. This causes the closed orbits.

a strange attractor, equilibrium is defined by how far values can diverge before they are brought back into a reasonable range. One possible explashows sensitive dependence on initial conditions, or the tendency for small changes in initial conditions to change forecasts. The negative exponent causes the diverging points to remain within the range of the attractor. For nation for a strange attractor for the capital markets, for instance, is that stretching is caused by sentiment or technical factors, but fundamental Finally, three-dimensional strange attractors have one positive exponent, one negative, and one equal to zero (+, 0, -). The positive exponent value brings the prices back into a reasonable range.

In phase space, we measure Lyapunov exponents by measuring how the phase space, and a sphere of nearby points representing slightly different volume of a sphere changes over time. If we start with a three-dimensional

initial conditions, the sphere will, after time, become an ellipsoid. After a represent someone's small intestine. The exponential growth rate of the long enough time, it will be stretched and folded so much that it could volume of the sphere is a measure of the Lyapunov exponent. The formal equation for the ith Lyapunov exponent (L<sub>1</sub>) for the ith dimension (p<sub>i</sub>(t)) is:

L1 = Lim(1/t)log<sub>2</sub> 
$$\left(\frac{\mathbf{p}_i(t)}{\mathbf{p}_i(0)}\right)$$
 (11.3)

The linear part of the sphere grows at the rate 2<sup>Lt</sup>. The area of the first sphere grows at  $2^{(L_1+L_2+L_3)}$ . Higher than three dimensions, the expression two dimensions grows at 2<sup>(L<sub>1</sub>+L<sub>2</sub>)\*</sup>. The volume of the three-dimensional of growth continues on in the same way.

Wolf, et al. (1985) published a FORTRAN program for calculating a full spectrum of Lyapunov exponents when the equations of motion are known. Using this program, the Henon attractor is found to have Lyapunov exponents equal to (0.42, -1.6) bits per iteration when a = -1.4 and b = 0.30.

These results mean that we lose 0.42 bit of predictive power with each iteration. Therefore, if we could measure current conditions to 2 bits of accuracy, we would lose all predictive power 4.8 iterations (4.8 = 2/0.42) into the future.

What do we mean by "bits" of information? Lyapunov exponents was bits. Because they are binary, equation (11.3) uses log2, not log, or "nats." Information theory measured the effectiveness of computers. Because most computers are digital computers, their data are stored in binary format (zeros and ones) and recorded in base two. These binary digits are called Shannon developed a communication theory to measure the uncertainty that a message will be correctly received. He used the thermodynamic originally created for the information theory developed by Shannon (1963). concept of entropy, and measured entropy in bits. Therefore, the more bits of information coming into the system, the higher the entropy, or uncertainty, of the system. Rather than uncertainty, I like to describe entropy using forecasting ability, which is more relevant to capital market analysis.

"Bits of accuracy" measure how much we know about current conditions. Suppose the largest positive Lyapunov exponent were 0.05 bit per day (in a time series, we use bits per day or month rather than bits per iteration or orbit). This means that we lose 0.05 bit of predictive power every day

Lyapunov Exponents

49

would have 0 percent accuracy forecasting returns 20 days into the future. From another viewpoint, the impact of that one bit of information dissigoing forward. Therefore, if we can measure current conditions to one bit of precision, that information becomes useless after 1/0.05, or 20 days. If we knew exactly what today's stock market return was going to be, we still pates after 20 days, and the system no longer remembers it.

casts are for what future time period. We can only measure reliability for a system for which we know the equations of motion. In real life, we never know all of the variables involved with certainty, let alone the equations Knowing the largest Lyapunov exponents tells us how reliable our foreof motion.

tion and analysis to a time series. In Chapter 13, we can apply this analy-In the next chapter, we will apply the concepts of phase space construcsis to some capital market time series.

### 12 Dynamical Analysis of Time Series

 The techniques outlined in Chapter 11 are useful when the equations of motion are known. However, in real life, we rarely know all the relevant variables in a system, let alone the equations of motion. We can postulate models and use the analysis of Chapter 11 to study effects, but most of those data are generated using the equations. The techniques for known equations are not very useful in determining whether a real system is truly chaotic, or nonlinear. They are, however, a starting point.

The analyses for systems of known equations are pure mathematical The analyses for systems are run without the noisy interference of real life, we can learn about feedbacks, critical levels, and bifurcations. Among the creations of the science of chaos, they are the closest match to the pure forms so dear to the ancient Greeks.

Empirical analysis is never clean. It remains messy. The clean, orderly. Empirical analysis is never clean. It remains messy. The clean, orderly. strange attractors of theory rarely show up in real life. However, we can still determine whether a system is a nonlinear dynamic system. If we find that this is the case, we can develop models of known equations to study relationships. Proving a system to be nonlinear is not easy, but it is possible. It requires patience and the willingness to try any idea, no matter how

Empirical work requires numerical experiments. Reality rarely conforms to theory

## RECONSTRUCTING A PHASE SPACE

In Chapter 11, the phase space of the system was the starting point for all measurement. To construct the true phase space, we needed to know all of the variables relevant to the system. In real life, we usually begin with one known dynamical variable.

Packard et al. (1980) outline a simple method developed by David Ruelle for reconstructing a phase space from one dynamical variable. The method fills the other dimensions with lagged versions of one observable. Suppose time series A in Table 12.1 is an original time series. Time series B is A lagged one period, and time series C is A lagged two periods.

Why does this work? Packard et al. give a mathematical explanation; I will give an intuitive one. Nonlinear dynamic systems are interdependent simultaneous systems. Current values of each variable are transformations of past values. Recall Equation (11.1) for the Henon map:

$$X_{t+1}=1+Y_t-a^*X_t^2$$

 $Y_{t+1} - b^* X_t$ 

Both X<sub>1,1</sub> and Y<sub>1,1</sub> contain the previous value of X and Y. The exponent makes the system nonlinear, but the simultaneous nature of the equation makes it dynamic.

(If you erased it, see page 142 for how to recreate it.) In column C, place values of X lagged one iteration (in cell C1, place the value of cell A2), and copy these down to the bottom of column A. The values in columns B and Cwill be different. In the xy plot of the Henon attractor, replace column B Examine the spreadsheet created in Chapter 11 for the Henon attractor. with column C as the y values of the scatterplot. View the graph.

Table 12.1 Phase Space Reconstruction with Logged Values

O	14	21	7	•	•	•
8	5	14	21	•	•	•
<b>Y</b>	10	5	4	•	•	•

Reconstructing a Phase Space

giving you equation (11.1) or telling you that it was the Henon map, you still could have produced a map of the Henon attractor. Ruelle has proven mathematically that this reconstructed phase space has the same fractal dimension and spectrum of Lyapunov exponents as the "true" phase space of two variables. The reconstructed phase space can be calculated with just As Figure 12.1 shows, the result is a duplicate of the Henon map, rotated 90 degrees. If someone had given you the column A values only, without one observable, and no equations of motion.

tion, is much more limiting. How do we know how many dimensions to We must perform experiments to fix the data and reconstruct the phase the equations of motion. Having a single observable, and no other informa-We knew the Henon attractor was two-dimensional, because we knew use? We don't. How do we know what the appropriate time lag is? We don't.

dimensional space is still a two-dimensional object. A line plotted in a First, the dimensionality of the attractor does not change, as long as we embed it in a dimension higher than its own. A plane plotted in a three-




FIGURE 12.1 Henon attractor: reconstructed phase portrait using X value only, lagged one iteration.

two- or three-dimensional space is still one-dimensional. An attractor, if it is truly a nonlinear dynamic system, will retain its dimension as we increase the embedding dimension beyond the fractal dimension. Why? Because the points are correlated and remain clumped together no matter what the dimensionality. In a true random walk, the points are uncorrelated and fill up whatever space they are place in, because they move around at random.

Think of a random time series as a gas, and a correlated series as a solid. A gas placed in a larger space spreads itself out until it fills the larger volume. In a gas, the individual molecules are not correlated; they simply fly apart if placed in a larger space. The position of a solid's molecules are fixed, or correlated; its volume does not change. In a similar manner, a random time series fills its embedding dimension because its points are uncorrelated. A series of long-run correlations will bind together like a solid and retain its shape no matter what dimension it is placed in, as long as the embedding dimension is higher than the series dimension.

As long as we reconstruct the attractor in a dimension higher than the dimension of the "true" attractor, dimensionality is not a problem.

The appropriate time lag turns out to be a relatively simple problem as well. Wolf et al. (1985) have determined that a good estimate comes from the relation:

$$m^*t = Q$$
 (12.1)

where m = embedding dimension

t = time lag

Q - mean orbital period

The time lag is the ratio of the mean orbital period and the embedding dimension, or the percent of an orbit within each dimension. This ratio ensures that the orbital period does not change in the higher dimension. For instance, if the period is 48 iterations, 2-points-lagged 24 iterations would be used in a two-dimensional space, and 3-points-lagged 16 observations would be used in a three-dimensional space. Either way, once all dimensions have been crossed in the reconstructed phase space, one orbit of 48 months has been used for the analysis.

The next question is: How do we know what the mean orbital period is? Rescaled range (R/S) analysis has already shown us, in Part Two, how to estimate the period of a time series as the length of time until observations

The Fractal Dimension

become uncorrelated. If the mean orbital period is not readily apparent using R/S analysis, we probably do not have enough data.

Reconstructing a phase space becomes relatively easy. It is important to remember, however, that the above rule is a rule of thumb, not a law. In the experiments, variations of the rule can be tried, to see what works. Using this reconstructed phase space, we can calculate the fractal dimension and measure sensitive dependence on initial conditions.

## THE FRACTAL DIMENSION

The fractal dimension of the phase space is a little different from the fractal dimension of a time series. A time series will have a dimension between 1 and 2, because we are dealing with a single variable. The phase space includes all of the variables in the system. Its dimensionality is dependent on the complexity of the system being studied.

As we stated in Chapter 6, the fractal dimension gives us important information about the underlying system. The next higher integer to the fractal dimension tells us the minimum number of dynamical variables we need, in order to model the dynamics of the system. It places a lower bound on the number of possible degrees of freedom. We also stated that the fractal dimension (D) could be approximated by covering the fractal with circles and taking the following measure:

$$D = \frac{\log N}{\log(1/R)}$$

where N = number of circles of diameter R R = diameter

This measure worked for a fractal embedded in two-dimensional space, like the Koch snowflake. For a higher-dimensional attractor, we need to use hyperspheres of dimensionality 3 or higher.

A similar, more practical method developed by Grassberger and Procaccia (1983) is the correlation dimension, an approximation of the fractal dimension that uses the correlation integral Cm(R). The correlation integral is the probability that a pair of points in the attractor is within a distance R of one another.

we reconstruct our time series as a phase space, starting with a low embedding dimension of m = 2, as outlined in the previous section. Then, We count the number of pairs of points in the following manner. First, starting with a small distance R, we calculate the correlation integral C<sub>m</sub>(R) for this distance, according to the following equation:

$$C_m(R) = (1/N^2)^* \sum_{\substack{i,j=1\\ i \text{ of equal to } j}} Z(R - |X_i - X_j|)$$
 (12.2)

where Z(x) = 1 if  $R - |X_i - X_j| > 0$ ; 0 otherwise

N - number of observations

R - distance

C<sub>m</sub> - correlation integral for dimension m

Z(x) is called a Heaviside Function because it is valued at 0 if the distance between the two points, Xi and Xi, is less than R, and at 1 if the distance is greater. The correlation integral is the probability that two points chosen at random are less than R units apart. If we increase the value of R, C<sub>m</sub> should increase at the rate of R<sup>D</sup>. This gives the following relation:

$$C_m - R^D$$

ö

$$log(C_m) - D^*log(R) + constant$$
 (12.3)

ding dimension (m). By increasing m, D will eventually converge to its For a dimension (m), we can calculate C<sub>m</sub> for increasing values of R. By finding the slope of a graph of the log (C<sub>m</sub>) with the log (R), through a linear regression, we can estimate the correlation dimension (D) for the embedtrue value. This same result occurs as the embedding dimension (m) be-Usually, convergence occurs when the embedding dimension is three or more integer levels above the fractal dimension. A fractal embedded in a higher dimension retains its true dimension because of the correlations comes greater than the fractal dimension (D), for the reasons stated earlier. between the points. Hence, the correlation dimension of Grassberger and

The Fractal Dimension

157

Procaccia is a good estimate for the fractal dimension. The two are directly related, as Grassberger and Procaccia illustrate.

tegrals for a time series. Because it must calculate the distance of every point from every other point a number of times, this BASIC program is Appendix 3 provides a BASIC program for calculating correlation inslow, but it works.

Figure 12.2 shows correlation integrals for the Henon attractor, using The graph is a log/log plot between C<sub>m</sub> and R for an embedding dimension of 3. A regression was run over the linear region in the plot. D is estimated as 1.25, versus 1.26 when measured using the box-counting the reconstructed phase space from a variable that we examined earlier. method.

The Grassberger and Procaccia method offers a reliable, relatively cal observable is known. This method is data-intensive and requires a fair simple method for estimating fractal dimensions when only one dynamiamount of computer time, but the results are reliable.




FIGURE 12.2 Correlation integral: Henon attractor; estimated fractal dimension of 1.25.

Lyapunov Exponents

159

## LYAPUNOV EXPONENTS

ever, a method has been developed by Wolf et al. (1985) for calculating the largest Lyapunov exponent, L1, using experimental data. L1 greater than zero would signify that sensitive dependence on initial conditions exists, and that there is a strange attractor for the system. This method measures the divergence of nearby points in the reconstructed phase space, and indicates how the rate of divergence scales over fixed intervals We cannot calculate the full spectrum of Lyapunov exponents using experimental data, because the equations of motion are not known. HowFirst, two points are chosen, at least one mean orbital period apart. After a fixed interval of time (the "evolution period"), the distance between the two points is measured. If the distance becomes too long, a replacement point with an angle of orientation similar to that of the original point is found. The orientation between the new pair of points should be as close as possible to that of the original pair.

ing or divergence in phase space. If the points are too far apart, they will fold into one another, which would measure convergence. Convergence is A replacement point is necessary so that we measure only the stretchnot part of L<sub>1</sub>. Figure 12.3 is an artist's sketch of the algorithm. The formal equation of the algorithm is as follows:

$$L_1 = (1/t) * \sum_{j=1}^{m} \log_2 \left( \frac{L'(t_{j+1})}{L(t_j)} \right)$$
 (12.4)

In theory, with an infinite amount of noise-free data, equation (12.4) is equivalent to equation (11.3). In reality, we must deal with a limited the time lag (t), and the maximum and minimum allowable distances amount of noisy data, which means that the embedding dimension (m), must be chosen with care.

lier discussions relating to fractal dimensions. What is new, however, is experimental data. First, the embedding dimension should be larger than Luckily Wolf et al. give a number of "rules of thumb" in dealing with the phase space of the underlying attractor—no surprise, given our earthat the embedding dimension should be more than just the next higher integer, because a rough surface often looks smoother at a higher dimension. The dimensionality should not be too high, however, or the data

Lyapunov exponent from a time series. (Reproduced with permission of FIGURE 12.3 Artist's sketch of Wolf algorithm for estimating the largest Financial Analysts Journal.)

becomes too sparse when we reconstruct the phase space. The result would be too few candidates for replacement points.

should be long enough to measure stretching, but not folds. Again, there is and minimum values of the time series. Wolf et al. arrived at this number hind their guideline. I have found it to work in general. The evolution time no rule, but the shorter the better. The tradeoff is that, although short attractor's length in phase space. Essentially, the maximum length should not be greater than 10 percent of the difference between the maximum through experimentation, so there seems to be no quantifiable logic beevolution periods require more calculations, they require fewer replace-The time lag can be calculated from equation (12.1). Wolf et al. state that the evolution length should not be greater than 10 percent of the ments and result in more stable convergence.

parameters have not been well chosen, or there are insufficient cycles of When completed, the calculation over a long time series should converge to a stable value of L<sub>1</sub>. If stable convergence does not occur, the data for the analysis, or the system is not truly nonlinear.

points and 10<sup>(D-1)</sup> orbital periods. Therefore, if the dimensionality of the attractor is 2, we need only 100 points of data; if it is 6, we need 1 million The data requirements necessary for using the Wolf algorithm vary according to the complexity of the system. At a minimum, we need  $10^{\,\mathrm{D}}$  data points. Determining the dimensionality is crucial, before Lyapunov exponent estimation can be attempted.

A BASIC program for calculating L<sub>1</sub> from a time series is supplied in

Figure 12.4 shows the convergence of L<sub>1</sub> to 0.45 for the Henon attractors, which has been shown to have a Lyapunov spectrum of (0.4, -1.6), using the equations of motion.

sciences, experimental data are derived from a controlled experiment. In fluid convection, for instance, data are collected only when the tempera-A final word is required about the nature of "experimental data" in ture is high enough to induce a turbulent state. The data analysis deterinvestments and economics and in the physical sciences. In the physical mines whether the turbulent state is truly chaotic with a strange attractor, or merely random.

lent multiple states are mixed together. For scientists, this situation would be comparable to having the temperature in a fluid fluctuate out of the control of the experiment. The scientist would be measuring states where In economic time series, such as stock market prices, stable and turbuthe fluid is simmering or boiling, with the level of the heat changing at




FIGURE 12.4 Convergence of the largest Lyapunov exponent: Henon attractor; estimated L<sub>1</sub> = 0.45.

. . .

The second secon

Lyapunov Exponents

also include random walk phases and chaotic regimes. A positive value of L<sub>1</sub> is symptomatic of a chaotic system, but, using economic data, we may be calculating the average divergence, which would lower the value. The ries will always be lower than the turbulent value, because the data will The largest Lyapunov exponent calculated over an economic time sereal value may never be known.

This possibility would not be present if the market were always in a however, and it conflicts with the Coherent Market Hypothesis, which we critical state, or far from equilibrium. There is no proof of this statement. will discuss in Chapter 14.

・ では、 では、 できない。 できない。

#### 13

# Dynamical Analysis of the Capital Markets

In this chapter we will show the results of applying the analysis described in Chapter 12 to a few capital markets. This methodology, still in its infancy, has given us new insights into the functioning of the markets, but it does not yet offer forecasting ability. It is hoped that as the dynamic nature of the capital markets becomes better understood, new capital market theories will evolve. In Chapter 14, we will examine two new approaches currently being used to illustrate that practical market analysis is possible at this early stage. Before we evaluate those new approaches, we will examine further evidence that the markets are nonlinear dynamic systems. Combined with the results of R/S analysis shown in Chapter 9, this evidence gives a convincing picture of the capital markets as nonlinear dynamic systems.

### **DETRENDING DATA**

In the quantitative analysis of the capital markets, we have always used returns; that is, we have used the percent of change in prices instead of the prices themselves. Prices are inappropriate for linear regression because they are serially correlated. Each price is related to the price before it, in violation of the assumptions necessary for Gaussian, linear-based analysis to work. We attempt to forecast returns, but we should not forget that

the objective is to forecast the behavior of prices. Returns simply make the data appropriate for linear analysis and for the independence requirements that go with it.

Percent of change may not be the appropriate time series for nonlinear dynamic systems analysis. It whitens the data by eliminating serial dependence which may be evidence through the noise of a nonlinear dependent structure. When scientists study turbulence in natural systems, the phase space consists of observed data, not the tayes of change of the variables. Finance and economics have a long tradition of using returns. In studying markets as nonlinear dynamic systems, we need to set new standards. Returns are not an appropriate transformation of prices for research of nonlinear dynamic systems.

Previous studies of the equity market as a nonlinear dynamic system have centered on returns. The findings were not encouraging. Scheinkman and LeBaron (1986) found slim evidence of a nonlinear dynamic structure, including a positive Lyapunov exponent and a fractal dimension. However, they found that their daily stock return series of 5,000 observations had a fractal dimension of between 5 and 6. The fractal dimension is ables. A six-variable system would be virtually impossible to deduce or particularly disheartening because it implies a dynamic system of six varimodel, because of its extreme complexity. The study is commendable, but its findings are questionable because its use of 5,000 daily returns may not have been adequate. As we said in Chapter 12, a minimum of 106 data nitude. Combined with the high embedding dimension that Scheinkman and LeBaron used for the reconstructed phase space (m = 14), the data set was far too sparse for reliable results. In addition, R/S analysis has already points would be needed for a system with a fractal dimension of that magshown us that the mean orbital period of the U.S. equity market is four years. This means that 10 orbital periods, or 40 years' data (roughly, 10,400 daily returns), would be needed for this analysis. These authors did show that using returns complicates the problem dramatically, and that an alternative that does not use rates of change should be considered for analysis. In imitation of the natural sciences, it would seem reasonable to use the actual object under study-prices.

Using prices involves a different problem. The value of assets grows with the economy and inflation. Prices would continue to grow because of inflation alone, even if there were no real growth prospects. Prices can and will grow without bound. A phase space of nominal prices (that is,

Detrending Data

165

unadjusted for inflation) would simply spiral upward. Analyzing such a time series would be a useless exercise.

Therefore, we must detrend prices for economic growth. because the motion of prices concerns us, not inflationary growth. Chen (1988) detrended monetary aggregates by subtracting out the internal rate of growth. He found that the money supply, as measured by Divisia indices. did have a strange attractor with a fractal dimension of 1.24 and a cycle length of 42 months. The cycle length is similar to the T-Bond cycle we found in Chapter 9, using R/S analysis. Chen detrended according to the following formula:

$$S_i = log_c(P_i) - (a^*i + constant)$$
 (13.1)

where S<sub>1</sub> = detrended price series
P<sub>1</sub> = original price series
i = observation number

By regressing the log of price against time and subtracting the two series, we obtain a new series detrended for exponential growth over time.

This method has appeal, but it assumes that economic growth occurs at a constant rate. Because we know that this is not true, it would be preferable to detrend through a variable more directly related to economic

growth.

A preferred variable would be growth in GNP, but those data are available only quarterly. We need a series that is available at least monthly. The next choice would be a measure of inflation, because assets grow with inflation. By subtracting out inflation, we can obtain a series of real prices and attempt to model that motion.

We can modify equation (13.1) to the following inflation-adjusted form:

$$S_i = log_e(P_i) - (a^*log_e(CPI) + constant)$$
 (13.2)

where CPI - Consumer Price Index

In the United States, consumer price information has been recorded for many years. In other countries, this is not the case. Therefore, we will use equation (13.2) when inflation data are available, and equation (13.1) when they are not.

shown in Figure 13.1(a). The time series has a wave-like motion. The S&P moves in a clockwise manner, like spiral chaos. It also has two "lobes." Inflation-detrended S&P 500 data from January 1950 to July 1989 are 500 appears to be characterized by periods where it stays high, on an inflation-adjusted basis, or low. A two-dimensional phase space is shown in Figure 13.1(b). The time lag is 15 months. While plotting, the graph One, located in the second quadrant, covers periods when stock prices are higher than their inflation-adjusted values. The second lobe is located These two regions are connected by arms that reflect the transition from one lobe to the other. Figure 13.1(c) is a three-dimensional phase space with a time lag of 16 months. The same basic structure—two attracting in the fourth quadrant, and corresponds to the below-inflation trend. basins connected by arms-still exists.

and Japanese markets detrended for growth (no inflation numbers were Figures 13.2 through 13.4 continue this analysis for U.K., German,





FIGURE 13.1a S&P 500 detrended by CPI: January 1950-July 1989. Time series. (Reproduced with permission of Financial Analysts Journal.)



dimensional phase portrait. (Reproduced with permission of Financial Analysts FIGURE 13.1b S&P 500 detrended by CPI: January 1950-July 1989. Twolournal.)

available). Morgan Stanley Capital International (MSCI) indices were used, from January 1959 to February 1990, in local currency. Each country has its own dynamics, but the graphs continue to plot in a clockwise manner.

Aside from that period, the U.K. market tended to oscillate around its The U.K. market was dominated by a large drop in the early 1970s, when the British economy was falling apart and the pound was taking a beating. internal growth rate. The German market showed remarkable stability over the whole period.

ated stock values and a collapse back to steady growth. This pattern of behavior occurred in the late 1950s, the late 1960s, and the mid- to late 1980s. As of 1990, the Japanese hypergrowth phase appeared to have The Japanese market had periods of stable growth followed by acceleronce again corrected itself.




FIGURE 13.1c S&P 500 detrended by CPI: January 1950-July 1989. Threedimensional phase portrait.


are the basic data for finding the characteristics necessary to define the These phase space reconstructions are not "technical" graphs related to technical analysis (point and figure charts and the like). Instead, they data to reconstruct phase spaces, in order to calculate fractal dimensions markets as nonlinear dynamic systems. We can now use these detrended and Lyapunov exponents.

## FRACTAL DIMENSIONS

We calculate the fractal dimensions in the manner discussed in Chapter 12. First, correlation integrals are calculated, according to equation (12.2), for

Fractal Dimensions

99



MSCI U.K. equity index, loglinear detrended: January 1959-February 1990. Time series. FIGURE 13.2a

ear regions of the log/log plots. The fractal dimension should eventually increasing embedding dimensions. Then, regressions are run over the linconverge to its true value as the embedding dimension is increased.

Figures 13.5 through 13.8 show correlation integral plots for the four markets. The linear regions in each plot can be used to run regressions. Figures 13.9 through 13.12 show the convergence of the fractal dimension. Table 13.1 summarizes the results.

The United States, the U.K., and Germany all have fractal dimensions between 2 and 3. This is good news, because it means that we should be we do not know what the three variables are, but plotting three variables able to model the dynamics of these markets with three variables. Again. is a solvable problem.

Japan is different. Its fractal dimension of 3.05 suggests that four variables are needed. The Japanese market is more complex than the other three markets.




FIGURE 13.2b MSCI U.K. equity index, loglinear detrended: January 1959-February 1990. Two-dimensional phase portrait.

The high fractal dimension also suggests that we need more data for the analysis—1,000 points rather than 500. However, as we will see later, this is not so.

The actual analysis is quite convincing; it shows the stable convergence of fractal dimension estimates as predicted by theory. It is also encouraging because, with the exception of Japan, these are low-dimensional systems. As such, they are solvable, and we can hope that they will be solved in the near future.

Table 13.1 Fractal Dimensions: Equity Indices

Index	Fractal Dimension
S&P 500	2.33
MSCI Japan	3.05
MSCI Germany	2 41
MSCI U.K.	2.94




FIGURE 13.3a MSCI German equity index, loglinear detrended: January 1959-February 1990. Time series.

## LYAPUNOV EXPONENTS

Calculating Lyapunov exponents is time-consuming. Theoretically, the Lyapunov exponents remain constant, regardless of the parameters chosen to measure them. Alas, real life once again makes this a less than precise process. Economic time series contain all the phases of the system, not just the chaotic ones. Our parameters must be chosen to maximize the measurement of the "stretching" of points in phase space while minimizing the "folding," or contractions, that can occur when market activity is truly random or when market activity is low.

The "rules of thumb" suggested by Wolf et al. are exactly that-suggestions. Actual results depend on many numerical experiments. with varying test parameters. If this sounds unscientific, it is. A fruitful area of research would be to develop a method less subject to experimentation that can be confused with "data mining," or torturing the data

FIGURE 13.3b MSCI German equity index, loglinear detrended: January 1959– February 1990. Two-dimensional phase portrait.

until it confesses. Fortunately, the effects of incorrect specification are easily seen and corrected, but the process is a long one.

The program supplied in Appendix 4 prints out each iteration. By examining each iteration, we can see whether a particular point in time causes the methodology to collapse.

For the S&P 500, the existence of the two "lobes" in the second and fourth quadrants (see Figure 13.1(b)) causes particular problems regarding replacement points. The Wolf algorithm works by starting with two nearby points (at least one mean orbital period apart) in the phase space, and following their evolution over time. If the points become too far apart, a replacement point is found, to avoid folding. The largest Lyapunov exponents measures stretching, or divergence, of points in phase space, not convergence. If one of the two points leaves one lobe and travels to the other, an exceptional inflation in the calculation of the Lyapunov exponent will occur.

Lyapunov Exponents




FIGURE 13.4a MSCI Japanese equity index, loglinear detrended: January 1959 February 1990. Time series.

A final point concerns the number of data points. Having more data points for a short time period is not necessarily better than having fewer data points over a longer time period. Unlike statistical analysis, having four years' daily data (approximately 1,000 data points) is not better than 40 years' monthly data, or 480 data points. As we shall see, having more data is not necessarily better in chaos analysis.

Suppose we take a natural system, like the well-documented sunspot cycle of 11 years, as an example. The Lyapunov exponent can be approximated as  $\frac{1}{11}$  or .09 bit per year. If we increase the resolution to 11 years daily data, or 3,872 days, the Lyapunov exponent will be  $\frac{1}{15}$  of .00002 bit per day. Either way, the 11-year cycle asserts itself. Increasing the data points per cycle increases the computation time needed, without improving the accuracy of the result.

An additional problem with time series analysis, particularly with capital market returns, is noise. At higher resolution, such as daily returns. we




FIGURE 13.4b MSCI Japanese equity index, loglinear detrended: January 1959... February 1990. Two-dimensional phase portrait.

are likely to have more random fluctuations than at lower resolutions. We can see why the Scheinkman and LeBaron (1986) study gave questionable results. It contained only five cycles of data at a high resolution, where, as we have seen from R/S analysis, there is a high level of noise and/or Markovian short-term dependence.

This view of data sufficiency is quite different from the one used by most statisticians. In standard statistics, the more data points the better, because the observations are assumed to be independent. Nonlinear dynamic systems are characterized by long memory processes; more time is needed, not more data. Wolf et al. supply another rule of thumb: approximately 10 cyclos are necessary.

In Chapter 9, we found, using R/S analysis, that the S&P 500 had a long memory cycle of approximately four years. This cycle length was clear for all time increments of returns, which made it independent of the resolution of the data. We also found that the Hurst exponent for daily returns was 0.60, but it rose as we increased the increments of time used




FIGURE 13.5 Correlation integrals: CPI detrended S&P 500. (Reproduced with permission of Financial Analysts Journal.)




FIGURE 13.6 Correlation integrals: loglinear detrended MSCI U.K. equity index.




FIGURE 13.7 Correlation integrals: loglinear detrended MSCI German equity

for the returns, and it stabilized at 0.80 for 30-day returns and higher. than monthly data, because of the low Hurst exponent. Data increments From this information, we can determine that daily data are much noisier monthly and higher have removed the noise, as shown by their stable Hurst exponents. Also, the structure of the long memory effect stabilized after we reached monthly increments. Because we have a four-year cycle, we should use 40 years' data in order to calculate the Lyapunov exponent.

Finally, we have to decide what resolution is important. Should we use monthly, quarterly, or semiannual data? Lower resolution decreases the computation time needed, but may not supply enough data points to find good replacement points. There must be a balance. This balance is usually found, unfortunately, through trial and error.

lution and the most replacement candidates. Applying equation (12.4) to For evaluation of the S&P 500, monthly data supplied the lowest resoding dimension of the reconstructed phase space, an evolution time, and a our detrended S&P 500 time series finally requires choosing the embedmaximum divergence of points before replacement.




FIGURE 13.8 Correlation integrals: loglinear detrended MSCI Japanese equity index.

Because we have a cycle of about 48 months, an embedding dimension of 3 between the two points should be no more than 10 percent of the extent of Wolf et al. give additional rules of thumb for performing the final analysis, as we discussed in Chapter 12. First, the embedding dimension should be higher than the fractal dimension, because a rough surface often looks smoother when placed in a higher dimension. We have already found the ractal dimension of the S&P 500 to be 2.33; the embedding dimension should be 3 or higher. The time lag can be calculated from equation (12.1). would require a time lag of 16 months. The maximum length of growth the attractor. Finally, the evolution time should be long enough to measure stretching without including folds.

Once the calculation is done, it should converge to a stable value of the largest Lyapunov exponent, L<sub>1</sub>. If convergence does not occur, then the specifications need to be redone, or the system is not chaotic.

Stable convergence was found for the detrended S&P 500 data series monthly data from January 1950 to July 1990), using an embedding dimension of 4, a time lag of 12 months, and an evolution time of six months.




FIGURE 13.9 Convergence of the fractal dimension: CPI detrended S&P 500; D = 2.33. (Reproduced with permission of Financial Analysts Journal.)

Figure 13.13 shows stable convergence of L<sub>1</sub> to a value of 0.0241 bit/

predictive power after 1/0.0241, or 42 months' time. This 42-month cycle This means that we lose predictive power at the rate of 0.0241 bit/ month. If we knew exactly what next month's return would be (if we could measure initial conditions to one bit of precision), we would still lose all is roughly equal to the 1,000-day trading cycle obtained using R/S analysis in Chapter 8 confirming that the cycle length for the S&P 500 is approximately four years.

To perform an additional test, I calculated the Lyapunov exponent for the 90-day trading data used in Chapter 9, detrended for internal growth from equation (13.1). These data extended from January 1928 to June 1990, or over 60 years. Figure 13.14 shows that stable convergence was attained at 0.09883 bit per 90-day period. The cycle length is again 1/0.09883, or about ten 90-day periods--roughly, four years.

Lyapunov Exponents

179





FIGURE 13.10 Convergence of the fractal dimension: loglinear detrended MSCIU.K. equity index; D = 2.94.

Tests of the three international indices yielded encouraging but less conclusive results for Germany. The reason is, once again, data insufficiency. The MSCI data covered the 41-year period from January 1959 to February 1990. Germany has been shown, from R/S analysis, to have a cycle length of about 60 months. Therefore, our rule of thumb says that Japan exactly meets it requirement of 40 years, and the U.K. is well over we should have about 50 years' data, and we fall short of that amount. its requirement of 30 years.

nent implies a cycle of 44 months, similar to the cycle derived using R/S months. Japan also converges, though more erratically, to  $L_1 = 0.0228$ , as shown in Figure 13.16. Again, the inverse of the largest Lyapunov expo-As a result, the U.K. gives the smoothest convergence. L<sub>1</sub> is estimated to be 0.028 bit/month, as shown in Figure 13.15. The inverse is about 36 analysis. The German market gives L<sub>1</sub> = 0.0168 bit/month, with a resulting decorrelation time of 60 months. However, the convergence, as shown



**FIGURE 13.11** Convergence of the fractal dimension: loglinear detrended MSCI German equity index; D = 2.41.


in Figure 13.17, is less convincing, and more data appear to be necessary for stable convergence.

This shows, again, that the number of points is not as important as the number of cycles, when running this type of analysis. We must reorient our thinking when using non-Gaussian data and methods.

#### IMPLICATIONS

The long memory effect in equity prices has now been confirmed by two separate types of nonlinear analysis. R/S analysis on monthly S&P 500 stock returns found a biased random walk with a memory length of about four years. The Lyapunov exponent for monthly inflation-detrended S&P 500 prices found a 42-month cycle. A similar relationship was found for the U.K., Japan, and Germany, using MSCI equity index numbers.

The Lyapunov exponent can be interpreted in two ways. We lose predictive power at the rate of 0.0241 bit/month in the United States. If we could



**FIGURE 13.12** Convergence of the fractal dimension: loglinear detrended MSCI Japanese equity index; D = 3.05.

tive power after 42 months. That is the "forward looking" interpretation from Chapter 12. But there is also the "backward looking" interpretation. The system loses all memory of initial conditions after 42 months. On the average, market activities 42 months apart (or longer) are no longer related or correlated. This interpretation of the Lyapunov exponent is similar to the decorrelation time, or cycle, found in R/S analysis. In R/S analysis, the crossover to random walk behavior at four years implies that the long memory effect dissipates after four years, or returns become independent. The similarities in concept and result are striking.

It is important to note that the cycle length is nonperiodic. It is an average cycle length that will not be visible to standard cyclical analysis. like spectral analysis, because it does not have a characteristic scale. It is also not a "charted" or "peak to trough" cycle in prices, so dear to the heart of technical analysts. It is a statistical cycle; it measures how information impacts the market, and how memory of those events affects future behavior of the markets.






FIGURE 13.13 Convergence of the largest Lyapunov exponent: CPI detrended S&P 500, monthly returns; L<sub>1</sub> = 0.0241 bit/month.




FIGURE 13.14 Convergence of the largest Lyapunov exponent: CPI detrended S&P 500, 90-day returns; L<sub>1</sub> = 0.09883 bit/90 days.





FIGURE 13.15 Convergence of the largest Lyapunov exponent: loglinear detrended MSCI U.K. equity index; L<sub>1</sub> = 0.028 bit/month.



**FIGURE 13.16** Convergence of the largest Lyapunov exponent: loglinear detrended MSCI Japanese equity index;  $L_1 = 0.0228$  bit/month.




FIGURE 13.17 Convergence of the largest Lyapunov exponent: loglinear detrended MSCI German equity index; L<sub>1</sub> = 0.0168 bit/month.

### SCRAMBLING TEST

est of correlation dimension developed by Scheinkman and LeBaron. As a In Part two, we scrambled time series data and reran R/S analysis to test scrambling test to all detrended time series. If the series is not part of a whether a long memory effect was present. This test was based on a similar final confirmation of the results already shown in this chapter, I applied the chaotic attractor, the correlation dimension should not change. If, however, there is a strange attractor present, then scrambling the data should destroy the structure of the attractor, and the correlation dimension should rise. In all cases, the fractal dimension rose, showing that scrambling had a material sion of 6. In the unscrambled tests, the correlation dimension had been achieved for this embedding dimension. In both cases, the correlation dieffect on the analysis. Figures 13.18 and 13.19 show results of the scrambling test for the U.S. and German equity markets, for an embedding dimenmension rose to about 4. The same was true for the other two markets. Thus, we can reject the null hypothesis that there is no chaotic system present.




FIGURE 13.18 Scrambled test for correlation integrals: CPI detrended S&P 500; unscrambled D = 2.33, scrambled D = 3.99.




FIGURE 13.19 Scrambled test for correlation integrals: loglinear detrended MSCI German index; unscrambled D = 2.41; scrambled D = 4.03.

#### SUMMARY

In this chapter, we have tested the S&P 500 for the two characteristics of a chaotic system: existence of a fractal dimension, and evidence of sensitive dependence on initial conditions.

We found that the S&P 500 has a fractal dimension of approximately 2.33. This means that we should be able to model the motion of the system with a minimum of three dynamic variables. We do not yet know what those three variables are, and leave that discovery to future research.

We also found that the market has a positive Lyapunov exponent, implying that there is sensitive dependence on initial conditions, and that its cycle is about 42 months, similar to the four-year statistical cycle found using R/S analysis in Chapter 8.

A similar relationship was found for the U.K., German, and Japanese equity markets.

Combined with R/S analysis, we now have strong evidence that the world equity market is a nonlinear dynamic system. The implications of these findings are profound, and will be discussed further in Chapter 15.

#### 14

# Two New Approaches

systems by reviewing the work of Maurice Larrain and Tonis Vaga. They have developed models that apply nonlinear dynamics to interest rates and the stock market, respectively. I am including their work to show that more than descriptive applications are possible, using nonlinear dynamics. Up to this point, we have primarily studied empirical evidence that the markets are nonlinear dynamic systems, which can also be statistically described using fractals. Now we will enter the realm of practical application.

## LARRAIN'S K-Z INTEREST RATE MODEL

Larrain (1986, 1988, 1991) has developed a model of interest rates that combines a behavioral map based on Keynesian economics with a non-linear model based on past interest rates. He calls the behavioral model the Z-map, and the nonlinear chaotic component the K-map. The combined model will be referred to as the K-Z model.

Larrain begins with the two components as separate models. This approach is in keeping with traditional modeling techniques. Using t as an index of time:

$$t_{t+1} = f(t_{t-n})$$
 (14.1)

$$\Gamma_{1+1} = \mathbf{g}(\mathbf{Z}) \tag{14.2}$$

where Z = (y, M, P . . .)

In equation (14.1), future interest rates (r) are dependent on past interest rates of some lag (n). This dependency of the future on the past makes (14.1) a technical model. The exact form of f(r<sub>t-n</sub>) is unknown, and varies from analyst to analyst. Testa of the weak form of the EMH tend to use variations of equation (14.1), because the weak form states that current interest rates reflect all public information. Therefore, future changes in interest rates cannot be predicted from the past (see Chapters 2 and 3).

Equation (14.2) says that future changes in interest rates depend on an exogenous set of independent variables, labeled Z. Z would be a behavioral set of variables based on the demand for money; they would include macroeconomic variables like money supply growth, the rate of inflation, GNP growth, and so on. This behavioral approach comes from a 1972 study of Moody's AA rate by Fieldstein and Eckestein.

Larrain points out that equation (14.1) is a Technicians' model, because it implies that future changes in interest rates are purely a function of past changes. Equation (14.2) states that past rates do not affect future interest rates. Rates are determined solely by fundamental factors. Needless to say, there is much mutual hostility between the proponents of equation (14.1) and equation (14.2).

Larrain combines these two disparate views by making a further modification to equation (14.1). The equation is a linear model. Jensen and Urban (1984) changed it so that future interest rates have a nonlinear relationship with past interest rates:

$$\Gamma_{t+1} = a - b^* \Gamma_t + c^* \Gamma_t^2,$$
 (14.3)

or, if b = c,

$$\Gamma_{t+1} = a - c^{a} \Gamma_{t}^{a} (1 - \Gamma_{t})$$
 (14.4)

Equation (14.4) is a variation on the now familiar Logistic Equation (see Chapter 10). As we have seen, the Logistic Equation is chaotic and prone to violent swings in behavior. Equation (14.4) thus becomes the K-map.

Larrain's K-Z Interest Rate Model

Larrain further specifies the Z-map as a function of real GNP (y), the nominal M2 measure of money supply (M), the Consumer Price Index (P), real personal income (Y), and real personal consumption (c), in the following form:

$$\Gamma_{t+1} = d^*y_t + e^*P_t - f^*(M_t) - g^*\Sigma(Y - c)_t$$
 (14.5)

where d, e, f, and g are constants. Larrain reconciles the technical and fundamental camps by combining the two approaches:

$$\Gamma_{t+1} = f(\Gamma^{n}_{t-1}) + g(Z_{t-1})$$

ö

$$\Gamma_{t+1} = a + b^* (\Gamma^n)_t - c^* (\Gamma^{n+1})_t + d^* (Y_t) + e^* (P_t)$$

$$- f^* (M_t) - g^* \Sigma (Y - c)_t$$

$$K-map$$

$$Z-map$$
(14.6)

Equation (14.6) states that future interest rates are a combined function of fundamental and technical factors. Over time, one map dominates the other. During periods of stability, markets will be efficient and interest rates will be set, for fundamental reasons, according to the behavioral

However, during periods of instability, the K-map will dominate. According to Larrain, these periods of instability occur when investors lose faith in their institutions. When they feel that the institutions are not trustworthy, investors are likely to feel that the fundamental information available to them from these institutions is also not trustworthy and cannot be used to make valid decisions. Investors become more likely to trade based on emotion and to extrapolate trends.

The K-Z model recognizes that investors can be rational or irrational. depending on prevailing conditions. For this reason, Larrain's K-Z model has much appeal. It recognizes that investors can often be rational, which explains why fundamental analysis works. It also recognizes that human emotion can drive markets, which explains why technical and sentimental indicators can work. Finally, it says that one approach usually works when the other does not.

This model has a broad generality not available in the EMH and its descendants.

Empirical validation of this approach is difficult because the nature of the K-Z model implies that the coefficients to the K and Z maps must fluctuate over time. In addition, Larrain's Z-map variables are generally available on a quarterly basis, not monthly, which restricts the number of observations available for research.

Larrain has published an empirical test of his model, as specified in equation (14.6), for Moody's AA corporate bond rates from the fourth quarter of 1978 to the third quarter of 1987. He found:

$$r_{t+1} = 82.5 + 0.025r_t^2 - 0.0005r_t^3 - 0.005M + 18.79P + 0.0026Y - 10.38W$$
  
(4.2) (5.0) (-2.3) (-5.4) (4.6) (2.5) (-4.0)

where  $w = \Sigma(Y - c)$ ,

R<sup>2</sup> = 0.9870, and Durbin-Watson = 1.80; t-statistics are in parentheses.

From this regression, we can see that all independent variables are of the right sign and significant at the 95 percent level. The limited number of observations makes a longer test desirable.

A more extensive test of 90-day T-Bill rates has been accepted by the Financial Analysts Journal, but has not yet been published. Therefore, I can report on the results, but cannot yet give details. In this longer and more complete test, the signs were once again correct, according to equation (14.6), and significant. The test covered the period from the first quarter of 1962 through the first quarter of 1989. The first part of the test ran regressions for constant 77-quarter periods. Perhaps most interesting is that, in this study, the K-map coefficients are much more stable than the Z-map coefficients. This implies that investor reaction to technical information is fairly consistent, and reaction to specific fundamental factors seems to vary in magnitude from period to period. Considering the nature of technical and fundamental variables, this is not surprising.

Investor reaction to specific fundamental information seems to follow fads and fashions. During the late 1970s, everyone followed money supply. During the late 1980s, money supply was rarely mentioned; exchange rates became more important. We can expect, therefore, that the reaction to fundamental factors may well vary in magnitude over time.

Technical information is more general. With technical factors, we are measuring investor reaction to something, but it is the reaction we are measuring, not the information. Therefore, the reaction is consistent, even if the information varies. Larrain's model appears to confirm this view of fundamental versus technical analysis.

The second half of the study steadily increased the number of observations from an initial 65 quarters to 97 quarters. Again, all the signs are correct and significant. The stability of this model is striking and illustrates the validity of including nonlinear historic pricing data in the forecasting model.

On the other hand, the model is developed using linear regression techniques in the traditional manner. It does not test the K-Z model's premise that one map or the other dominates at particular times. At this point, it seems unlikely that such a test can be accomplished in the near term.

Larrain has been using the static form of the model, similar to equation (14.6), and publishing his results. They are shown in Figure 14.1. For forecasting the direction of interest rates, the results are impressive for the period covered. The future will show whether this successful record can be maintained.




FIGURE 14.1 K-Z model forecasting history: T-Bill rates.

ear deterministic models we discussed in Chapters 11, 12, and 13. It is pothesis (CMH) is a nonlinear statistical model, as opposed to the nonlin-Vaga (1991) has developed a unique approach. His Coherent Market Hyrelated to the Fractal Hypothesis of Part Two, but it is a dynamic statistical model. Its basic premise is that the probability distribution of the market changes over time, based on:

- The fundamental, or economic, environment, and
- The amount of sentiment bias, or the level of "groupthink," that exists in the market.

changes. The phase transitions that occur are changes in the shape of the As combinations of these two factors change, the state of the market probability density function.

The market can attain four distinct phases:

- Random walk. According to Vaga, true random walk states do exist: investors act independently of one another, and information is quickly reflected in prices.
  - Transition markets. As the level of "groupthink" rises, biases in investor sentiment can cause the impact of information to extend for long periods of time. તં
- think, but fundamentals are neutral, or uncertain. Wide swings in Chaotic markets. Investor sentiment is highly conducive to groupgroup sentiment can result. 6
  - bined with strong investor sentiment can result in coherent mar-Coherent markets. Strong positive (negative) fundamentals comkets, where the trend can be strongly positive (negative) and risk is

These states are a result of the nonlinear statistical model, which we will now discuss.

### COHERENT SYSTEMS

Coherent behavioral models have already been developed for natural systems that have a large number of degrees of freedom, or influences,

Coherent Systems

193

that can be combined into "order parameters." An order parameter summarizes the external influences on the system. Fluctuations in the order parameter determine the state of the system. Temperature is an example of an order parameter. Temperature summarizes all the atmospheric variables that are relevant to some weather systems, without examining them directly or even knowing what they are. Order parameters are different from the control parameters we discussed in Chapter 11. The control parameters reflect the influence of the order parameters. In equations of motion, control parameters are the coefficients and order parameters are the variables.

Vaga found a Theory of Social Imitation, developed by Callan and Shapiro (1974) to model the polarization of public opinion. Their model was, in turn, developed from the Ising model of coherent molecular behavior in a magnetized bar of iron.

factor. In a bar of iron, magnetization depends on whether the molecules The Ising model said that the level of the magnetic field of a bar of iron depends on the coupling between adjacent molecules and an external field have a positive or negative spin, that is, on whether the molecules are pointing "up" or "down."

over time, and the average difference between the number of molecules If a bar of iron is hot, the molecules are not coupled with one another. The number of molecules pointing up or down will fluctuate randomly pointing up or down will be zero. This will result in a normal probability distribution, as is usual with random behavior.

molecules increases. When it passes a critical level, this interaction begins to dominate the random thermal forces. A group of molecules forming a itive. Soon, large clusters, both positive and negative, will form, causing the fluctuations from the mean can become large and will last for long As the temperature is lowered, the relationship between adjacent positive-oriented cluster will cause adjacent molecules to also become poslong-lasting magnetic field fluctuations. The average will still be zero, but periods. In the absence of an external bias, the mean will remain zero.

An external magnetic field applied at this time will result in most of the clusters aligning in one direction. Random thermal forces, or fluctuations in temperature, will still have some short-term impact, but, as long as the external field remains in place and the temperature remains below its critical level, most of the molecules will remain aligned toward the exterThe Coherent Market Hypothesis

The relationship between this phenomenon and the biased random walk Hurst exponent governs the coherence of the trends and the impact of of fractal statistics is readily apparent. In fractal statistics, the level of the random noise on the system. In the Ising model, the coherence between the individual molecules depends on the temperature level and on the existence of external influences that mitigate the impact of noise, or random thermal forces. The fractal model says that this process depends on one variable, the fractal dimension. The Ising model includes two parameters, internal clustering and external forces. The seing model is a richer model; nonetheless, it appears to measure the same thing as the fractal model. In essence, the Ising model is concerned with systems in which there can be correlations between the components of the system, but the relationship can also be influenced by outside forces. This coupling of the level of internal correlation and the strength of outside influences determines the state of the system.

## THE THEORY OF SOCIAL IMITATION

They postulated that the interaction of social groups, like birds flying in flocks and fish swimming in schools, could be represented using the Ising Callan and Shapiro (1974) applied the Ising model to the social sciences. model. Their main purpose was to examine how people follow the dictates of fashions and fads. They called this the Theory of Social Imitation.

The Theory of Social Imitation assumes that there is a strong similarity between the behavior of individuals and the behavior of the molecules in a magnetized bar of iron. The positive and negative polarization of the iron molecules is translated into positive and negative sentiment. At times, ently of one another. At other times, there can be strong coherent sentithere is no consensus of public opinion, and individuals react independment. A third possibility is that public opinion polarizes into two opposing camps, resulting in a chaotic social environment

Vaga has translated the "public opinion" of Callan and Shapiro into "market sentiment." The external force, which was an external magnetic force in the Ising model, becomes the economic environment. The risk/ return tradeoff of the market becomes a combination of market sentiment and the fundamental environment. Once again, we have a combination of the points of view of technical and fundamental analysts.

## THE COHERENT MARKET HYPOTHESIS

The probability density function, as developed by Callan and Shapiro and restated by Vaga, is the following, somewhat complicated formula:

$$f(q) = c^{-1*}Q(q)^* \exp(2^*\int_{-1/2}^{q} (K(y)/Q(y)) dy)$$
 (14.7)

where f(q) - probability of an annualized return, q

 $K(q) = \sinh(k^*q + h) - 2^*q^*\cosh(k^*q + h)$ 

 $Q(q) = (1/n)^*(\cosh(k^*q + h) - 2^*q^*\sinh(k^*q + h))$ 

- number of degrees of freedom - degree of crowd behavior

fundamental bias

 $= \int_{-1/2}^{1/2} Q^{-1}(q) * exp(2 \int_{-1/2}^{q} (K(y)/Q(y)) dy) dq$ 

mental bias (h), and the number of degrees of freedom (or number of This formidable formula can be solved numerically, using a computer. Its solutions depend on the level of crowd behavior (k), the degree of fundamarket participants) (n). These are the order parameters of the system.

control parameters changes the shape of the probability density function of equation (14.7). The right-hand scale reflects the density function. The Figure 14.2, reproduced from Vaga (1991), shows how varying the left-hand scale refers to the "potential well," which looks like a flattened mirror image of the probability function.

The potential well reflects the possible effects of random forces on a theory," a subset of chaos theory. The circle represents the particle in a two-dimensional environment, where a force can push it from the right particle caught in the well. The concept is borrowed from "catastrophe negative information, or bad news), or left (positive information, or good

At the bottom of Figure 14.2, we see that setting k = 1.8 and h = 0 transdom walk state. The potential well is a symmetric bowl shape. Random forces pushing the particle are quickly damped, so the particle returns to forms equation (14.7) into the normal distribution, reflecting a true ranzero. In other words, information is quickly discounted by the market.

As k approaches 2, with h remaining at zero, the density function widens and becomes flatter, and we achieve the next higher graph, labeled "Unstable Transition." The potential well has flattened. If the particle is




FIGURE 14.2 Coherent Market Hypothesis: transition from random walk to crowd behavior. (Reproduced with permission of Financial Analysts Journal.)

pushed in one direction, it is likely to stay there until a new force pushes it again. Information is undamped, and trends persist until new information changes them. Results from R/S analysis in Chapter 9 seem to confirm that this is the most common state of the markets.

As k becomes greater than 2 (its critical level), the probability function develops a double bottom. This is a bifurcation of the probability density function. If h remains at zero, reflecting the lack of a fundamental bias, we have a very unstable system. The particle sits on a cusp in its

The Coherent Market Hypothesis

ble political event, in this case, an impending war, could drastically change the economic environment, economic news has a much lower weight in investors' minds than usual. Early in the day, the fact that the meeting was lasting longer than expected caused investors to speculate behavior, but no fundamental information to firmly place the bias in tion can cause panics, as investors watch each other's behavior, hoping to outguess one another. Once movement begins, it can rapidly stampede, or opposite information can cause wide swings in the other direcion. A recent example of a chaotic market was stock market behavior on lanuary 9, 1991, when Secretary of State James Baker met with Iraqi garding the Iraqi invasion of Kuwait. In an environment where a possithat a peace treaty was possible. The Dow Jones Industrials soared 40 points. When the meeting was over and both sides reported no progress, That day's roller-coaster trading had little to do with fundamental inforpotential well. Information from the right or the left can use drastic either positive or negative territory. Rumors or misinterpreted informa-Foreign Minister Aziz to discuss the positions of the two countries rethe Dow immediately reversed and closed down 39 points on the day. changes. This would be a classic chaotic market: a high level of crowd mation. It was pure crowd behavior.

However, a shift in the fundamental environment will shift the density function to strongly negative or strongly positive territory. Increasing h to +0.02 results in a coherent bull market. The density function is drastically skewed to the right but retains a long negative tail, showing that losses are still possible, even if the probabilities are quite small. The potential well shows a dip into positive territory with a flat well on the negative side. Negative information would have a smaller effect in this environment than positive information of the same magnitude. The long negative tail remains, however, showing that enough negative information can still cause losses. However, in coherent bull markets, the risk of loss is low, and overall volatility declines. This inverts the CAPM risk/return tradeoff. Examples of coherent bull markets include January 1975 and August 1982.

Coherent bear markets are also likely if h becomes negative. Vaga feels that coherent bear markets are rare, but the bear market of 1973–1974 is a recent example. The crash of October 1987 and the "October Massacre" of 1978 (which prompted Vaga's studies) were chaotic markets, not coherent bear markets.

### ORDER PARAMETERS

We have seen that the Ising model depends on three order parameters, which Vaga has defined in the Coherent Market Hypothesis in the following manner:

- k = market sentiment; can range from 1.8 (random), to 2.0 (unstable transition); to 2.2 (crossed.)
- from -0.02 (bearish), to 0.0 (neutral), to +0.02 (bullish). h - fundamental environment; can ri
- n = number of degrees of freedom or number of market participants.

n = 186 (the number of industry groups). Although this seems a bit of a k and h assumed to vary; n is fixed. For his purposes, Vaga assumes that simplification, n is a constant. Assuming n = 186, or some other number, is relatively unimportant.

k and h, on the other hand, are very important. How do we estimate cause the dynamic nature of the CMH is what makes it unique. However, if we cannot estimate k and h, how can we make this very appealing theory their values? Standard estimation techniques are totally inadequate, be-

## VAGA'S IMPLEMENTATION

Vaga feels that we can never know exactly what k and h are, so knowing whether they are positive, negative, or neutral is good enough. He examines a number of sentiment indicators and decides which of the three possible states of k are currently reflected in the marketplace.

For fundamentals, he examines Fed policy to see whether h should be mental environment can occur when the Fed eases monetary policy twice in six months, a negative environment can arise from two tightening actions within six months. negative (reflecting a tight monetary environment), neutral, or stimulative. He follows some simple rules in setting the levels. A positive funda-

Vaga uses sentiment signals based on up/down volume and advancing/ declining issue ratio extremes for the New York Stock Exchange. He deupside reversal. On average, Vaga says, the market returns +23.6 percent fines a buy signal as two or more 1:9 downside extremes followed by a 9:1

signal, the return of the S&P 500 averages -21.87 percent. (The period studied was January 1962 to December 1983.) Each signal lasts for six for the six months after such a buy signal. A sell signal would be three or more 1:9 downside extremes. In the six months following such a sell months unless a contrary signal arrives sooner.

comparing a buy and hold strategy with an S&P 500 index fund with a stock/cash switching scheme adding a money market fund. Through October 31, 1989, Vaga's strategy had produced an annualized return of 17.67 percent with an annualized risk of 5.1. By contrast, the buy and hold strategy produced 16.0 percent in annualized return with 8.1 percent annualized risk. In this limited time frame, Vaga has produced an Using these indicators, Vaga has tested his theory since April 1983 by

# CRITIQUE OF THE COHERENT MARKET HYPOTHESIS

theory. We have already seen evidence in Chapter 13 that the markets are chaotic, with sensitive dependence on initial conditions. Forecasting be-This statistical description cannot be based on a Gaussian distribution and random walks. The CMH offers a rich theoretical framework for assessing market risk and how it changes over time in response to fundamental and The CMH is a very appealing model because it is a nonlinear statistical comes difficult, and a statistical description becomes even more necessary. technical factors.

part to coherent phases or random walk phases. However, R/S analysis covers the bull market phase since 1982, including the crash of 1987. Primary supporting evidence comes from the R/S analysis of Chapter 9. The Fractal Hypothesis implies that the market is primarily in the unstable However, the empirical evidence supporting the CMH is weak as of this time. Vaga's investment strategy experience is rather short and basically transition phase, when we have an inefficient market; it does not lend supfinds the average state of the market which, according to the CMH, may well be the unstable transition phase.

Although it has not yet been widely studied, the theory seems to fit in with experience. The market environment does seem different at different times. Further empirical study is essential and, I believe, will be done in The lack of empirical evidence does not deny the validity of the theory.

# What Lies Ahead: Toward a More General Approach

In any science, there come times when the existing paradigm raises more questions than it answers. At those times, the need for a new way of looking at the old problems becomes clear. Capital market theory and economics in general are now coming to that point. For some time, the conditions necessary to justify the use of most of our traditional analytical methods have, in general, not existed. It is time to examine alternatives. The application of these new methods is still in its infancy. There are very few "economic chaologists" in comparison with the industry's number of traditional analysts.

The sciences of complexity—of fractals and chaos—offer new tools, which may be more appropriate than traditional methods at certain times. They are, however, extensions of current techniques. When the new paradigm is examined closely, it is revealed as a generalization of existing methods.

When the Fractal Hypothesis, examined in Part Two, is compared with the Gaussian Hypothesis, its key differentiating feature is the value of alpha, or the dimensionality of the probability density function of price changes. The Gaussian Hypothesis says that alpha equals 2, and no other value. The Fractal Hypothesis differs in allowing alpha to range between 1 and 2 and to take fractional as well as integer values. This generalization of the density function has implications for the behavior of the system.

relationship between the values can have exponents different from 1. Standard econometrics assumes linear relationships between independent variables. The econometric case is a restrictive form of the more Chaos theory states that systems are generally interdependent; the general nonlinear case. In both cases, the sciences of complexity offer more general forms of the existing paradigm. The existing paradigm becomes a special case of the new, more complex models, which can be generated using fractals and chaos. This increase in complexity carries with it a loss of certainty in evaluating the problem. We can no longer folye for optimal solutions, but must instead be content to examine probabilities in a world that can abruptly change when certain critical levels are passed. This new view of the world offers us less control over our environment, even as it offers us a more complete picture of how the world works.

In The Third Wave, Alvin Toffler observes that, in real life, there are no independent variables, but only one large, interdependent system of never-ending complexity. In the capital markets, we must begin to recognize this possibility.

## SIMPLIFYING ASSUMPTIONS

When constructing models, a standard procedure has always been to assume away restrictive constraints-those that can interfere with the phenomenon is more difficult to observe. These simplifying assumptions move in a vacuum. Friction is an outside influence, a complication when sonable to assume away taxes, as though all investors were free to invest as actual behavior of the underlying system without improving understanding. Restrictive constraints, in effect, muddy the waters so that the real allow us to make simpler models, thus making a problem more manageable. The classic example of a simplifying assumption is eliminating friction from physics problems. In elementary physics, bodies are assumed to added to the problem, and not really a part of the interaction between bodies. A similar constraint in the capital markets is the influence of taxes. Taxes can influence the behavior of investors, but they are outside constraints that are not involved in the dynamics of buying and selling in the marketplace. When studying the basis of investor behavior, it is rea-

force. It would be unjustified to proceed and speculate on other systems body is linear, without a good deal of empirical evidence to back up that assumption, particularly when creating applications of theory. When studying the motion of a weight hanging from a spring, we cannot assume and then build an entire analytic framework based on a linear restoring hat are similar to the spring system, and apply the linear restoring theory to In physics, it would be unreasonable to assume that a force acting on a that the force of the spring is linear, in order to make the calculations easier, them as well.

that groups of people are prone to fashions and fads, saying instead that, in the aggregate, investors are rational even if they are not rational individually. Finally, we have hypothesized conditions under which all of these not sure that they are even realistic. To justify our methods, we have even built a model human called the rational investor, even though this person does not resemble anyone we know. We have ignored historical evidence evidence that this assumption is true, we have used methods that have underlying Gaussian assumptions. These methods assume that certain conditions, like the independence of observations, are true when we are out sound empirical evidence that it is true. Even when searching for assumptions must hold and called them the Efficient Market Hypothesis. We have long assumed that investors react to information in a linear fashion. We have built an entire analytic framework on this assumption, with-In capital market theory, we have made such a simplifying assumption.

I am not expressing these reservations about the past 40 years' worth of that, by restricting the conditions to a very specific case, we are missing out on the wealth of methods that are available to us to extend our underlabor with an intent to destroy all of this work. I am merely pointing out standing of the markets and the economy.

## THE PASSAGE OF TIME

Perhaps the most restrictive assumption in traditional analysis involves the That is, time is not important to its problems. The motion of bodies in space can be undone by simply reversing the equations. Because economics and investment analysis borrow heavily from Newtonian physics, we have traditionally treated time as unimportant to our problems. An event treatment of time. In Newtonian physics, time is considered invariant.

can perturb a system, but the system will revert to equilibrium after an appropriately short time span, and the event becomes forgotten. This short memory is characteristic of most econometric methods that consider time In real life, events affect us for a long time. Certain events change our lives forever; other events change the history of the world. We have restricted the impact of events on markets to a short time span, as if the iperiences. markets are different from the rest of our life,

Chaos has shown us that, in natural systems, events can change the course of history, even if the total number of possible results is within a finite space. A system can lose memory of initial conditions, even if the impact continues to be felt. From a sociological point of view, we can say that certain events must have changed the course of history, even if society does not remember when those events occurred. For instance, we do not know when the wheel was invented, yet its impact remains.

In the markets, events may become forgotten over the course of time, but that does not mean their influence is no longer felt. Essentially, where we are depends on where we have been, and where we are going depends on what we are doing now. By generalizing the framework within which we view the effect of time, we enrich our analytic capabilities and our potential to understand the function of markets.

## INTERDEPENDENCE VERSUS INDEPENDENCE

When using econometric models, "what if" analysis is common. In fact, one purpose behind econometric models is to isolate the influence of factors on one another. We may want to know the impact of inflation on interest rates, all other factors held constant. All of the factors are actually interdependent. Our attempts to "orthogonalize" them, or filter out dependence, is based on an underlying Gaussian assumption. We can never know the influence on inflation alone on interest rates, because the impact depends on other variables, and always will. Assuming independence between variables simplifies the problem, but dependence is not an outside influence, like friction, that can be assumed away to simplify the problem. It is an important part of the system itself. Assuming dependence away changes the entire nature of the problem: the model system and the actual system become no longer related.

Other Possibilities

for substantial new applications becomes limitless as our understanding Chaos theory generalizes the study of systems to take this interdependence into account. Generalizing the problem, rather than restricting it, will increase our understanding of the system and thus generate new applications. Quick optimal solutions may not be possible. However, the potential ncreases.

## EQUILIBRIUM, AGAIN

of economic equilibrium is so entrenched that I must address this issue one solutions (or, closed form solutions) for a problem involving two bodies in motion. Once we go beyond two bodies, single solutions can no longer be We have discussed equilibrium in several contexts. However, the concept Scientists have long known that Newtonian physics offers only optimal final time. Economic equilibrium is closely tied to Newtonian physics. found, and scientists since Poincaré have given up that attempt.

In economics and investments, we continue to search for a solution to a This means that point attractors and limit cycles are not the only possible types of equilibrium. Strange attractors that offer infinite solutions within a finite range are a very real possibility. Only by generalizing our analytic nonlinearities between the forces can no longer be assumed away, as in a multibody problem. We must remember that, in the multibody problem, two-body problem, without drastically changing the nature of the system. framework can we efficiently research that possibility.

## **OTHER POSSIBILITIES**

sented in the preceding chapters. There are also many other paradigms that may prove to be more useful than fractals and chaos. These alternative There are many other possible explanations for the empirical findings premethods are still closely related to chaos. They are relatively new developments about which we are just beginning to learn. The January 1991 issue of Scientific American has covered two possibilities.

The first possibility is called "wavelet theory," which appears to be a generalization of spectral analysis. The creators of wavelet theory are credted as Ingrid Daubechies of Bell Labs, Gregory Belylkin of Schumberger-

Doll Research, and Ronald Coifman of Yale University. Spectral analysis depends on Fourier transforms, which break a signal up into a series of sine smaller increment scales according to a fixed number. Spectral analysis also searches for a periodic cycle. As we have seen, fractal and chaotic time series do not have a characteristic scale, so spectral analysis on a chaotic or waves that, added together, replicate the original signal. However, spectral analysis depends on the system's having a characteristic scale; that is, each fractal time series results in a graph that looks like broadband noise. Non-periodic cycles also contribute to this result.

Because wavelet theory can handle signals with multiple scales, it can be used to analyze fractal and chaotic time series. This could be a promising area of future research.

The second possibility is the concept of "self-organized criticality." The description by Bak and Chen (1991) is quite complete and has exciting possible applications to capital market analysis.

cally, the stability of sand piles. Glen Held, at the IBM Thomas J. Watson Self-organized criticality began with the study of sand piles—specifi-Research Center, has performed experiments using real sand piles. Bak one grain of sand at a time is dropped onto a round, flat surface. As you would expect, the grains begin to pile up on one another and they form a a grain of sand will cause a small avalanche. As the pile gets higher, the At some point, the pile stops growing and sand begins to spill over the edge and Chen have done such experiments mathematically. In one experiment, cone as a large number of grains continue to be dropped. Occasionally, avalanches become larger, and the slope of the sides of the cone gets higher. of the plate. At the point where the amount of sand being added equals the amount of sand falling off the edge, the sand pile has reached its "critical state." From that point on, the size of the avalanches can vary widely, from a few grains of sand to large slides ("catastrophes").

Strangely, even the large avalanches do not involve enormous amounts of sand. In addition, the slope of the cone does not deviate much from the slope of the critical state, even after a large slide. The actual size of the avalanches depends on the stability of the grains that the added grain hits on its way down the pile. The added grain may reach a stable position, and other unstable grains. Bak and Chen say that "the pile maintains a constant there will be no slide; or, it may reach an unstable section and knock loose grains that will hit other grains. They, in turn, may stabilize or may hit height and slope because the probability that the activity will die, is on average balanced by the probability that the activity will branch." In other

the second second of the second secon

Summary

207

words, the probability of a landslide and the probability of no landslide are essentially the same.

areas in the pile changes frequently, but the statistical characteristics of There are many unstable regions in the sand pile, but the critical state is robust, in that it varies little. The distribution of stable and unstable the slides themselves remain essentially the same.

statistics. In this case, the amount of sand that falls off the pile varies continually. Bak and Chen say that, in a time series of such amounts, "one would see an erratic signal that has features of all durations." In other words, there is no characteristic scale or periodicity. These signals are called "flicker" noise, or l/f noise. f is the fractal dimension, flicker noise This characteristic-local conditions in continual flux, while the statistical distribution remains the same-is closely related to fractal is fractional noise, and 1/f is related to the Hurst exponent.

states at all times. In other words, they are far from equilibrium. In the sand pile's case, the most stable shape is not a cone, but being evenly Self-organized criticality has been useful in modeling earthquakes and spread out on the flat surface. Yet, the system, like other natural systems. other natural phenomena, because natural systems tend to be in critical balances itself on the edge of stability, far from equilibrium.

Self-organized criticality is promising because it offers a physical model for replicating fractal statistics. That would be a very fruitful area for future research.

they reside at the edge of chaos. Their nearby trajectories diverge accordchaotic systems lack the time scale beyond which prediction becomes In addition, unlike chaos, self-organized criticality offers the hope of prediction. Self-organized systems are "weakly chaotic," which means ing to a power law, not exponentially. What this means is that weakly impossible, offering the possibility of long-range forecasting. This is contrary to the positive Lyapunov exponents presented in Chapter 13 for the capital markets, but it is still a promising area for research.

#### SUMMARY

fects into account. Because of this omission, their validity is seriously We have seen evidence that the capital markets are nonlinear systems, and we have seen that current capital market theory does not take these efweakened. However, we do not have a full model of investment behavior

to replace the CAPM. The Coherent Market Hypothesis of Vaga, which we discussed in Chapter 14, is more geared to equities than to bonds. What is needed is a new capital market theory that takes into account all of the nonlinear effects we have seen. Nonlinear behavior is evident in stocks, bonds, and currencies. The stock market case is not limited to domestic stocks, but extends into international stocks as well. There is ample room for more empirical research, but the next phase is to develop a capital market theory that incorporate the monlinear structures we have seen.

Much work still remains to be done.

### Appendix 1

# **Creating a Bifurcation Diagram**

The BASIC program below provides for creating and examining the bifurcation diagram of the Logistic Equation, shown in Chapters 1 and 10. The program requires two inputs, the beginning and ending values of a for the graph. As in the text,  $0 < a \le 1$ . To view the full range of values, use  $0.5 \le a \le 1$ , because the lower values of a result in a straight line.

```
@INCREMENTS TO A TO FILL
                                                                                                                                                    @PLOT POINT@
                          PRINT "INPUT BEGINNING A:" : INPUT A
                                         PRINT "INPUT ENDING A:" : INPUT A2
                                                                                       QINITIAL VALUE OF X®
                                                                                                                                                                                    GREINITIALIEE X@
                                                                                                                                                                                                    GNEXT VALUE OF AG
                                                                                                                                                       PSET ((740*X-100), J)
                                                          C=(1-A2)/200 : CLS
                                                                                                                                         X=#+X*(1-X)
                                                                                                         FOR J = 1 TO 200
                                                                                                                         FOR I=1 TO 500
              CLS : KEY OFF
                                                                              SCREEN®
SCREEN 2
                                                                                                                                                                                                         110 A=A+C
                                                                                                                                                                          NEXT I
                                                                                                                                                                                                                        NEXT J
                                                                                              . π×
                                                                                                                                                                                         100 X=.4
                                                                                                                           9
```

Appendix 2

### Simulating a Biased Random Walk

Feder (1988) produced a formula for creating a simulated biased random walk time series, B<sub>H</sub>(t), from a sequence of Gaussian random numbers. The formula is lengthy, but not overly complicated:

$$\begin{split} \Delta B_H(t) = & \Big(\frac{n^{-H}}{\Gamma(H+.5)}\Big)^* \Big\{ \sum_{i=1}^{n^{*}} (i)^{(H-..5)*} E_{(1+n(M+i)-1)} \\ & + \sum_{i=1}^{n^{*}(M-1)} ((n+i)^{(H-..5)}) - i^{(H-..5)} * E_{(1+n(M-1+i)-1)} \Big\} \end{split}$$

In this equation, E<sub>i</sub> is a time series of Gaussian random numbers, normally distributed, with a mean of 0 and a standard deviation of 1. However, we usually start with a set of pseudo-random numbers generated by an algorithm. t is an integer time step, usually one period, which is split into n intervals to approximate a continuous integral. M is the number of periods for which the long memory effect is generated. Theoretically, it should be infinite, but, for the purposes of simulation, a large M will do.

This algorithm takes a series of Gaussian random numbers and approximates the memory effect as a sliding average by weighting past values according to a power law function. By examining the equation, one can see that we need n\*M Gaussian random variables to produce each

Appendix 2

212

biased increment. The algorithm is inefficient, because the computations needed are immense. It is effective nonetheless.

The program that is supplied here is written in BASIC. It will accept a time series of 8,000 Gaussian random numbers. Adjustments can be made. M can be set at any value the user chooses. The longer M is, the more the result approximates the "infinite memory" concept, but there will be significant computation time. The examples used in the text use M = 200. n does not have to be a large number it mainly affects the short-term behavior of B<sub>H</sub>(t), and we are not studying that here. In the simulations, I set n = 5 to keep the computation time down to a minimum. Therefore, in the simulations provided in Chapter 7, 100 Gaussian random numbers were used to produce each increment of fractional brownian motion.

The program takes an ASCII file called "rand.prn" as input, and produces a file of changes of a biased random walk series in another ASCII file called "brown.prn." The output would be the equivalent of returns. The output file can be brought into a spreadsheet and plotted, to produce graphs like those shown in Figure 7.1. By using the same input file and varying the value of H, one obtains a set of graphs like the set used in this book. They look similar, except for the value of H. A cumulative version of the output file will produce graphs like the set in Figure 7.2.

```
INPUT @NUMBER OF INCREMENTS IN EACH TIME STEP@
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   210 PRINT #2, USING VTS; DELTA @WRITE TO FILE®
                                                                                                                      OPEN "RAND. PRN" FOR INPUT AS 1 @FILE OF RANDOM
                                                                                                                                                                                                                                                       @CONSTANT TERM IN EQUATION®
                                                                                                                                                                                                                                                                                                                                   IF (1+N*(M+T)-K)>=8000 GOTO 240 @CHECK FOR
                                                                                                                                                                                                                                                                                                                                                                                                                                @SECOND SUMMATION®
                                                                                                                                                           OPEN "BROWN.PRN" FOR OUTPUT AS 2 LEN = 2500
                                                              INPUT H @HURST EXPONENT TO BE SIMULATED@
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          180 E3 = E3+E2 @SUMMATION OF SECOND TERM@
                                                                                                                                                                                                                                                                                                                                                                                             E1 = E1+E @SUMMATION OF FIRST TERM@
                                                                                                                                                                                                 FOR I = 1 TO 8000 @READING INPUT FILE®
                                                                                    INPUT G @GAMMA FUNCTION OF H+0.50, NOT
                                                                                                                                                                                                                                                                                                                                                                                                                                                    B2 = ((H+L)^{+}(H-.5))-L^{+}(H-.5))*X(1-
                                                                                                                                                                                VIS = "###.######" GOUTPUT FORMATG
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               @CALCULATION OF
                                                                                                                                                                                                                                                                                                                   @FIRST SUMMATION@
                                              INPUT M @LENGTH OF MEMORY BFFECT®
                                                                                                                                                                                                                                                                                                                                                                              B = (K^{+}(H-.5))*X(1+N*(M+T)-K)
            PRINT "INPUT n, M, H, and Gamma:"
                                                                                                            SUPPLIED WITH BASIC®
                                                                                                                                                                                                                                                                                                                                                                                                                                        160 FOR L = 1 TO N* (M-1)
                                                                                                                                                                                                                                                                                                      125 E1=0: E3=0: K=1: L=1
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     DELTA = A*(E1+E3)
                                                                                                                                                                                                                                                                                                                                                                                                                                                                              L+N*(M-1+T))
                                                                                                                                                                                                                                                                                                                         130 FORK = 1 TON
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            INCREMENT®
                                                                                                                                                                                                                             INPUT #1, X(I)
                                                                                                                                                                                                                                                                                                                                                                LAST ENTRY@
                                                                                                                                                                                                                                                                 A = (N^-H)/G
                                                                                                                                                                                                                                                                                    C = 1: T = 0
DIM X(8000)
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      GOTO 125
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 T = T+1
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      190 NEXT L
                                                                                                                                                                                                                                                                                                                                                                                                                         150 NEXT K
                                                                                                                                                                                                                                                 NEXT I
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        230
                                                                                                                                                                                                                                                                                                                                                                                                           145
                                                                                                                                                                                                                                                                                           120
                                                                                                                                                                                                                                 06
                                     30
```

Appendix 3

# Calculating the Correlation Dimension

The BASIC program below implements equation (12.2), which calculates correlation integrals for a time series. This program is not long, but it is data-intensive. As a result, it can run for a long time, even on a high-speed personal computer. The calculation itself is simple. The program reconant calculates the number of points within a certain distance (R) from each other, within the reconstructed phase space. It then calculates the probability that any two points chosen at random will be within the distance (R) for the entire data set. The program does this for increasing values of R. Therefore, for each distance R, it must check the distance between each point and this for increasingly higher embedding dimensions as well.

The program accepts a data series of up to 2,000 observations in a file called "delay.prn." It creates an output file of the correlation integral (CR) and the distance (R). For inputs, it requires the number of observations in the time series (NPT), the embedding dimension (DIMEN), the lag time for reconstructing the phase space (TAU), the increase in each measurement (DT), and the beginning distance (R). I recommend that R and DT be equal to 10 percent of the difference between the maximum and minimum values in the original time series.

Once the program has run, it will create an output file with one column of correlation integrals (CR) and the corresponding distance (R). This file

NEXT I

Appendix 3

216

should be brought into a spreadsheet. A log/log plot of the output file will produce graphs similar to Figure 12.2 for the Henon attractor. A linear regression is then run on the linear region of this log/log plot. The slope is the correlation dimension estimate. For the Henon attractor, we knew what the underlying dimensionality was, so only one embedding dimension series was required. However, for experimental data, like our stock market time series, we do not know what the underlying dimensionality is. Therefore, we must run the program for increasing values of DIMEN until the regression converges to one value, as outlined in Chapter 13. The embedding dimension should converge before the dimensionality gets too high. Otherwise, the data will become too sparse for linear regions to be apparent in the log/log plot. If that is the case, more data will be needed to estimate dimensionality as discussed in Chapters 12 and 13.

GENBEDDING DIMENSIONS OF UP TO INPUT TAU @TIME LAG FOR RECONST. PHASE SPACE@ Z(I,J) = X(I+(J-1)\*TAU @RECONST THE PHASE OPEN "CORDIM. PRN" FOR OUTPUT AS 2 LEN=2000 PRINT "INPUT NPT, DIMEN, TAU, DT, R:" INPUT NPT @NUMBER OF OBSERVATIONS@ INPUT DIMEN GEMBEDDING DIMENSIONG INPUT DT @INCREMENTS TO DISTANCE@ FOR I # 1 TO NPT GREAD INPUT FILEG THETA=0: THETA2=0: CR=0: IND=1: OPEN "DELAY. PRN" FOR INPUT AS 1 INPUT R GINITIAL DISTANCE VIS = "##. #### ##. #### GINPUT FILE X=1: LAG=0: SUM=0: ITS=0 10 ARE ALLOWED® DIM E (1000, 10) FOR JET TO DIMEN FOR I = 1 TO NPT INPUT #1, X(I) DIM X (2000) LEN=2000 SPACE NEXT I D HXHX 110 150 140 160 80 50

```
D=D+(Z(LAG, J)-Z(I, J))^2 @CALCULATING SQUARE
310 NPT=NPT - DIMEN*TAU @MAXIMUM LENGTH OF PHASE
                                                                                                                                                                                     @COUNTING POINTS@
                                                                                                                                                                                                                                                    CR=(1/(NPT^2))*THETA @CALC CORRELATION
                                                                                                           OF DISTANCE@
                                                                                                                                        @CALCULATION OF DISTANCE®
                                                                                                                                                                                                                                                                                 @PRINT FILE®
                                                                                                                                                         IF D > R THEN THETA2 = 0, ELSE THETA2=1
                                                                                                                                                                                                                                                                                                                                 CR=0: THETA = 0: THETA2 = 0: LAG = 0
                                                                                                                                                                         @DISTANCE GREATER THAN R?@
                                                                                                                                                                                                                                                                                     PRINT #2 USING VI$; CR, R
                                                                                                                                                                                                                                                                                                   L=L+1: IF L>12 GOTO 500
                                                                                                                                                                                          THETA = THETA + THETA2
                                                                                FOR J= 1 TO DIMEN
                                                   FOR I = 1 TO NPT
                                   FOR K=1 TO NPT
                                                                                                                                                                                                                                                                         INTEGRAL®
                                                                                                                                                                                                                           LAG=LAG+1
                                                                                                                                                D=SQR(D)
                                                                                                                                                                                                                                                                                                                                                     GOTO 320
                       SPACE®
                                                                                                                                                                                                                                                                                                                         R=R+DT
                                                                                                                                NEXT J
                                                                                                                                                                                                                                            NEXT X
                                                                                                                                                                                                            NEXT I
                                                                                                                                                                                                                                                                                                                                                                      END
                                                                     0 | 0
                                                                                                                                                                                                                                                                                                                                                                     500
                                                                                                                                                                                                                                                                                                          0917
                                                                                                                                                                                                                                                                                                                         470
                                                                                                                                                                                                                                                                                                                                        087
                                                                                                                                                                                                                                                                                                                                                        067
                                                                                                                                                                                                                             420
                                                                                                                                                                                                                                            430
                                                                                                                                                                                                                                                            0 17 17
                                                                                                                                                380
                                                                                                                                                                                                             410
                                                                                                                                                                390
                                                                                                                                                                                               000
                                                      330
                                                                    340
                                                                                  350
                                                                                                  360
                                                                                                                                  370
```

Appendix 4

## Calculating the Largest Lyapunov Exponent

The program provided here is adapted into BASIC from the FORTRAN program by Wolf et al. for calculating the largest Lyapunov exponent from a time series, or one observable. This program is the implementation of equation (12.4) used in Chapter 13. This program requires the most numerical experiments, in order to find the appropriate values. The program tracks the divergence of two points as they evolve through time. The user provides an input file of the time series, and the system first reconstructs a phase space for a user-defined embedding dimension and lag time, as was done in Appendix 3. Chapter 12 gives guidelines for choosing these parameters.

Chapters 12 and 13 provide suggestions for performing this analysis. The reader is encouraged to reread those chapters before using this program. The user also provides an evolution time (EVOLV) to measure divergence. The evolution time needs to be short enough to measure divergence, with out measuring folds. However, if it is too short, there will be a high level of computation time. The maximum divergence allowed before a replacement computation time. The maximum divergence allowed before a replacement point is found (SCALMX) can be 10 percent of the difference between the maximum and minimum value in the time series. There is no rule for the minimum divergence (SCALMN), and I have used 10 percent of SCALMX, minimum divergence of noise that the user feels is in the data set.

The program creates a file that has the Lyapunov exponent estimate so far, the evolution time, and the current divergence between the nearby

DNMAHO

610

MEXT I

Appendix 4

220

points. The program spends a good deal of time looking for replacement points when the pair diverges beyond SCALMX. The program searches through all the points in the file for a replacement point that is greater than SCALMN from the initial point, and also has a similar angle to the initial point, because we are measuring trajectories in phase space. The length of time that it takes to run this program varies, depending on the embedding dimension and the EVQLV time.

GRECONST PHASE SPACE® OPEN "DELAY. PRN" FOR INPUT AS 1 LEN=2500 @INPUT DIM Z (1000, 5) GACCEPTS UP TO 5 DIMENSIONS PRINT "NPT, DIM, TAU, DT, SCALMX, SCALMN, OPEN "LYAP, PRN" FOR OUTPUT AS 2 LEN=500 INPUT LAGE "MINIMUM TIME BETWEEN PAIRS" 女子女子 子子,子子子子 INPUT TAU @LAG TIME FOR PHASE SPACE@ INPUT DIMEN @EMBEDDING DIMENSION® Input npt @number of observations@ INPUT SCALMX @MAXIMUM DIVERGENCE@ DIM X(1000), PT1(12), PT2(12) INPUT SCALMN @MINIMUM DISTANCE@ INPUT EVOLV GEVOLUTION TIMEG FOR I=1 TO NPT-(DIMEN-1) \*TAU 250 E(I,J)=X(I+(J-1)+TAU) VI\$ = "###.###### PRINT "READING DATA" FOR J = 1 TO DIMEN EVOLV, LAG?" PRINT "DATA READ" FOR I # 1 FO NPT INPUT #1, X(I) \*\*\* INPUT DT SUM = 0 NEXT I MEXT J INDE ITS=0 100 110 120 130 140 150 160 200 240 170 220 230 190 210 260 06 70 30

275	
280	NPT=NPT-DIMEN*TAU-EVOLV @MAX LENGTH OF PHASE
	SPACE®
290	DI=1000000000
300	FOR I=(LAG+1) TO NPT @FIND INITIAL PAIR@
310	D=0
320	
330	D=D+(Z(IND, J)-Z(I, J)) 2 @CALC DISTANCE@
340	NEXT J
350	
360	IF (D>DI) OR (D <scalmn) 390="" @store="" best<="" goto="" th=""></scalmn)>
	POINT@
370	O = IO
380	IND2 = I
390	
400	FOR J=1 TO DIMEN @COORDINATES OF EVOLVED
	POINTS@
4 10	PT1(J) = Z(IND+EVOLV, J)
420	PT2(J) = Z(IND2+EVOLV,J)
430	NEXT J
0 † †	O##0
450	Du ·
460	DF=DF+(PT2(J)-PT1(J)) 2
470	NEXT J
0817	DF#SQR(DF)
0617	
200	SUM = SUM+(LOG(DF/DI)/(EVOLV*DT*LOG(2)))
510	
520	PRINT #2, USING VT\$; ZLYAP, EVOLV*ITS, DI, DF
540	INDOLD = IND2
550	EXULT=1
260	ANGLHX=.3
570	THMIN=3.14
575	<b>GLOOK FOR REPLACEMENT POINTS</b>
580	FOR I = 1 TO NPT
290	ND+EVOLV)))
9	.,
5 21	POINT IS TOO CLOSE TO ORIGINAL®

	))^2			NEW < SCALMN)			- Y	PE1(J)-PI2(J))																			~			
MON GH   TO DIMMN	$DNEW = DNEW + (PI1(J) - Z(I,J))^2$	D EXMN	DNEW SOR (DNEW)	IF (DNEW > ZMULT * SCALMX) OR (DNEW < SCALMN	GOTO 780	Dot = 0	FOR J=1 TO DIMEN	DOT=DOT+(PT1(J)-Z(I,J))	Z	CTH=ABS(DOT/(DNEW+DF))	IF *CTH > 1) THEN CTH=1	TH*COS (CTH)	IF (TH>THMIN) GOTO 780	THKIN=TH	DII=DNEW	IND2=I	NEXT I	IF (THMIN < ANGLMX) GOTO 870	ZMULT=ZMULT+1	IF (ZMULT < 5) GOTO 570	ZMULT=1	ANGLHX=2*ANGLHX	IF (ANGLMX < 3.14) GOTO 570	IND2 = INDOLD + EVOLV	DII=DF	IND-IND-EVOLV	IF (IND > =NPT) GOTO 910	DIMDII	GOTO 400	BND
620	630	640	650	099		670	680	069	700	710	720	730	740	750	760	770	780	790	800	810	820	830	840	850	860	870	880	890	006	910

Alexander, S. "Price Movements in Speculative Markets: Trends or Random Walks, No. 2," in P. Cootner, ed., The Random Character of Stock Market

Arnold, B. C. Pareto Distributions. Fairland, MD: International Cooperative. Prices. Cambridge, MA: M.I.T. Press, 1964.

Bachelier, L. "Theory of Speculation," in P. Cootner, ed., The Random Character of Stock Market Prices. Cambridge, MA: M.I.T. Press, 1964. (Originally published in 1900.)

Bai-Lin, H. Chaos. Singapore: World Scientific, 1984.

Bak, P., and Chen, K. "Self-Organized Criticality," Scientific American, January

Bak, P., Tang, C., and Wiesenfeld, K. "Self-Organized Criticality," Physical Review A 38, 1988.

Barnesly, M. Fractals Everywhere. San Diego, CA: Academic Press, 1988.

Benhabib, J., and Day, R. H. "Rational Choice and Erratic Behavior," Review of Beltrami, E. Mathematics for Dynamic Modeling. Boston: Academic Press, 1987. Economic Studies 48, 1981.

Black, F. "Capital Market Equilibrium with Restricted Borrowing," Journal of Business 45, 1972.

Black, F., Jensen, M. C., and Scholes, M. "The Capital Asset Pricing Model: Some Empirical Tests," in M. C. Jensen, ed., Studies in the Theory of Capital Markets. New York: Praeger, 1972.

Black, F., and Scholes, M. "The Pricing of Options and Corporate Liabilities," Journal of Political Economy, May/June 1973.

Briggs, J., and Peat, F. D. Turbulent Mirror. New York: Harper & Row, 1989.

Brock, W. A. "Distinguishing Random and Deterministic Systems," Journal of Economic Theory 40, 1986.

Brock, W. A., and Dechert, W. D. "Theorems on Distinguishing Deterministic from Random Systems," in Barnett, Berndt, and White, eds., Dynamic Econometric Modeling. Cambridge, England: Cambridge University Press, 1988.

Brock, W. A., Dechert, W. D., and Scheinkman, J. A. "A Test for Independence based on Correlation Dimension," unpublished ms., 1987.

Callan, E., and Shapiro, D. "A Theory of Social Imitation," Physics Today 27,

Chen, P. "Empirical and Theoretical Evidence of Economic Chaos," System Dynamics Review 4, 1988.

Cootner, P. "Comments on the Variation of Cartain Speculative Prices," in P. Cootner, ed., The Random Character of Stock Market Prices. Cambridge, MA: M.I.T. Press, 1964a.

Cootner P. H., ed. The Random Character of Stock Market Prices. Cambridge, MA: M.I.T. Press, 1964b.

Cox, J. C., and Ross, S. "The Valuation of Options for Alternative Stochastic Processes," Journal of Financial Economics 3, 1976.

Cox, J. C., and Rubinstein, M. Options Markets. Englewood Cliffs, NJ: Prentice-

Day, R. H. "The Emergence of Chaos from Classical Economic Growth," Quarterly Journal of Economics 98, 1983.

Day, R. H. "Irregular Growth Cycles," American Economic Review, June 1982.

De Gooijer, J. G. "Testing Non-linearities in World Stock Market Prices," Economics Letters 31, 1989

Devaney, R. L. An Introduction to Chaotic Dynamical Systems. Menlo Park, CA: Addison-Wesley, 1989.

Elton, E. J., and Gruber, M. J. Modern Portfolio Theory and Investment Analysis. New York: John Wiley & Sons, 1981.

Fama, E. F. "The Behavior of Stock Market Prices," Journal of Business 38,

Fama, E. F. "Efficient Capital Markets: A Review of Theory and Empirical Work," Journal of Finance 25, 1970.

Fama, E. F. "Mandelbrot and the Stable Paretian Hypothesis," in P. Cootner, ed., The Random Character of Stock Market Prices. Cambridge, MA: M.I.T. Press, Fama, E. F. "Portfolio Analysis in a Stable Paretian Market," Management Science 11, 1965b.

Fama, E. F., and Miller, M. H. The Theory of Finance. New York: Holt, Rinehart and Winston, 1972.

Feder, J. Fractals. New York: Plenum Press, 1988.

Feigenbaum, M. J. "Universal Behavior in Nonlinear Systems," Physica 7D, 1983.

Feller, W. "The Asymptotic Distribution of the Range of Sums of Independent Variables," Annals of Mathematics and Statistics, 22, 1951.

Fieldstein, M., and Eckstein, O. "The Fundamental Determinants of the Interest Rate," Review of Economics and Statistics 52, 1970.

Friedman, B. M., and Laibson, D. I. "Economic Implications of Extraordinary Movements in Stock Prices," Brookings Papers on Economic Activity 2, 1989.

225 **Bibliography** 

Gleick, J. Chaos: Making a New Science. New York: Viking Press, 1987. Grandmont, J. "On Endogenous Competitive Business Cycles," Econometrica

Grandmont, J., and Malgrange, P. "Nonlinear Economic Dynamics: Introduction," Journal of Economic Theory 40, 1986.

Granger, C. W. J. Spectral Analysis of Economic Time Series. Princeton, NJ: Princeton University Press, 1964.

Grassberger, P., and Procaccia, I. "Characterization of Strange Attractors," Physical Review Letters 48, 1983.

Greene, M. T., and Fielitz, B. D. "Long-Term Dependence in Common Stock Returns," Journal of Financial Economics 4, 1977.

Greene, M. T., and Fielitz, B. D. "The Effect of Long Term Dependence on Risk-Return Models of Common Stocks," Operations Research, 1979.

Haken, H. "Cooperative Phenomena in Systems Far from Thermal Equilibrium and in Non Physical Systems," Reviews of Modern Physics 47, 1975

Henon, M. "A Two-dimensional Mapping with a Strange Attractor," Communications in Mathematical Physics 50, 1976.

Hicks, J. Causality in Economics. New York: Basic Books, 1979.

Hofstadter, D. R. "Mathematical Chaos and Strange Attractors," in Metamagical Themas, New York: Bantam Books, 1985.

Holden, A. V., ed. Chaos, Princeton, NJ: Princeton University Press, 1986.

Hopf, E. "A Mathematical Example Displaying Features of Turbulence," Communications in Pure Applied Mathematics 1, 1948.

Hurst, H. E. "Long-term Storage of Reservoirs," Transactions of the American Society of Civil Engineers 116, 1951.

Jarrow, R., and Rudd, A. "Approximate Option Valuation for Arbitrary Stochastic Processes," Journal of Financial Economics 10, 1982.

Jensen, R. V., and Urban, R. "Chaotic Price Behavior in a Non-Linear Cobweb Kahneman, D. P., and Tversky, A. Judgment Under Uncertainty: Heuristics and Model," Economics Letters 15, 1984.

Kelsey, D. "The Economics of Chaos or the Chaos of Economics," Oxford Eco-Biases. Cambridge, England: Cambridge University Press, 1982.

Kendall, M. G. "The Analysis of Economic Time Series," in P. Cootner, ed., The Random Character of Stock Market Prices. Cambridge, MA: M.I.T. Press, 1964. nomic Papers 40, 1988.

Kocak, H. Differential and Difference Equations Through Computer Experiments.

Kuhn, T. S. The Structure of Scientific Revolutions. Chicago: University of New York: Springer-Verlag, 1986.

Lanford, O. "A Computer-Assisted Proof of the Feigenbaum Conjectures," Bulletin of The American Mathematical Society 6, 1982. Chicago Press, 1962.

Larrain, M. "Empirical Tests of Chaotic Behavior in a Nonlinear Interest Rate Model," Financial Analysts Journal, 1991 (in press).

Larrain, M. "Portfolio Stock Adjustment and the Real Exchange Rate: The Dollar-Mark and the Mark-Sterling," Journal of Policy Modeling, Winter 1986.

Levy, P. Théorie de l'addition des variables aléatoires. Paris: Gauthier-Villars, 1937.

- Li, T.-Y., and Yorke, J. "Period Three Implies Chaos," American Mathematics Monthly 82, 1975.
  - Linden, W. L. "Dreary Days in the Dismal Science," Forbes, January 21, 1991.
- Lintner, J. "The Valuation of Risk Assets and the Selection of Risk Investments in Stock Portfolios and Capital Budgets," Review of Economic Statistics 47, 1965.
- Lo. A. "Long Term Memory in Stock Market Prices," NBER Working Paper 2984. Washington, DC: National Bureau of Economic Research, 1989.
- Lorenz, E. "Deterministic Nonperiodic Flow," Journal of Atmospheric Sciences
- Lorenz, H. "International Trade and the Possible Occurrence of Chaos," Economics Letters 23, 1987.
- Lorenz, H. Nonlinear Dynamical Economics and Chaotic Motion. Berlin: Springer-Verlag, 1989.
  - Lorie, J. H., and Hamilton, M. T. The Stock Market: Theories and Evidence. Homewood, IL: Richard D. Irwin, 1973.
- Lotka, A. J. "The Frequency Distribution of Scientific Productivity," Journal of the Washington Academy of Science 16, 1926.
  - Mackay, L. L. D. Extraordinary Popular Delusions of the Madness of Crowds. New York: Farrar, Straus and Giroux, 1932. (Originally published 1841.)
- Mandelbrot, B. The Fractal Geometry of Nature. New York, W. H. Freeman,
- Mandelbrot, B. "The Pareto-Levy Law and the Distribution of Income," Inter national Economic Review 1, 1960.
- Mandelbrot, B. "Some Noises with 1/f Spectrum: A Bridge Between Direct Cur
  - rent and White Noise," IEEE Transactions on Information Theory, April 1967. Mandelbrot, B. "The Stable Paretian Income Distribution when the Apparent Exponent is Near Two," International Economic Review 4, 1963.
- Mandelbrot, B. "Stable Paretian Random Functions and the Multiplicative Variation of Income," Econometrica 29, 1961.
- Mandelbrot, B. "Statistical Methodology for Non-Periodic Cycles: From the Covariance to R/S Analysis," Annals of Economic and Social Measurement 1, 1972.
- Mandelbrot, B. "The Variation of Certain Speculative Prices," in P. Cootner, ed., The Random Character of Stock Prices. Cambridge, MA: M.I.T. Press, 1964.
- Mandelbrot, B. "The Variation of Some Other Speculative Prices," Journal of Business, 1966.
  - Mandelbrot, B. "When Can Price be Arbitraged Efficiently? A Limit to the Validity of the Random Walk and Martingale Models," Review of Economic Statistics 53, 1971.
- Mandelbrot, B., and Van Ness, J. "Fractional Brownian Motion, Fractional Noises, and Applications," SIAM Review 10, 1968.
- Mandelbrot, B., and Wallis, J. R. "Robustness of the Rescaled Range R/S in the Measurement of Noncyclic Long Run Statistical Dependence," Water Resources Research 5, 1969.
  - Markowitz, H. M. "Portfolio Selection," Journal of Finance 7, 1952.
- Markowitz, H. M. Portfolio Selection. Efficient Diversification of Investments. New York: John Wiley & Sons, 1959.

**Bibliography** 

227

May, R. "Simple Mathematical Models with Very Complicated Dynamics," Nature

- McCulloch, J. H. "The Value of European Options with Log-Stable Uncertainty." unpublished ms.
- McNees, S. K. "Consensus Forecasts: Tyranny of the Majority," New England Economic Review, November/December 1987.
- McNees, S. K. "How Accurate are Macroeconomic Forecasts?" New England Economic Review, July/August 1988.
- McNees, S. K. "Which Forecast Should You Use?" New England Economic Re-
  - MeNees, S. K., and Ries, J. "The Track Record of Macroeconomic Forecasts," view, July/August 1985.
- Melese, F., and Transue, W. "Unscrambling Chaos Through Thick and Thin." New England Economic Review, November/December 1983. Quarterly Journal of Economics, May 1986.
- Cootner, ed., The Random Character of Stock Market Prices. Cambridge, MA. Moore, A. B. "Some Characteristics of Changes in Common Stock Prices," in P. H. M.I.T. Press, 1964.
  - Mossin, J. "Equilibrium in a Capital Asset Market," Econometrica 34, 1966.
    - Murray, J. D. Mathematical Biology, Berlin' Springer-Verlag, 1989.
- Osborne, M. F. M. "Brownian Motion in the Stock Market," in P. Cootner, ed., The Random Character of Stock Market Prices, Cambridge, MA: M.I.T. Press.
  - Packard, N., Crutchfield, J., Farmer, D., and Shaw, R. "Geometry from a Time Series," Physical Review Letters 45, 1980. 1964. (Originally published in 1959.)
    - Pareto, V., Cours d'Économie Politique. Lausanne, Switzerland, 1897.

    - Peters, E. "A Chaotic Attractor for the S&P 500," Financial Analysis Journal. March/April 1991a.
- Peters, E. "Fractal Structure in the Capital Markets," Financial Analysis Journal.
- Peters, E. "R/S Analysis using Logrithmic Returns: A Technical Note," Financial July/August 1989.
  - Pierce, J. R. Symbols, Signals and Noise, New York: Harper & Row, 1961. Analysts Journal, 1991b (in press).
- Ploeg, F. "Rational Expectations, Risk and Chaos in Financial Markets," The
- Poincaré, H. Science and Method, New York: Dover Press, 1952. (Originally Economic Journal 96, 1985.
  - Prigogine, I., and Stengers, I. Order Out of Chaos. New York: Bantam Books. published 1908.)
- Prigogine, I., and Nicolis, G. Exploring Complexity. New York: W. H. Freeman,
- Roberts, H. V. "Stock Market 'Patterns' and Financial Analysis: Methodological Cambridge, MA: M.I.T. Press, 1964. (Originally published in Journal of Fi-Suggestions," in P. Cootner, ed., The Random Character of Stock Market Prices.
  - Roll, R. "Bias in Fitting the Sharpe Model to Time Series Data," Journal of Financial and Quantitative Analysis 4, 1969.

229

Roll, R. "A Critique of the Asset Pricing Theory's Tests; Part I: On Past and Roll, R. and Ross, S. A. "An Empirical Investigation of the Arbitrage Pricing Potential Testability of the Theory." Journal of Financial Economics 4, 1977.

Theory." Journal of Finance 35, 1980.

Ross, S. A. "The Arbitrage Theory of Capital Asset Pricing." Journal of Economic Theory 13, 1976.

Rudd, A., and Clasing, H. K. Modern Portfolio Theory. Homewood, IL: Dow Jones-Irwin, 1982

Ruelle, D. Chaotic Evolution and Stange Attractors. Cambridge, England: Cambridge University Press, 1989.

Samuelson, P. A. "Efficient Portfolio Selection for Physical evy Investments," Journal of Financial and Quantitative Analysis, June 1967.

Scheinkman, J. A., and LeBaron, B. "Nonlinear Dynamics and Stock Returns,"

Schinasi, G. J. "A Nonlinear Dynamic Model of Short Run Fluctuations," Review unpublished ms., 1986.

Schwert, G. W. "Stock Market Volatility," Financial Analysts Journal, May/June of Economic Studies 48, 1981.

Shaklee, G. L. S. Time in Economics. Westport, CT: Greenwood Press, 1958.

Shannon, C. E., and Weaver, W. The Mathematical Theory of Communication.

Sharpe, W. F. "Capital Asset Prices: A Theory of Market Equilibrium Under Urbana: University of Illinois, 1963.

Conditions of Risk," Journal of Finance 19, 1964.

Sharpe, W. F. Portfolio Theory and Capital Markets. New York: McGraw-Hill,

Sharpe, W. F. "A Simplified Model of Portfolio Analysis," Management Science 9, 1963

Shaw, R. The Dripping Faucet as a Model Chaotic System. Santa Cruz, CA: Aerial Press, 1984.

Shiller, R. J. Market Volatility, Cambridge, MA: M.I.T. Press, 1989.

Sterge, A. J. "On the Distribution of Financial Futures Price Changes," Financial Analysts Journal, May/June 1989.

Thompson, J. M. T., and Stewart, H. B. Nonlinear Dynamics and Chaos. New York: John Wiley & Sons, 1986.

Toffler, A. The Third Wave, New York: Bantam Books, 1981.

Turner, A. L., and Weigel, E. J. "An Analysis of Stock Market Volatility," Russell Research Commentaries, Frank Russell Co. Tacoma, WA, 1990.

Iversky, A. "The Psychology of Risk," in Quantifying the Market Risk Premium Phenomena for Investment Decision Making. Charlottesville, VA. Institute of Chartered Financial Analysts, 1990.

Vaga, T. "The Coherent Market Hypothesis," Financial Analysis Journal, December/January 1991.

Vicsek, T. Fractal Growth Phenomena. Singapore: World Scientific, 1989.

Wallach, P. "Wavelet Theory," Scientific American, January, 1991.

Weidlich, W. "The Statistical Description of Polarization Phenomena in Society," British Journal of Mathematical and Statistical Psychology 24, 1971. Weiner, N. Collected Works, Vol. I, P. Masani, ed. Cambridge, MA: M.I.T. Press,

West, B. J., and Goldberger, A. L. "Physiology in Fractal Dimensions," American West, B. J. "The Noise in Natural Phenomena," American Scientist 78, 1990.

West, B. J., Valmik, B., and Goldberger, A. L. "Beyond the Principle of Similitude: Renormalization in the Bronchial Tree," Journal of Applied Physiology Scientist 75, 1987.

Wolf, A., Swift, J. B., Swinney, H. L., and Vastano, J. A. "Determining Lyapunov

Working, H. "Note on the Correlation of First Differences of Averages in a Random Exponents From a Time Series," Physica 16D, July 1985.

Chain," in P. Cootner, ed., The Random Character of Stock Market Prices. Cambridge, MA: M.I.T. Press, 1964.

Zipf, G. K. Human Behavior and the Principle of Least Effort. Reading, MA: Addison Wesley, 1949.

#### 23.1

### Glossary

Alpha The measure of the peakedness of the probability density function. In the normal distribution, alpha equals 2. For fractal or Pareto distributions, alpha is between 1 and 2. The inverse of the Hurst exponent (H).

Anti-persistence In rescaled range (R/S) analysis, a reversal of a time series, occurring more often than reversal would occur in a random series. If the system has been up in the previous period, it is likely to be down in the next period, and vice versa. See Hurst exponent, Joseph effect, Noah effect, Persistence, and Rescaled range (R/S) analysis.

Attractor In non-linear dynamic series, a definitor of the equilibrium level of the system. See Limit cycle, Point attractor, and Strange attractor.

**Bifurcation** Development, in a nonlinear dynamic system, of twice the possible solutions that the system had before it passed its critical level. A bifurcation cascade is often called the period doubling route to chaos, because the transition from an orderly system to a chaotic system often occurs when the number of possible solutions begins increasing, doubling at each increase.

solutions begins increasing, updoing a vacua increasing.

Bifurcation diagram A graph that shows the critical points where bifurcation occurs and the possible solutions that exist at each point.

Capital Asset Pricing Model (CAPM) An equilibrium-based asset-pricing model developed independently by Sharpe, Lintner, and Mossin. The simplest version states that assets are priced according to their relationship to the market portfolio of all risky assets, as determined by the securities' beta.

Central Limit Theorem The Law of Large Numbers; states that, as a sample of independent, identically distributed random numbers approaches infinity, its probability density function approaches the normal distribution. See Normal distribution.

232 Glossary

Chaos A deterministic, nonlinear dynamic system that can produce randomlooking results. A chaotic system must have a fractal dimension and must exhibit sensitive dependence on initial conditions. See Fractal dimension, Lyapunov exponent, and Strange attractor. Coherent Market Hypothesis (CMH) Atheory stating that the probability density function of the market may be determined by a combination of group sentiment and fundamental bias. Depending on combinations of these two factors, the market can be in one of four states: random walk, unstable transition, chaos, or coherence.

Control parameters In a nonlinear dynamic system, the coefficient of the order parameter; the determinant of the influence of the order parameter on the total system. See Order parameter.

Correlation The degree to which factors influence each other.

Correlation dimension An estimate of the fractal dimension that (1) measures the probability that two points chosen at random will be within a certain distance of each other and (2) examines how this probability changes as the distance is increased. White noise will fill its space because its components are uncorrelated, and its correlation dimension is equal to whatever dimension it is placed in. A dependent system will be held together by its correlations and will retain its dimension in whatever embedding dimension it is placed, as long as the embedding dimension is greater than its fractal dimension.

Correlation integral The probability that two points are within a certain distance from one another, used in the calculation of the correlation dimension.

Critical levels Values of control parameters where the nature of a nonlinear dynamic system changes. The system can bifurcate or it can make the transition from stable to turbulent behavior. An example is the straw that breaks the camel's

Cycle A full orbital period.

**Determinism** A theory that certain results are fully ordained in advance. A deterministic chaos system is one that gives random-looking results, even though the results are generated from a system of equations.

Dynamic system A system of equations in which the output of one equation is part of the input for another. A simple version of a dynamic system is a sequence of linear simultaneous equations. Nonlinear simultaneous equations are nonlinear dynamic systems.

Econometrics The quantitative science of predicting the economy.

Efficient frontier In mean/variance analysis, the curve formed by the set of efficient portfolios—that is, those portfolios of risky assets that have the highest level of expected return for their level of risk.

Efficient Market Hypothesis (EMH) A theory that states, in its semistrong form, that, because current prices reflect all public information, it is impossible

Glossary

233

for one market participant to have an advantage over another and reap excess profits

Equilibrium The stable state of a system. See Attractor.

Euclidean geometry Plane or "high school" geometry, based on a few ideal, smooth, symmetric shapes.

Feedback system An equation in which the output becomes the input in the next iteration, operating much like a public address (PA) system, where the microphone is placed next to the speakers, who generate feedback as the signal is looped through the PA system.

Fractal An object in which the parts are in some way related to the whole; that is, the individual components are "self-similar." An example is the branching network in a tree. Each branch and each successive smaller branching is different, but all are qualitatively similar to the structure of the whole tree.

Fractal dimension A number that quantitatively describes how an object fills its space. In Euclidean (plane) geometry, objects are solid and continuous—they have no holes or gaps. As such, they have integer dimensions. Fractals are rough and often discontinuous, like a wiffle ball, and so have fractional, or fractal dimensions.

Fractal distribution A probability density function that is statistically self-similar. That is, in different increments of time, the statistical characteristics remain the same.

Fractional brownian motion A biased random walk; comparable to shooting craps with loaded dice. Unlike standard brownian motion, the odds are biased in one direction or the other.

Gaussian A system whose probabilities are well described by a normal distribution, or bell-shaped curve.

**Hurst exponent (H)** A measure of the bias in fractional brownian motion. H = 0.50 for brownian motion;  $0.50 < H \le 1.00$  for persistent or trend-reinforcing series;  $0 \le H < 0.50$  for an antipersistent or mean-reverting system. The inverse of the Hurst exponent is equal to alpha, the characteristic exponent for fractal, or Pareto, distributions.

Joseph effect The tendency for persistent time series  $(0.50 < H \le 1.00)$  to have trends and cycles. A term coined by Mandelbrot, referring to the biblical narrative of Joseph's interpretation of Pharaoh's dream to mean seven fat years followed by seven lean years.

Leptokurtosis The condition of a probability density curve that has fatter tails and a higher peak at the mean than at the normal distribution.

Limit cycle An attractor (for nonlinear dynamic systems) that has periodic cycles or orbits in phase space. An example is an undamped pendulum, which will have a closed-circle orbit equal to the amplitude of the pendulum's swing. See Attractor.

234 Glossary

Lyapunov exponent A measure of the dynamics of an attractor. Each dimension has a Lyapunov exponent. A positive exponent measures sensitive dependence on initial conditions, or how much a forecast can diverge, based on different estimates of starting conditions. In another view, a Lyapunov exponent is the loss of predictive ability as one looks forward in time. Strange attractors are characterized by at least one positive exponent. A negative exponent measures how points converge toward one another. Point attractors are characterized by all negative variables. See Attractor, Limit cycle, Point attractor, and Strange Attractor.

Markovian dependence A condition in which charvations in a time series are dependent on previous observations in the near term. Markovian dependence dies quickly; long-memory effects such as Hurst dependence decay over very long time

Modern Portfolio Theory (MPT) The blanket name for the quantitative analysis of portfolios of risky assets based on the expected return (or mean expected value) and the risk (or standard deviation) of a portfolio of securities. According to MPT, investors would require a portfolio with the highest expected return for a given level of risk.

Noab effect The tendency of persistent time series  $(0.50 < H \le 1.00)$  to have abrupt and discontinuous changes. The normal distribution assumes continuous changes in a system. However, a time series that exhibits Hurst statistics may abruptly change levels, skipping values either up or down. Mandelbrot coined the term "Noah effect" to represent a parallel to the biblical story of the Deluge. See Antipersistence, Hurst exponent, Joseph effect, and Persistence.

Normal distribution The well-known bell-shaped curve. According to the central limit theorem, the probability density function of a large number of independent, identically distributed random numbers will approach the normal distribution. In the fractal family of distributions, the normal distribution exists only when alpha equals 2 or the Hurst exponent equals 0.50. Thus, the normal distribution is a special case which, in time series analysis, is quite rare. See Alpha, Central Limit Theorem, Fractal distribution.

Order parameter In a nonlinear dynamic system, a variable—acting like a macrovariable, or combination of variables—that summarizes the individual variables that can affect a system. In a controlled experiment, involving thermal convection, for example, temperature can be a control parameter; in a large and complex system, temperature can be an order parameter, because it summarizes the effect of the sun, air pressure, and other atmospheric variables.

# Pareto (Pareto-Levy) Distributions See Fractal distribution.

Persistence In rescaled range (R/S) analysis, a tendency of a series to follow trends. If the system has increased in the previous period, the chances are that it will continue to increase in the next period. Persistent time series have a long "memory"; long-term correlation exists between current events and future events. See Antipersistence, Hurst exponent, Joseph effect, Noah effect, and Rescaled range (R/S) analysis.

Glossary

Phase Space A graph that shows all possible states of a system. In phase space, the value of a variable is plotted against possible values of the other variables at the same time. If a system has three descriptive variables, the phase space is plotted in three dimensions, with each variable taking one dimension.

**Point attractor** In nonlinear dynamics, an attractor where all orbits in phase space are drawn to one point or value. Essentially, any system that tends to a stable. single-valued equilibrium will have a point attractor. A pendulum damped by friction will always stop. Its phase space will always be drawn to the point where velocity and position are equal to zero. See Attractor, Phase space.

Random walk Brownian motion, where the previous change in the value of a variable is unrelated to future or past changes.

Rescaled range (R/S) analysis The method developed by H. E. Hurst to determine long-memory effects and fractional brownian motion. A measurement of how the distance covered by a particle increases over longer and longer time scales. For brownian motion, the distance covered increases with the square root of time. A series that increases at a different rate is not random. See Antipersistence, Fructional brownian motion, Hurst exponent, Joseph effect, Noah effect, and Persistence

**Risk** In Modern Portfolio Theory (MPT), an expression of the standard deviation of security returns.

**Scaling** Changes in the characteristics of an object that are related to changes in the size of the measuring device being applied. For a three-dimensional object, an increase in the radius of a covering sphere would affect the volume of an object covered. In a time series, an increase in the increment of time could change the amplitude of the time series.

Self-similar A descriptive of small parts of an object that are qualitatively the same as, or similar to, the whole object. In certain deterministic fractals, such as the Sierpinski triangle, small pieces look the same as the entire object. In random fractals, small increments of time will be statistically similar to larger increments of time. See Fractal.

Strange attractor An attractor in phase space, where the points never repeat themselves and the orbits never intersect, but both the points and the orbits stay within the same region of phase space. Unlike limit cycles or point attractors, strange attractors are nonperiodic and generally have a fractal dimension. They are a configuration of a nonlinear chaotic system. See Attractor, Chaos, Limit cycle, Point attractor.

Stable Paretian, or fractal, hypothesis A theory stating that, in the characteristic function of the fractal family of distributions, the characteristic exponent alpha can range between 1 and 2. See Alpha, Fractal distribution, Gaussian.

White noise The audio equivalent of brownian motion; sounds that are unrelated and sound like a hiss. The video equivalent of white noise is "snow" on a television receiver screen. See Brownian motion.

### Index

Brownian Motion, 15–16 fractional, 61, 69, 216, 233 C	Callan and Shapiro, 193-194 Capital Asset Pricing Model (CAPM). 20-24, 32-33, 39, 66, 101, 197, 208, 231 Capital market line, 22-23 Catastrophe theory, 195 Central limit theorem, 17, 20, 61, 231 Chaos, 232 Chaos game, 51-53, 64, 66, 130, 136.	Chen. P., 165 Coastlines, 57–58 Coherent Market Hypothesis (CMH). 161, 194, 195–199, 208, 232 Communism, 5 Consumer Price Index, 165 Control parameter, 145–146, 232 Cootner, P., 15, 27, 37 Correlation dimension, 215–216, 232 Correlation integral, 155–157, 215–216, 232 Cowles, A., 15
A Alpha, 107, 231 Anti-persistent, 64, 231 Arbitrage Pricing Theory (APT),	24, 101 Aristotle, 40, 46 Attractor, 231 benon, 141-144, 152-153 limit cycle, 138, 145, 205, 233 point, 137-138, 205, 235 strange, 139-140, 205, 235 Auto-Correlation Function (ACF), 71 Axioms, 46	Bachelier, L., 15, 106 Bak and Chen, 206–207 Barnsley, M., 51 BARRA E1 model, 34 Beta, 23, 32–33 Bifurcation, 123, 196, 231 hopf, 145 Bits, 148–149 Black, Jensen and Scholes, 32–33 Black and Scholes, 24, 101

Fractal market hypothesis, 107, 115 Freidman and Laibson, 29-30

Critical levels, 7, 9, 232 Cycles, 181, 232

Fundamental analysis, 15-16, 39

Grassberger and Procaccia, 155

Greenspan, A., 4

Graham and Dodd, 15, 19

Differential equations, 6

Devancy, M., 121

239

Iterated Function Systems (IFS), 51

Jensen and Urban, 188 Joseph effect, 108, 233

January effect, 34

Feigenbaum's Number (F), 126, 144

Feigenbaum, M., 121, 126

Feedback systems, 9, 233

Fama and Miller, 24

Feder, J., 211

Fama, E., 15, 18, 28

Fieldstein and Eckestein, 188

Fractal, 9, 42, 45-53, 233

deterministic, 50

Flicker (1/f) Noise, 207

Index participation contracts, 5

Euclidean geometry, 45-46, 49, 55, 233

Embedding dimension, 56

Einstein, A., 15

Equilibrium, 4-5, 233

Euclid, 46

inverse power law, 106

Inflation, 35-36

Ising model, 193-194

Hurst Exponent (H), 62, 194, 207, 233

Henon, M., 141-144

I

Rescaled Range Analysis

Hurst, H., 61

estimation, 70-71. See also

41, 61, 81, 86, 101, 107, 109, 190,

Efficient Market Hypothesis (EMH),

Efficient frontier, 20, 22, 232

Efficient market, 5, 25

Econometrics, 204, 232

9-10, 13-27, 30, 32-36, 37-39,

Koch snowflake, 49-50, 140, 155

Kuhn, T., 19 Kurtosis, 27

lungs, fractal structure of, 51

random, 47, 51

scrambling test, 182 distributions, 37, 233

of S&P 500, 167

K-Map, 187, 189-191

Kendall, M., 16 Keynes, J., 19

of international stocks, 168-170

dimension, 49, 55-60, 67, 108,

155-157, 233

Theory of social imitation, 193-194 Fopological dimension, 46, 56 Technical analysis, 15-16, 39 Vaga, T., 187, 192-199, 208 Variance, 20, 27 Wavelet theory, 205-206 Thermodynamics, 41 infinite, 37, 107 Volatility, 31, 58-60 [vsersky, A., 34-35] Weiner process, 15 Working, H., 15 Turbulence, 134 Z-Map, 187-191 Weak chaos, 207 T1/2 rule, 31, 62 Toffler, A., 202 F-statistic, 30 Zipf, G., 106 Tobin, J., 15 Time, 5 Rescaled Range Analysis (Continued) Scheinkman and LeBaron, 164, 182 Self organized criticality, 206-207 Sierpinski triangle, 48-49, 52, 140 Stable paretian, 24, 27, 31, 36-37. S&P 500 stock index, 47, 49, 101, Security Market Line (SML), 23, See also Pareto distributions of treasury securities, 91-92 Standard deviation, 58-60, 66 Smart money traders, 31-32 of S&P 500 volatility, 118 loglinear detrended, 166 Stock market crashes, 197 Sharpe, W., 15, 20, 24, 28 of sunspot cycle, 77-79 R/S analysis of, 77-80 scrambling test, 74-76 R/S analysis of, 84-86 Self similar, 9, 47, 235 Rudd and Clasing, 34 Spectral analysis, 39 Small firm effect, 34 of S&P 500, 84-86 110-111, 172 Shiller, R., 31, 37 Shannon, C., 148 Roll, R., 24, 33 Ross, S., 24 Roberts, H., 86 Sunspots, 173 Symmetry, 46 Sterge, A., 30 Skewness, 28 Scaling, 235 32-33

Š

Time arraw, 64, 114-115, 203-204 Time series, 36 Turner and Weigel, 28, 31, 112